


Repetitive Loss Area Analysis

DRAFT





Los Angeles County Repetitive Loss Area Analysis

August 2020

PREPARED FOR

Los Angeles County Public Works

Stormwater Engineering Division 900 S. Fremont Ave. Alhambra, CA 91803

PREPARED BY

Tetra Tech

17885 Von Karman Ave., Suite 500 Phone: 949.809.5000 Irvine, CA 92614

Fax: 949.809.5003 tetratech.com

CONTENTS

PART 1— PLANNING PROCESS AND PROJECT BACKGROUND	1
1. Introduction	1-1
Repetitive Loss Properties and the Community Rating System	
Los Angeles County Repetitive Loss Area Analysis	
Numbering and Nomenclature	
2. Repetitive Loss Area Analysis Methodology	
Basic Requirements	
Reverse Damage Function methodology (Initial Identification)	2-1
Rationale for Alternative Approach	
Description of Selected Approach	2-2
Secondary Identification	2-3
Property Condition Assessment	2-4
Foundation Type	2-4
3. Repetitive Loss Areas Outreach	3-1
CRS Outreach Requirements for RLAA	3-1
CountyWide Floodplain Management Planning Effort	3-1
Contact with Agencies and Organizations	3-1
Strategy	3-2
Public Involvement Results	3-9
Repetitive Loss Area Specific Outreach	3-10
4. Relevant Programs and Regulations	
Federal and State	
Local	
General Plan	
Community Plans	
Watershed Management Program	
Greater Los Angeles County Region Integrated Regional Water Management Plan	
Los Angeles County Flood Control District	
Antelope Valley Comprehensive Plan and Amendments	
Antelope Valley Integrated Regional Water Management Plan and Salt and Nutrient Management	
Plan	
Upper Santa Clara River Watershed Integrated Regional Water Management Plan	
Sediment Management Strategic Plan	
Local Coastal Programs	
Los Angeles County Low Impact Development Ordinance	
Los Angeles County Operational Area Emergency Response Plan	
Topanga Creek Watershed Management Plan	
Rio Hondo Watershed Management Plan	
Gateway Watershed Management Program	
Los Angeles River Master Plan and Corridor Highlights	
Los Angeles County Annual Hydrologic Reports	
Los Angeles County Drainage Area Project	
Trash Best Management Practices	
Capability Assessment	
5. Mitigated Repetitive Loss Properties	

Repetitive Loss List Correction	5-1
Mitigated Repetitive Loss Properties	5-1
6. Mitigation Alternatives Considered	6-1
Preventive	6-1
Property Protection	6-2
Acquisition	6-2
Home Elevation	6-2
Dry Flood-Proofing	6-3
Wet Flood-Proofing	6-3
Direct Drainage Away from the Building	6-4
Drainage Maintenance	
Sewer Improvements	
Temporary Barriers	
Natural Resource Protection	
Emergency Services	
Structural Projects	
Public Information	6-7
PART 2— ANALYSIS OF INDIVIDUAL REPETITIVE LOSS AREAS	
7. Agua Dulce Repetitive Loss Area	
Problem Statement	
Identified Repetitive Loss Property	
Properties Included in Repetitive Loss Area	
8. Altadena A Repetitive Loss Area	
Problem Statement	
Identified Repetitive Loss Property	
Properties Included in Repetitive Loss Area	
9. Altadena B Repetitive Loss Area	
Problem Statement	
Identified Repetitive Loss Property	9-1
Properties Included in Repetitive Loss Area	
10. Calabasas A Repetitive Loss Area	10-1
Problem Statement	10-1
Identified Repetitive Loss Property	
Properties Included in Repetitive Loss Area	10-1
11. Calabasas B Repetitive Loss Area	11-1
Problem Statement	11-1
Identified Repetitive Loss Property	11-1
Properties Included in Repetitive Loss Area	11-1
12. Cold Creek A Repetitive Loss Area	12-1
Problem Statement	
Identified Repetitive Loss Properties	
Properties Included in Repetitive Loss Area	
13. Cold Creek B Repetitive Loss Area	
Problem Statement	
Identified Repetitive Loss Properties	
Properties Included in Repetitive Loss Area	
14. Del Sur Repetitive Loss Area	
Problem Statement	
Identified Repetitive Loss Property	14-1

	Properties Included in Repetitive Loss Area	14-1
1	5. Lower Topanga Canyon Repetitive Loss Area	
1	Problem Statement	
	Identified Repetitive Loss Properties	
	*	
1	Properties Included in Repetitive Loss Area	
1	6. Malibou Lake Repetitive Loss Area	
	Problem Statement	
	Identified Repetitive Loss Properties	
	Properties Included in Repetitive Loss Area	
1	7. Malibu Repetitive Loss Area	
	Problem Statement	
	Identified Repetitive Loss Property	
	Properties Included in Repetitive Loss Area	
1	8. Quartz Hill A Repetitive Loss Area	. 18-1
	Problem Statement	. 18-1
	Identified Repetitive Loss Property	. 18-1
	Properties Included in Repetitive Loss Area	. 18-2
1	9. Quartz Hill B Repetitive Loss Area	
	Problem Statement	. 19-1
	Identified Repetitive Loss Properties	
	Properties Included in Repetitive Loss Area	
2	20. Quartz Hill C Repetitive Loss Area	
_	Problem Statement	
	Identified Repetitive Loss Properties	
	Properties Included in Repetitive Loss Area	
2	21. Roosevelt Repetitive Loss Area	
_	Problem Statement	
	Identified Repetitive Loss Property	
	Properties Included in Repetitive Loss Area	
7	22. Rowland Heights Repetitive Loss Area	
_	Problem Statement	
	Identified Repetitive Loss Property	
~	Properties Included in Repetitive Loss Area	
2	23. Topanga Canyon A Repetitive Loss Area	
	Problem Statement	
	Identified Repetitive Loss Property	
_	Properties Included in Repetitive Loss Area	
2	4. Topanga Canyon B Repetitive Loss Area	
	Problem Statement	
	Identified Repetitive Loss Property	
	Properties Included in Repetitive Loss Area	
2	25. Topanga Canyon C Repetitive Loss Area	
	Problem Statement	. 25-1
	Identified Repetitive Loss Property	. 25-1
	Properties Included in Repetitive Loss Area	. 25-1
2	26. Topanga Canyon D Repetitive Loss Area	. 26-1
	Problem Statement	
	Identified Repetitive Loss Property	
	Properties Included in Repetitive Loss Area	
2	27. Topanga Canyon E Repetitive Loss Area	

Problem Statement	27-1
Identified Repetitive Loss Property	27-1
Properties Included in Repetitive Loss Area	27-1
28. Triunfo Canyon A Repetitive Loss Area	28-1
Problem Statement	28-1
Identified Repetitive Loss Property	28-1
Properties Included in Repetitive Loss Area	28-1
29. Triunfo Canyon B Repetitive Loss Area	29-1
Problem Statement	29-1
Identified Repetitive Loss Property	29-1
Properties Included in Repetitive Loss Area	29-1
30. Upper Topanga Canyon Repetitive Loss Area	30-1
Problem Statement	
Identified Repetitive Loss Properties	
Properties Included in Repetitive Loss Area	
PART 3— REPETITIVE LOSS AREA ACTION PLAN	1
31. Repetitive Loss Area Action Plan	31-1
Mitigation Actions	
Benefit/Cost Analysis	31-9
Action Plan Prioritization	31-10
Annual Evaluation Report	31-12
32. Plan Adoption	
References	1

Appendices

Appendix A. Generic Depth-Damage Relationships for Residential Structures Appendix B. Federal and State Agencies, Programs and Regulations

Tables

Table 1-1. Naming and Numbering of Los Angeles County Repetitive Loss Properties and Areas	1-3
Table 3-1. Floodplain Management Plan Open House Public Meetings	
Table 4-1. Summary of Relevant Federal Agencies, Programs and Regulations	
Table 4-2. Summary of Relevant State Agencies, Programs and Regulations	
Table 4-3. Los Angeles County Legal and Regulatory Capability	
Table 4-4. Fiscal Capability	4-14
Table 4-5. Community Classifications	
Table 4-6. Administrative and Technical Capability	4-15
Table 4-7. National Flood Insurance Program Compliance	4-15
Table 5-1. Mitigated Repetitive Loss Properties	
Table 7-1. Repetitive Loss Properties in Agua Dulce Repetitive Loss Area	
Table 7-2. All Properties in Agua Dulce Repetitive Loss Area	

Table 8-1. Repetitive Loss Properties in Altadena A Repetitive Loss Area	8-1
Table 8-2. All Properties in Altadena A Repetitive Loss Area	8-1
Table 9-1. Repetitive Loss Properties in Altadena B Repetitive Loss Area	9-1
Table 9-2. All Properties in Altadena B Repetitive Loss Area	9-1
Table 10-1. Repetitive Loss Properties in Calabasas A Repetitive Loss Area	10-1
Table 10-2. All Properties in Calabasas A Repetitive Loss Area	10-1
Table 11-1. Repetitive Loss Properties in Calabasas B Repetitive Loss Area	
Table 11-2. All Properties in Calabasas B Repetitive Loss Area	
Table 12-1. Repetitive Loss Properties in Cold Creek A Repetitive Loss Area	12-1
Table 12-2. All Properties in Cold Creek A Repetitive Loss Area	
Table 13-1. Repetitive Loss Properties in Cold Creek B Repetitive Loss Area	
Table 13-2. All Properties in Cold Creek B Repetitive Loss Area	
Table 14-1. Repetitive Loss Properties in Del Sur Repetitive Loss Area	
Table 14-2. All Properties in Del Sur Repetitive Loss Area	
Table 15-1. Repetitive Loss Properties in Lower Topanga Canyon Repetitive Loss Area	
Table 16-1. Repetitive Loss Properties in Malibou Lake Repetitive Loss Area	
Table 16-2. All Properties in Malibou Lake Repetitive Loss Area	
Table 17-1. Repetitive Loss Properties in Malibu Repetitive Loss Area	
Table 17-2. All Properties in Malibu Repetitive Loss Area	
Table 18-1. Repetitive Loss Properties in Quartz Hill A Repetitive Loss Area	
Table 18-2. All Properties in Quartz Hill A Repetitive Loss Area	18-2
Table 19-1. Repetitive Loss Properties in Quartz Hill B Repetitive Loss Area	19-1
Table 19-2. All Properties in Quartz Hill B Repetitive Loss Area	
Table 20-1. Repetitive Loss Properties in Quartz Hill C Repetitive Loss Area	20-4
Table 20-2. All Properties in Quartz Hill C Repetitive Loss Area	
Table 21-1. Repetitive Loss Properties in Roosevelt Repetitive Loss Area	
Table 21-2. All Properties in Roosevelt Repetitive Loss Area	
Table 22-1. Repetitive Loss Properties in Rowland Heights Repetitive Loss Area	22-1
Table 22-2. All Properties in Rowland Heights Repetitive Loss Area	22-2
Table 23-1. Repetitive Loss Properties in Repetitive Topanga Canyon A Loss Area	
Table 23-2. All Properties in Topanga Canyon A Repetitive Loss Area	23-1
Table 24-1. Repetitive Loss Properties in Topanga Canyon B Repetitive Loss Area	24-1
Table 24-2. All Properties in Topanga Canyon B Repetitive Loss Area	24-1
Table 25-1. Repetitive Loss Properties in Topanga Canyon C Repetitive Loss Area	25-1
Table 25-2. All Properties in Topanga Canyon C Repetitive Loss Area	25-1
Table 26-1. Repetitive Loss Properties in Topanga Canyon D Repetitive Loss Area	26-1
Table 26-2. All Properties in Topanga Canyon D Repetitive Loss Area	26-1
Table 27-1. Repetitive Loss Properties in Topanga Canyon E Repetitive Loss Area	
Table 27-2. All Properties in Topanga Canyon E Repetitive Loss Area	27-1
Table 28-1. Repetitive Loss Properties in Triunfo Canyon A Repetitive Loss Area	28-1
Table 28-2. All Properties in Triunfo Canyon A Repetitive Loss Area	
Table 29-1. Repetitive Loss Properties in Triunfo Canyon B Repetitive Loss Area	29-1
Table 29-2. All Properties in Triunfo Canyon B Repetitive Loss Area	
Table 30-1. Repetitive Loss Properties in Upper Topanga Canyon Repetitive Loss Area	
Table 30-2. All Properties in Upper Topanga Canyon Repetitive Loss Area	
Table 30-1. Action Plan—Flood Mitigation Initiatives	31-2
Table 30-2 Prioritization of Mitigation Actions	31-10

TETRA TECH

Figures

Figure 2-1. Foundation Types—Basement (left), Slab (center), and Crawlspace (right)	2-5
Figure 3-1. Sample Page from Floodplain Management Plan Web Site	3-3
Figure 3-2. Twitter Post	
Figure 3-3. Facebook Post	3-4
Figure 3-4. Sample Page from Survey Distributed to the Public	3-5
Figure 3-5. Post Card Mailing Advertising the Survey	3-6
Figure 3-6. Flyer Announcing Phase 1 Open Hose for the Floodplain Management Plan	3-7
Figure 3-7. Postcard Announcing Phase 2 Open House for the Floodplain Management Plan	3-7
Figure 3-8. Example Printout from Hazus Workstation	
Figure 3-9. Hazus Workstation, Malibou Lake Mountain Club Meeting, October 7, 2019	3-9
Figure 3-10. Attendees Look at Hazard Maps at Malibou Lake Public Meeting	3-9
Figure 3-11. Repetitive Loss Area Target Mailing #1	
Figure 3-12. Repetitive Loss Area Target Mailing #2	3-12
Figure 5-1. Example AW-501	
Figure 6-1. Dry Flood-Proofing Example	6-3
Figure 6-2. Wet Flood-Proofing Example	6-5
Figure 6-3. Sewer Backflow Valve Installation Example	6-6
Figure 7-1. Agua Dulce Repetitive Loss Area	7-2
Figure 11-1. Calabasas B Repetitive Loss Area	11-3
Figure 12-1. Cold Creek A Repetitive Loss Area	12-2
Figure 13-1. Cold Creek B Repetitive Loss Area	13-3
Figure 14-1. Del Sur Repetitive Loss Area	14-2
Figure 15-1. Lower Topanga Canyon Repetitive Loss Area	15-2
Figure 16-1. Malibou Lake Repetitive Loss Area	16-7
Figure 17-1. Malibu Repetitive Loss Area	17-3
Figure 19-1. Quartz Hill B Repetitive Loss Area	19-3
Figure 20-1. Quartz Hill C Repetitive Loss Area	20-6
Figure 21-1. Roosevelt Repetitive Loss Area	21-2
Figure 24-1. Topanga Canyon B Repetitive Loss Area	24-2
Figure 26-1. Topanga Canyon D Repetitive Loss Area	26-2
Figure 27-1. Topanga Canyon E Repetitive Loss Area	27-2
Figure 30-1, Upper Topanga Canyon Repetitive Loss Area	30-7

vi TETRA TECH

Los Angeles County Repetitive Loss Area Analysis

PART 1—PLANNING PROCESS AND PROJECT BACKGROUND

1. INTRODUCTION

REPETITIVE LOSS PROPERTIES AND THE COMMUNITY RATING SYSTEM

A repetitive loss property is defined by the Federal Emergency Management Agency (FEMA) as a property for which two or more National Flood Insurance Program (NFIP) losses of at least \$1,000 each have been paid within any 10-year rolling period since 1978 (FEMA 2017). From 1978 through 2017, about a quarter of all claims paid under the NFIP nationwide were for repetitive loss properties, even though such properties make up fewer than 2 percent of all NFIP insurance policies (FEMA 2017).

Federal programs such as the Community Rating System (CRS) encourage communities to identify and mitigate the causes of repetitive losses. The first step is to map repetitive loss areas, which are contiguous areas that include one or more properties on FEMA's list of repetitive loss properties and all nearby properties with exposure to the same or similar flooding conditions. FEMA considers listed repetitive loss properties to be indicative of an overall repetitive loss problem that may affect other nearby properties. Designation of repetitive loss areas around listed repetitive loss properties allows an evaluation of actual or potential flooding problems at properties that may not have flood insurance or may have had only a single previous claim. This ensures that all properties with the same exposure to a flood risk are addressed equally.

The CRS, which provides for reduced flood insurance premiums in communities that carry out various flood mitigation activities, requires the following from participating communities with 50 or more repetitive loss properties (Category C communities):

- Prepare a map of repetitive loss areas.
- Review and describe each area's repetitive loss problem.
- Prepare a list of the addresses of all properties in the repetitive loss areas with insurable buildings, which are defined to include the following (FEMA 2017):
 - A structure that is affixed to a permanent site and has two or more outside rigid walls and a fully secured roof
 - A manufactured home (also known as a mobile home) built on a permanent chassis, transported to its site in one or more sections, and affixed to a permanent foundation
 - A travel trailer without wheels, built on a chassis and affixed to a permanent foundation, that is regulated under the community's floodplain management and building ordinances or laws.
- Undertake an annual outreach project to those addresses.
- Prepare a floodplain management plan or area analysis for the repetitive loss areas.

TETRA TECH 1-1

LOS ANGELES COUNTY REPETITIVE LOSS AREA ANALYSIS

Los Angeles County had 50 FEMA-designated repetitive loss properties in its unincorporated areas as of September 2018 (the dataset the County used for this analysis). These properties have been mapped into 24 repetitive loss areas, and an analysis has been conducted for each area. FEMA prescribes the following five-step process for conducting an area analysis:

- Step 1—Advise all the property owners in the repetitive flood loss area that the analysis will be conducted and request their input on the flood hazard and recommended actions.
- Step 2—Contact agencies or organizations that may have plans that could affect the cause or impacts of the flooding.
- Step 3—Collect data on the analysis area and each building in it to determine the causes of the repetitive damage and mitigation measures that would be appropriate.
- Step 4—Review alternative mitigation approaches and determine whether any property protection measures or drainage improvements are feasible.
- Step 5—Document the findings in a report.

This report documents the fulfillment of the CRS requirements for Category C communities, following the five-step area-analysis process. As required under Step 5, it provides the following information:

- A summary of the process followed (Chapters 2 and 3)
- Problem statements with maps for each area (Chapters 7 30)
- A table of basic information about each building in the area (Chapters 7 30)
- A description of alternative approaches considered to address the problem (Chapter 6)
- A set of recommended action items to address the problem (Chapters 7 30).

Individual properties and structures are counted and described in this document, but specific address information is withheld under the federal Privacy Act of 1974. A separate document on file with Los Angeles County for internal use only correlates the property ID numbers presented here with specific address information.

NUMBERING AND NOMENCLATURE

In designating federally recognized repetitive loss properties, FEMA assigns a seven-digit repetitive loss number (RL #) to each property, using a nationally defined numbering system.

Based on geographic distribution, repetitive loss areas were defined that include one or more repetitive loss properties. Areas were designated with a place name indicating the general location of the area. Table 1-1 summarizes the numbering and naming used in this analysis, as well as the corresponding map number from the 2015 RLAA.

1-2 TETRA TECH

Repetitive Loss Area Name	Los Angeles County Repetitive Los Angeles County 2015 RL Map Number	FEMA RL#
Agua Dulce	37	#0091339
Altadena A	35	#0056933
Altadena B	36	
		#0091348
Calabasas A	26	#0072498
Calabasas B	41	#0136718
Cold Creek A	27	#0071255
Cold Creek B	45	#0148768
Del Sur	55	#0138781
ower Topanga Canyon	19	#0014900
	20	#0017941
	21	#0017942
	22	#0028440
	23	#0017940
Malibou Lake	46	#0046576
	46	#0001165
	46	#0039962
	46	#0028487
	46	#0040087
	46	#0012820
	46	#0049496
	46	#0028444
	46	#0071413
	46	#0073653
	46	#0072406
	46	#0071417
	46	#0071417
	46	#0052974
	46	#0093872
	46	#0057971
	46	#0137792
	46	#0047197
A . 194	46	#0091232
Malibu	28	#0070079
Quartz Hill A	38	#0057385
Quartz Hill B	39	#0091087
Quartz Hill C	40	#0131222
Roosevelt	42	#0137354
Rowland Heights	44	#0138651
opanga Canyon A	30	#0028394
Topanga Canyon B	34	#0012818
Topanga Canyon C	48	#0111971
Fopanga Canyon D	49	#0137970
Topanga Canyon E	50	#0138321

TETRA TECH 1-3

Repetitive Loss Area Name	Los Angeles County 2015 RL Map Number	FEMA RL#
Triunfo Canyon A	24	#0095737
Triunfo Canyon B	43	#0137793
Upper Topanga Canyon	29	#0074656
	31	#0074334
	32	#0074553
	33	#0076269
	47	#0074498
Mitigated and Approved by FEMA	46	#0014896
	46	#0017933
	53	#0028337
	54	#0049465

1-4 TETRA TECH

2. REPETITIVE LOSS AREA ANALYSIS METHODOLOGY

BASIC REQUIREMENTS

There are two key sets of requirements to be met for a repetitive loss area analysis (RLAA):

- **Repetitive loss area mapping** requirements contained in Section 503 of the CRS Coordinator's Manual and in the supplemental publication, *Mapping Repetitive Loss Areas* (FEMA 2015).
- **Building data collection** requirements contained in Section 512.b of the CRS Coordinator's Manual (FEMA 2017):
 - ➤ Visit each building in the repetitive loss area and collect basic data.
 - ➤ Collect data during the site visit that is sufficient to make a preliminary determination of the cause of the repetitive flooding and of mitigation measures that would be appropriate to address the problem. This usually includes a review of drainage patterns around the building, the condition of the structure, and the condition and type of foundation.
 - > The person conducting the visit should not have to enter the property—adequate information should be collected from observations from the street.
 - Floor elevations or historical flood levels are not required, but can be helpful if available.
 - ➤ The date of each building's insurance claim can help identify the cause of flooding (e.g., rainfall or overbank flooding). The amount of the claim can help determine the amount of damage. Every year, each repetitive loss community is provided with a list of its historical insurance claims. This includes single-claim properties. Non-repetitive-loss communities that elect to do an RLAA may request these data from the CRS program.

More information on building data can be found in *Selecting Appropriate Mitigation Measures for Floodprone Structures* (FEMA-551).

REVERSE DAMAGE FUNCTION METHODOLOGY (INITIAL IDENTIFICATION)

Rationale for Alternative Approach

For the Los Angeles County RLAA, building data collection requirements were met using an alternative to the approach outlined in the CRS Coordinator's Manual. The RLAA planning team selected the alternative approach—a "reverse damage function" methodology—for initial identification of repetitive loss areas for the following reasons:

- Los Angeles County used the September 2018 repetitive loss data that it received from the Insurance Services Office (ISO) for this RLAA.
- A Level 2, user-defined flood model using Hazus-MH, version 4.2 was constructed in 2019 to support the
 development of the 2020 Los Angeles County Comprehensive Floodplain Management Plan. The model
 was possible due to the quality of Los Angeles County Assessor data available to the planning team. The
 County Assessor data provided key building attributes to model flood risk, such as date of construction,

TETRA TECH 2-1

foundation type, occupancy class, square footage and permit history. The detailed model data allowed the use of the selected alternative approach.

Description of Selected Approach

The selected reverse damage function approach used available data and capabilities to prepare the RLAA. The alternative approach achieves the same objectives as the approach prescribed in the 2017 CRS Coordinator's Manual (Section 512b), while providing the County a better protocol for maintaining data in the future to identify properties in a defined repetitive loss area and determine the cause of repetitive flooding.

The reverse damage function approach is a quantitative process based on modeling principles rather than the qualitative process outlined in the 2017 CRS Coordinator's Manual. It uses an existing model to apply the principles of the "depth-damage function," which is the cornerstone of risk assessment in FEMA's Hazus-MH and Benefit-Cost Analysis programs. Both of these programs estimate damage using curves that show the percentage of asset value that will be damaged as a function of the depth of floodwaters. These depth-damage curves are well-established as a basis for estimating losses caused by flooding.

The reverse damage function methodology uses known values of damage from a flood event, based on filed claims, to estimate what the floodwater depth was for that event. The following protocol was followed:

- Each repetitive loss property from the ISO 2018 data set was mapped in GIS to look for possible groupings based on proximity. The GIS mapping was based on the LiDAR-generated digital elevation model used to prepare the 2020 Los Angeles County Comprehensive Floodplain Management Plan. This digital elevation model has a 3-foot resolution.
- The average loss for each repetitive-loss (RL) property was determined by taking the average of all claims for that property.
- Replacement cost for each structure was calculated by applying the size and construction class for each RL property to the construction-cost-per-square-foot tables in 2015 BNi Home Builder's Costbook (Building News International, 2015).
- The percent damage "X" was calculated as:
 - $ightharpoonup X = Z \div Y$
 - > where:
 - > X is the percent damage (to be determined)
 - Y is the replacement cost of the structure (based on assessor information)
 - > Z is the estimated loss (based on the flood insurance claim)
- Once the percent damage was determined, the corresponding flood depth was determined by looking at
 the U.S. Army Corps of Engineers 2003 Generic Depth-Damage Relationships for Residential Structures
 (see Appendix A). These are the same damage functions contained in FEMA's Hazus-MH and BCAR
 platforms. They represent projected flood depths above the top of the finished floor.
- The determined flood depth was applied to the repetitive loss structure. Using the foundation type from the Assessor's data, the depth was added to the top of the finished floor. For a structure with a slab foundation, the top of the finished floor was set at 8 inches above adjacent grade. For a structure with a crawlspace foundation, the finished floor was set at 24 inches above adjacent grade. These parameters are based on standard building practices. None of the RL properties were shown to have basements, according the Assessor's data.
- Once the depth was applied to the finished floor, it was extended across the digital elevation model until it ran to zero depth (high ground) and a boundary was delineated. These boundaries were projected north, south, east and west for each property. In areas with multiple RL properties, the property with the highest depth above finished floor was used for this exercise.

2-2 TETRA TECH

- The boundary for each repetitive loss area was intersected with an ortho-photo and parcel boundary map. Each parcel with a structure within the delineated boundary was determined to be a property potentially subjected to repetitive flooding and was added to a repetitive loss area list for Los Angeles County. Note: these additional properties are not deemed as FEMA RL Properties.
- Property condition assessments were included in existing Los Angeles County Assessor's data, which
 were used for this RLAA.

Utilizing this methodology, 24 repetitive loss areas were delineated. Maps and descriptions of the causes of flooding for each area can be found in Chapters 7 to 30.

The final step was to determine the cause of flooding, giving consideration to the following findings from the initial identification:

- 26 of 50 properties (52 percent) are located in a FEMA-designated 1 percent annual chance (100-year) flood zone.
- 4 of 50 properties (8 percent) are located in a FEMA-designated 0.2 percent annual chance (500-year) flood zone.
- The average number of claims per property was 4.
- The average claim paid, adjusted to 2019 dollars¹, was \$23,315. The highest average claim per property was \$116,165 and the lowest was \$2,169.
- The average replacement cost for the RL properties was \$329,907.
- The average percent-damage (the average recorded claim divided by the replacement cost) was 6.2 percent.
- This correlated to an average flood depth of less than 1 foot above adjacent grade.

The planning team concluded that the majority of the repetitive losses are associated with localized urban drainage flood problems, even for properties within a FEMA-designated flood zone. There is no record of costly loss events that would indicate the maximum flood risk reflected in FEMA mapping. These findings were validated by the conclusions of the 2020 Los Angeles County Comprehensive Floodplain Management Plan.

SECONDARY IDENTIFICATION

Once the initial identification of the repetitive loss areas was completed using the reverse-damage-function methodology, the planning team performed a secondary review of each repetitive loss area based on three questions about each area:

- Is there really a repetitive loss problem in this area, based on local knowledge?
- Does the list of properties make sense based on what we know about the area?
- Does the County have any additional qualifying data on the area to justify adding or removing properties?

Adjustments were made after applying these questions to each repetitive loss area. Based on the analysis and Steering Committee feedback, there are 201 properties in repetitive loss areas, with 330 insurable structures. The list of properties became the final repetitive loss area mailing list for the unincorporated areas of Los Angeles County.

_

TETRA TECH 2-3

¹ https://data.bls.gov/cgi-bin/cpicalc.pl

PROPERTY CONDITION ASSESSMENT

To assess the condition of the structures in the repetitive loss areas, the planning team relied on the Quality Class value in the Los Angeles County Assessor's data. That datum identifies the condition of the building relative to the following characteristics:

- Construction Type
 - o Class A: Fireproof construction structural steel frame
 - o Class B: Fireproof construction reinforced concrete frame
 - o Class C: Fire-resistant construction masonry walls, combustible roof and interior
 - o Class D: Non-fireproof construction usually wood frame
 - o Class S: Specialized buildings that do not fit in any of the above categories
- Quality Range (1.0 to 14.5 or "X")
 - o The quality class concept is a function of all construction features, depending upon quality of materials, construction methods, and workmanship. It considers specifications for foundation, structure, roof, floor, interior, exterior, heat, and bathrooms. 1.0 = lowest quality.
 - o "X" Quality: Unique or unusual construction that does not lend itself to being classified using the standard classification system.
- Shape Class (A, B, C, D)
 - o The shape class is based on the building's perimeter in relation to the total square footage.
 - A structure with a relatively large perimeter in relation to its square footage (many angles, turns, a 'cut-up' custom shape, etc.) typically costs more to construct than a simple square/rectangle structures.
 - o Shape A represents a relatively-square/rectangle structure. It has a relatively small perimeter compared to its total square footage.
 - Shape D represents a structure with many angles, turns, etc. (a "cut-up" custom shape). It has a relatively-large perimeter compared to its total square footage.
 - A structure with a "DX" Construction Type and Quality Range will usually not have a Shape Class.

FOUNDATION TYPE

In Los Angeles County, there are generally three types of foundations (see Figure 2-1):

- A basement foundation has its floor below grade on all sides. Walls may be poured concrete or blocks.
- A slab foundation is usually concrete poured directly onto the ground. This type of foundation uses concrete rather than wood to help support the weight of the home.
- A crawlspace, or raised foundation, is built above the ground, with just enough room to crawl underneath. There are stem walls on the perimeters, pierced in-between, with a girder system and floor joists on top of that. The foundation is high enough to leave at least 2 feet below to crawl into for access to the home's mechanical systems.

2-4 TETRA TECH




Figure 2-1. Foundation Types—Basement (left), Slab (center), and Crawlspace (right)

TETRA TECH 2-5

3. REPETITIVE LOSS AREAS OUTREACH

CRS OUTREACH REQUIREMENTS FOR RLAA

RLAA Step 1 (2017 CRS Coordinator's Manual Section 512.b) requires notification that an analysis is being conducted to all properties in the repetitive loss areas, with a request for input on the hazard and recommended actions. The notice (or any public document) must not identify which properties are on FEMA's repetitive loss list. There are no restrictions on publicizing what properties are in repetitive loss areas that have more than one property and there are no restrictions on publishing aggregate data, such as how many properties received claims or the average value of those claims. Floodplain management staff in the Stormwater Engineering Division may share insurance claim information with the owner of a property but may not make it available to anyone else.

- The notice can be sent to owners OR residents, at the community's discretion, as long as a representative of each property is notified.
- The notice cannot be done via a newspaper or newsletter notice or article.
- The notice must advise the recipients when and how copies of the draft report can be obtained and ask for their comments on the draft.

Several methods were deployed to engage repetitive loss area property owners during the course of this RLAA process. This chapter highlights those efforts.

RLAA Step 2 requires contact with agencies or organizations that may have plans or studies that could affect the cause or impacts of the flooding. The analysis report must identify contacted agencies and organizations.

COUNTYWIDE FLOODPLAIN MANAGEMENT PLANNING EFFORT

This Repetitive Loss Area Analysis is considered by Los Angeles County Public Works to be the companion document to the 2020 Los Angeles County Comprehensive Floodplain Management Plan. The two plans were created in concert, with oversight by the same planning team. The development of this RLAA benefited from the planning process conducted to develop the FMP. The outreach effort used to develop the FMP included properties in the repetitive loss areas and provided a tangible benefit to the RLAA effort. This section provides an overview of the outreach conducted for the FMP.

Contact with Agencies and Organizations

The following agencies were invited to participate in the planning process from the beginning and were kept apprised of plan development milestones:

Steering Committee

- Public Works Stormwater Engineering CRS Coordinator
- Public Works Disaster Services Group
- Public Works Building & Safety
- Public Works Stormwater Maintenance
- City of Los Angeles Bureau of Engineering
- Los Angeles Chamber of Commerce
- Altadena Town Council
- Malibou Lake Mountain Club

TETRA TECH 3-1

- Los Angeles County Department of Regional Planning
- County of Los Angeles Fire Department
- Public Works Community Government Relations Group
- Public Works Stormwater Planning
- Public Works Stormwater Engineering Hydrology & Hydraulics
- Antelope Valley Resident
- Red Cross of Greater Los Angeles
- California Department of Water Resources
- Cal State Los Angeles Geosciences & Environment
- Environmental Restoration Group

Other Stakeholders

- Acton Town Council
- Ana Verde Hills Town Council
- Antelope Acres Town Council
- Association of Rural Town Councils
- California Office of Emergency Services
- Castaic Town Council
- City of Agoura Hills
- · City of Arcadia
- City of Bradbury
- City of Calabasas
- · City of Claremont
- City of Compton
- City of Glendale
- · City of Glendora
- City of Hidden Hills
- City of La Canada Flintridge
- City of La Verne
- City of Lancaster
- City of Long Beach
- City of Malibu
- City of Monrovia
- City of Palmdale
- · City of Pasadena
- City of San Dimas
- City of Santa Clarita
- City of Sierra Madre

- City of Westlake Village
- County of Los Angeles Chief Executive Office, Office of Emergency Management
- Crescenta Valley Town Council
- Fairmont Town Council
- FEMA Region IX
- Green Valley Town Council
- Insurance Services Office (ISO)-ISO/CRS Specialist
- Juniper Hills Town Council
- Kern County
- Lake Los Angeles Town Council
- Lakes Town Council
- Leona Valley Town Council
- Littlerock Town Council
- Los Angeles County Community Emergency Response Team
- Orange County Public Works
- Oso Town Council
- Quartz Hill Town Council
- Roosevelt Town Council
- San Bernardino County Flood Control District
- San Gabriel Council of Governments
- Southern California Association of Governments
- Sun Village Town Council
- Three Points-Liebre Mountain Town Council
- U.S. Army Corps of Engineers, Los Angeles District
- Ventura County Watershed Protection District

These agencies received meeting announcements, meeting agendas, and meeting minutes by email throughout the FMP development process, which also informed the RLAA development.

Strategy

The strategy for involving the public in developing the RLAA emphasized the following elements:

- Include members of the public on the FMP Steering Committee (see Section 3.2.1, above).
- Attempt to reach as many citizens as possible using multiple media.
- Use a survey to determine public perception of flood risk and support of mitigation actions.
- Identify and involve stakeholders
- Develop a Program for Public Information.

3-2 TETRA TECH

• Conduct public meetings to invite the public's input.

Website

At the beginning of the development of the current plan, an FMP 2020 page was developed on Los Angeles County Public Work's website to keep the public informed about planning activities and to solicit input (see Figure 3-1). The site's address (https://www.dpw.lacounty.gov/WMD/NFIP/FMP2020/) was publicized in all social media releases, mailings and public meetings. The site provided the public with information on the plan development process, the Steering Committee, a project survey, and drafts of the plan. Los Angeles County Public Works will keep the website active after the plan's completion to keep the public informed about mitigation projects and future plan updates. The website was advertised to the public via social media (see Figure 3-2 and Figure 3-3)




Figure 3-1. Sample Page from Floodplain Management Plan Web Site

Survey

A survey (see Figure 3-4) was developed by the planning team with guidance from the Steering Committee. The survey was used to gauge household preparedness for the flood hazard and the level of knowledge of tools and techniques that assist in reducing risk and loss from flooding. This survey was designed to help identify areas vulnerable to floods. The answers to its questions helped guide the Steering Committee in affirming the goals and objectives identified during the planning process and in selecting mitigation actions.

Multiple methods were used to solicit survey responses:

TETRA TECH 3-3

- A web-based version of the survey was made available on the plan website.
- Mailings to residents and property owners notifying them of public meetings included links to the online survey (see Figure 3-5).
- All attendees at public meetings were asked to complete a survey, using the web site or hard copies of the survey form available at the meetings.
- A flyer was prepared advertising the survey.
- E-mail was sent from Public Works to several of the town councils.
- Individual Steering Committee members contacted organizations to request that they publicize the link to the online survey.

Although the number of surveys completed (75) is not sufficient to establish statistical trends, the responses provided valuable feedback to use in the planning process.

Open House Public Meetings

Meaningful public participation was essential for the planning process. Public meetings were held to disseminate information and to solicit input from community members, as summarized in Table 3-1.

Table 3-1. Floodplain Management Plan Open House Public Meetings			
When	Where		
October 7, 2019, 5:30 to 8:00PM	Agoura: Malibou Lake Mountain Club 29033 Lake Vista Drive, Agoura, CA 91301		
March 11, 2020, 6:00 PM to 8:00 PM	Antelope Valley: Lancaster Library 601 West Lancaster Boulevard, Lancaster, CA 93534		

Another Open House was scheduled for March 12, 2020, but it was cancelled due to the COVID-19 pandemic. Instead, Los Angeles County had a narrated presentation posted on the FMP2020 website. The presentation encouraged viewers to provide input to Public Works.





Figure 3-2. Twitter Post

Figure 3-3. Facebook Post

3-4 TETRA TECH

1



Los Angeles County 2020 Floodplain Management Plan Update Flood Preparedness Questionnaire

1. Flood Hazard Preparedness

FLOOD PREPAREDNESS QUESTIONNAIRE

Los Angeles County is seeking input from community members regarding flood hazard preparedness. The responses provided to this questionnaire will assist Los Angeles County to update its 2020 Floodplain Management Plan (FMP). The FMP is updated every five years to ensure unincorporated communities receive adequate resources and services in the event of a flood hazard.

This brief survey will take no longer than 15 minutes to complete. Thank you for your contribution to this important process.

Please Note: Responses to questions that are "italicized" are highly encouraged.

 Do you live or own a business in a known floodplain or an area that has been subject to flooding? 					
Yes					
○ No					
Not Sure					
Please describe any experiences you have had with flooding at your current residence:					

Figure 3-4. Sample Page from Survey Distributed to the Public

TETRA TECH 3-5

ARE YOU PREPARED FOR A FLOOD?

Please take a survey to help LA County reduce flood risks!

Los Angeles County has began to update the 2020 Floodplain Management Plan (FMP) for the unincorporated areas of LA County. Collecting survey data on your experiences with flooding and your perception of flood risks is a vital component of the FMP update process. By participating in this survey you will help improve the management of floodplains and reduce potential flood risk to communities and properties!

The survey includes questions regarding:

- Perception of flood risks in LA County.
- Experience with flooding in your home and in your community.
- Dissemination of flood risk and disaster-related information.

Scan the QR code for the survey:



Or visit:

surveymonkey.com/r/ LAC FloodRisk

For more information: Call the LA County Flood Zone Hotline at (626) 458-4321

Thank you for participating!





Figure 3-5. Post Card Mailing Advertising the Survey

Open House Meeting Notification

Multiple means were used to provide broad public notice of the open house public meetings:

- Notice of all public meetings was posted on the floodplain management plan website.
- Flyers were developed and distributed throughout the communities (see Figure 3-6).
- Social media (Facebook, Twitter, NextDoor) posts were also made.

Postcards were mailed to properties located in floodplains near the meeting locations (see Figure 3-7). Over the course of the planning process, 2,472 postcards were distributed.

Open House Meeting Format

The public meeting (open house) format allowed attendees to examine maps and handouts and have direct conversations with project staff. Reasons for planning and information generated for the risk assessment were shared with attendees via a PowerPoint presentation. Computer mapping workstations loaded with output from the Hazus modeling allowed attendees to see information on their property, including exposure and damage estimates for flood hazard events (see Figure 3-8). Participating property owners were provided printouts of this information for their properties. This tool was effective in illustrating flood risk to the public. Planning team members were present to answer questions. All open house attendees were asked to complete a survey, and each was given an opportunity to provide written comments to the Steering Committee. Example meeting activities are shown in Figure 3-9 and Figure 3-10.

3-6 TETRA TECH

Los Angeles County Floodplain Management Plan Open House

Los Angeles County is updating its Floodplain Management Plan. Officials from LA County, Malibou Lake Community Emergency Response Team and Malibu Lake Fire Safe Council will discuss flood and emergency preparedness. LA County will provide FREE one-on-one consultations specialized for your property.



Date and Time

Location

Monday, October 7, 2019 5:30 p.m. - 8 p.m.

Malibou Lake Mountain Club House 29033 Lake Vista Dr. Agoura, CA 91301







Figure 3-6. Flyer Announcing Phase 1 Open Hose for the Floodplain Management Plan

Los Angeles County Floodplain Management Plan Update Open House

Los Angeles County is hosting an open house to discuss the draft comprehensive Floodplain Management Plan. The draft Plan addresses the following:

- Identifies flood-related hazards
- Explains potential effects to structures and residents
- Explores possible preventative measures
- Specifies how flood awareness outreach will be conducted

Join #LACounty for a chance to review and comment on the draft Plan from March 9 to March 31, 2020. The draft Plan will be available at:

pw.lacounty.gov/wmd/NFIP/FMP2020/DraftFMP







Wednesday, March 11, 2020 | 6 p.m. – 8 p.m. | Lancaster Public Library 601 W. Lancaster Blvd. Lancaster, CA 93534

Figure 3-7. Postcard Announcing Phase 2 Open House for the Floodplain Management Plan

Hazard Report

APN

Address

Zip Code 90221

100-yr Flood Percent Building Damage

100-yr Flood Building Loss

100-yr Flood Percent Contents Damage

100-yr Flood Contents Loss

100-yr Flood Depth (ft)

500-yr Flood Percent Building Damage 7.29

500-yr Flood Building Loss \$299,343.04

500-yr Flood Percent Contents Damage 24.40

500-yr Flood Contents Loss \$1,001,801.53

500-yr Flood Depth (ft) 2.76

10-yr Flood Percent Building Damage

10-yr Flood Building Loss

10-yr Flood Percent Contents Damage

10-yr Flood Contents Loss

10-yr Flood Depth (ft)

50-yr Flood Percent Building Damage

50-yr Flood Building Loss

50-yr Flood Percent Contents Damage

50-yr Flood Contents Loss

50-yr Flood Depth (ft)

County Floodway Percent Building Damage

County Floodway Building Loss

County Floodway Percent Contents Damage

County Floodway Contents Loss

County Floodway Flood Depth (ft)

Tsunami Inundation Area N

For Informational Purposes Only

Figure 3-8. Example Printout from Hazus Workstation

3-8 TETRA TECH







Figure 3-10. Attendees Look at Flood Hazard Maps During the Malibou Lake Public Meeting

Public Involvement Results

Survey Outreach

The survey for this plan was completed by 75 respondents. Key results are as follows:

- Nearly half of respondents said they live in a floodplain or area subject to flooding; 15 percent said they are not sure whether they do.
- About a third of respondents said they have flood insurance; 9 percent said they are not sure whether they do.
- A third of respondents without flood insurance said that they do not need it; a quarter said they live at higher elevation locations.
- More than half of respondents said that the presence of a flood hazard at their current home was not
 disclosed to them by a real estate agent, seller, or landlord. More than half said such disclosure would not
 influenced their decision to buy or rent a home.
- The flood hazards identified as issues of concern (very concerned or extremely concerned) to the most respondents include urban flooding/drainage issues (about 30 percent of respondents), climate change impacts (about 30 percent of respondents), and mudflow hazards (about 25 percent of respondents).
- 34 percent of respondents said they are at least adequately prepared for a flood event; 13 percent indicated feeling no at all prepared.
- About 60 percent of residents agreed or strongly agreed that flood hazard and risk information is easy to find.
- Respondents rated the following as the most effective means for providing general flood hazard and disaster information:
 - ➤ Internet (69 percent)
 - > TV news (56 percent)
 - Social media, such as Twitter or Facebook (52 percent).
 - Radio news (42 percent)
 - ➤ Public awareness campaign, e.g., flood awareness week (23 percent)
 - ➤ Public meetings (21 percent)

TETRA TECH 3-9

- Respondents' top preferred methods for receiving emergency notifications are as follows:
 - > Text message (73 percent)
 - > Email (52 percent)
 - ➤ Cell phones (51 percent)
- 73 percent of respondents agree or strongly agree that local, state and federal government should provide programs promoting resident action to reduce exposure to flood risks.
- Respondents ranked government-sponsored flood damage reduction projects in the following order of preference.
 - Capital projects (dams, levees, flood walls, and drainage improvements)
 - Retrofitting infrastructure (improving culverts, bridges, and local drainage)
 - > Providing better flood risk information to the public
 - Acquiring vulnerable properties and maintaining them as open space
 - Assisting vulnerable property owners with securing mitigation funding
 - ➤ Mitigating future flood impacts caused by climate change
 - > Strengthening codes and regulations to higher regulatory standards
 - > Other measures
- 86 percent of respondents support the preservation of natural land containing a flood hazard.

REPETITIVE LOSS AREA SPECIFIC OUTREACH

During the development of the draft of this report, the Los Angeles County Public Works sent a letter to residents in each repetitive loss area informing them that their properties are in identified repetitive loss areas, requesting that they provide information about how flooding affects their properties, and informing them that the RLAA is being conducted and that they will be informed when the draft is ready for review. A copy of the template for this letter is shown in Figure 3-11.

Upon the completion of a draft of this report, Los Angeles County Public Works disseminated a letter to residents in each repetitive loss area informing them of this report, where and how they would be able to review it, and where and how they might submit comments regarding it. The communication document is shown in Figure 3-12.

3-10 TETRA TECH



COUNTY OF LOS ANGELES

DEPARTMENT OF PUBLIC WORKS

To Errich Lives Through Effective and Caring:

900 SOUTH FREMONT AVENUE ALLAMBRA, CALIFORNIA 91803-1331 Teightone: (420) 456-2100 Jetp://dpw.lacounty.gov

MARK PESTRELLA, Dies

IN REPLY PLEASE.

SWE-7

PROPERTY LOCATION; << SITE ADDRESS >>, <<SITE CITY>> LOS ANGELES COUNTY REPETITIVE LOSS AREA ANALYSIS

Dear <<Pre>Coperty Owner>>

<<MAILING ADDRESS>> <<Pre><<Pre>Comperty Owner>> <<MAILING CITY>>

May 28, 2020

Your property at the above listed location has been identified to be in an area considered to be potentially vulnerable to repetitive flooding. In an effort to help reduce the risk of flood damage to properties, Los Angeles County Public Works (Public Works) is updating its Repetitive Loss Area Analysis that outlines the location of these areas, the likely sources of flooding, and possible mitigation measures to reduce the risk from flood events. The current Repetitive Loss Area Analysis was adopted in September 2016 and can be found at: https://dpw.lacounty.gov/WMD/NFIP/FMP/draftFMP.aspx. You may recall that you received a postcard from Public Works in late 2019 asking for your participation in a flood risk preparedness survey. This resident participation allowed Public Works to learn more about the flood hazards in the community and halped Public Works to learn more about the flood hazards in the community and halped Public Works identify suitable actions for improving its comprehensive Floodplain

Repetitive loss areas have been delineated based on a list of Repetitive Loss Properties maintained by the Federal Emergency Management Agency. A Repetitive Loss Property is any insurable building, which two or more dains of more than \$1,000 were paid by the National Flood Insurance Program within any rolling 10-year period, since 1978.

<<Pre><<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre>c<Pre> May 28, 2020 Page If you would like to share any information about the flood hazards you may have experienced at your property or have any suggestions, please provide them by June 15, 2020, to:

Los Angeles County Public Works Stormwater Engineering Division Attention: Mr. Larry Tran 900 South Fremont Avenue Alhambra, CA 91803 You may also e-mail your suggestions to Mr. Tran at Itran@pw.lacounty.gov.

The draft Repetitive Loss Area Analysis is expected to be ready at the beginning of July 2020. Public Works will be sending a letter to offer you the opportunity to review and comment on the draft document before it is finalized. Please note that specific property addresses and owner names will not be included in the report and flood insurance claims have been aggregated. This has been done for privacy

Very truly yours,

If you have any questions, please contact Ms. Patricia Wood at (626) 458-6131 or pwood@pw.lacounty.gov or Mr. Tran at (626) 458-4337 or <a href="mailto:little:lit

We look forward to receiving your input

Director of Public Works MARK PESTRELLA

For July Names

Acting, Assistant Deputy Director Stormwater Engineering Division

LT:sg

Figure 3-11. Repetitive Loss Area Target Mailing #1

Figure 3-12. Repetitive Loss Area Target Mailing #2

3-12 TETRA TECH

4. RELEVANT PROGRAMS AND REGULATIONS

This chapter provides a comprehensive review of existing laws, ordinances and plans at the federal, state and local level that can support or impact action items identified in this RLAA. Federal, state, and local agencies share and coordinate responsibilities for flood protection in Los Angeles County. The two main federal agencies are the U.S. Army Corps of Engineers, which implements federal flood protection policies, and FEMA. The California Department of Water Resources (DWR) is responsible for managing the state's waterways. Los Angeles Public Works and the Los Angeles County Flood Control District work to reduce flood risk in Los Angeles County. Development of the RLAA included a review and incorporation, if appropriate, of existing plans, studies, reports, and technical information as part of the planning process. Pertinent federal, state and local laws are described below.

FEDERAL AND STATE

Federal and state regulations and programs that need to be considered in floodplain management are constantly evolving. For this plan, a review was performed to determine which regulations and programs are currently most relevant to local comprehensive floodplain management. The findings are summarized in Table 4-1 and Table 4-2. Short descriptions of each program are provided in Appendix B.

Table 4-1. Summary of Relevant Federal Agencies, Programs and Regulations				
Agency, Program or Regulation	Local Relevance and Response			
National Flood Insurance Program	The NFIP provides flood insurance against potential losses from flooding for participating property owners. Los Angeles County participates in the NFIP on behalf of the unincorporated areas and has adopted regulations that meet the NFIP requirements. The County entered the NFIP in 1980, and the first Los Angeles County FIRMs were issued December 2, 1980. The index date for the currently-effective FIRMs is December 21, 2018. Los Angeles County is currently in good standing with the provisions of the NFIP as monitored by FEMA Region IX and the California Department of Water Resources. Table 4-7 (at the end of this chapter) summarizes the NFIP capability of Los Angeles County.			
Community Rating System	Los Angeles County has participated in the CRS program since 1990. The County has a Class 7 rating (out of 10), so residents who live in a 1 percent annual chance (100-year) floodplain in unincorporated areas of the County can receive up to a 15 percent discount on flood insurance; outside the 1 percent annual chance floodplain they receive a 5-percent discount. This equates to a savings of \$78 to \$254 per policy, for a total countywide premium savings of almost \$214,926 (Insurance Services Office, 2019). To maintain or improve its rating, the County goes through an annual recertification and re-verification every five years. This plan is developed to help the County maintain or enhance its CRS classification.			

TETRA TECH 4-1

Agency, Program or Regulation	Local Relevance and Response
Disaster Mitigation Act of 2000	Los Angeles County, in conjunction with its many emergency services partners, has prepared a local All-Hazards Mitigation Plan that sets strategies for coping with the natural and man-made hazards. The scope of this plan is for the unincorporated County areas only. The plan correlates information from County departments with known and projected hazards that face Southern California. It was formally adopted by the Los Angeles County Board of Supervisors for use in the development of specific cost-effective hazard mitigation proposals. The plan complies with requirements of FEMA and the Governor's Office of Emergency Services and was approved by both agencies in 2014. It has a 5-year performance period through 2019. The County is currently updating this All-Hazard Mitigation Plan; it is anticipated to be approved in 2020.
Biggert-Waters Flood Insurance Reform Act of 2012 and Homeowner Flood Insurance Affordability Act of 2014	The Biggert-Waters Flood Insurance Reform Act of 2012 required flood insurance premiums to reflect real flood risk, leading to increased premiums for homeowners. The Homeowner Flood Insurance Affordability Act for 2014 delayed the increases in premiums.
Endangered Species Act	In some parts of the United States, court rulings have found that floodplain management measures can be in conflict with the goals of the Endangered Species Act. Those rulings have required FEMA and local governments to engage in a consultation process with federal wildlife agencies (Section 7 of the ESA) as they work to develop certain floodplain management programs, plans and projects. No such rulings currently affect the Los Angeles area, but floodplain managers should be aware of any potential activities that could fall under the ESA.
Clean Water Act	The Clean Water Act provides regulatory and non-regulatory tools to reduce direct pollutant discharges into waterways, finance municipal wastewater treatment facilities, and manage polluted runoff in order to support propagation of wildlife and recreation in and on the water.
National Incident Management System	Los Angeles County adopted the <i>County of Los Angeles Operational Area Emergency Response Plan</i> in March 2012. The Governor's Office of Emergency Services approved it on August 31, 2011, as fully compliant with the National Incident Management System (NIMS).
Americans with Disabilities Act	The ADA intersects with disaster preparedness programs in regard to transportation, social services, temporary housing, and rebuilding. Persons with disabilities may require additional assistance in evacuation and transit (e.g., vehicles with wheelchair lifts or paratransit buses). Evacuation and other response plans should address the unique needs of residents. Local governments may implement a special-needs registry to identify the home addresses, contact information, and needs of residents who require more assistance for emergency management purposes.
Public Law 84-99, Flood Control and Coastal Emergencies (33 U.S.C. 701n) (69 Stat. 186)	This law gives the U.S. Army Corps of Engineers (USACE) the legal authority to conduct emergency preparation, response, and recovery activities and to supplement local efforts in the repair of flood damage reduction projects that are damaged by floods. It authorizes the USACE Chief of Engineers to undertake activities including disaster preparedness, advance measures, emergency operations (flood response and post-flood response), rehabilitation of flood control works threatened or destroyed by flood, protection or repair of federally authorized shore protective works threatened or damaged by coastal storm, and provisions of emergency water in the event of drought or contaminated source.

4-2 TETRA TECH

Table 4-2. Summ	nary of Relevant State Agencies, Programs and Regulations
Agency, Program or Regulation	Local Relevance and Response
California General Planning Law	The Los Angeles County 2035 General Plan provides a policy framework for how and where the unincorporated County will grow through 2035, while recognizing the County's diversity of cultures, abundant natural resources, and status as an international economic center. The Los Angeles County 2035 General Plan accommodates new housing and jobs in unincorporated areas in anticipation of population growth in the County and the region.
California Environmental Quality Act	This RLAA does not require CEQA environmental review. It constitutes a feasibility and planning study for possible future actions, which the County has not approved, adopted or funded, and therefore is exempt from CEQA under Section 15262 of the CEQA Guidelines. However, future mitigation actions implemented as recommended by this plan may be subject to CEQA review.
AB 162: Flood Planning, Chapter 369, Statutes of 2007	Compliance with this law constitutes inclusion of certain General Plan elements. Los Angeles County's compliance with Chapter 369, Statutes of 2007 is described in Appendix B.
AB 2140: General Plans—Safety Element	This bill enables state and federal disaster assistance and mitigation funding to communities with compliant hazard mitigation plans.
AB 747: General Plans—Safety Element	The safety elements of cities' and counties' general plans must address evacuation routes and include any new information on flood and fire hazards and climate adaptation and resiliency strategies.
AB 2800: Climate Change— Infrastructure Planning	This act requires State agencies to take into account the impacts of climate change when developing State infrastructure.
SB 92 and New Standards for Submitting Dam Inundation Maps	This bill (SB 92, part of the 2017-18 budget package) makes significant legislative changes related to dam safety. It requires owners of dams under the regulatory jurisdiction of the California Department of Water Resources' Division of Safety of Dams to prepare inundation maps and emergency action plans and provides for fees and enforcement.
SB 379: Land Use, General Plan, Safety Element	Los Angeles County's compliance with SB 379 is described in Appendix B.
California State Building Codes	Los Angeles County has adopted the State's Building Codes by reference, except where the County has made amendments or revisions to apply higher standards. The permitting process in Los Angeles County ensures compliance with the State's Building Codes.
Standardized Emergency Management System	Los Angeles County has adopted an emergency response plan that is fully NIMS compliant. The County adopted the County of Los Angeles Operational Area Emergency Response Plan in March 2012. The Governor's Office of Emergency Services approved it as NIMS compliant on August 31, 2011.
California State Hazard Mitigation Plan	The 2014 County of Los Angeles All Hazards Mitigation Plan was determined to be consistent with the State Plan by the Governor's Office of Emergency Services during its review and approval of the plan in 2013. The County is currently updating this All-Hazard Mitigation Plan and it is anticipated to be approved in 2020.
Governor's Executive Order S-13-08	This order includes guidance on planning for sea level rise in designated coastal and floodplain areas for new projects. Climate impact information developed under this executive order is used in the climate change evaluation of the 2020 Los Angeles County Comprehensive Floodplain Management Plan.
California Civil Code 1102	The flood hazard disclosure requirements established under this code apply to all real estate transactions in Los Angeles County.
Local Flood Protection Planning Act	This State statute provides guidance on what a flood mitigation plan should include.
California Water Code Division 5, Part 2, Chapter 4, Article 4	This code provides floodplain regulations for public agencies within a floodplain or the planning area of a floodplain management plan.
California Coastal Management Program	This program requires coastal communities to prepare coastal plans and requires that new development minimize risks to life and property in areas of high geologic, flood, and fire hazard.

LOCAL

General Plan

The Los Angeles County 2035 General Plan, adopted in October 2015, is the latest update to the County of Los Angeles general plan. It provides a policy framework for how and where the unincorporated County will grow through 2035. It accommodates new housing and jobs within the unincorporated areas in anticipation of population growth in the County and the broader region. The General Plan includes the following elements (Los Angeles County Department of Regional Planning, 2015b):

- Land Use Element
- Mobility Element
- Air Quality Element
- Conservation and Natural Resources Element
- Parks and Recreation Element

- Noise Element
- Safety Element
- Public Services and Facilities Element
- Economic Development Element
- Housing Element.

General Plan elements that are particularly applicable to implementation of the floodplain management plan are the Conservation and Natural Resources Element, which guides the long-term conservation of natural resources and preservation of available open space areas, and the Safety Element, which reduces the potential risk of death, injuries, and economic damage resulting from natural and human-caused hazards. By inclusion of these elements, the Los Angeles County General Plan is in compliance with the First Validating Act of 2019.

Conservation and Natural Resources Element

Watershed Management

The Conservation and Natural Resources Element of the General Plan addresses watershed management, noting that it is an effective and comprehensive way to address water resource challenges. Watershed management integrates habitat enrichment and recreation availability with water supply, flood protection, and clean runoff (Los Angeles County, 2015).

Because a watershed encompasses many jurisdictions, water supply, water quality, flood protection and natural resource issues are best managed at a regional or multiple-agency level. The County works within its jurisdiction to improve the health of rivers, streams and lesser tributaries to enhance overall water resources, runoff quality and wildlife habitat. However, watershed integration requires the County to also participate with other stakeholders to manage the function and health of watersheds. Collaboration with local stakeholders and jurisdictions and with educational and professional institutions is needed to develop and implement watershed plans to protect and augment local water supplies, maintain flood protection standards, provide assistance in the event of flooding, encourage recreational opportunities, conserve habitats of native species, and improve the quality of water that flows to rivers, lakes, and the ocean.

Significant Ecological Areas and Coastal Resource Areas

The Conservation and Natural Resources Element of the General Plan establishes the Significant Ecological Area (SEA) designation for land in unincorporated areas that contains irreplaceable biological resources (SEAs also have been identified in cities, but they function differently from those in unincorporated areas). Coastal Resource Areas (CRAs) are located within the coastal zone and include biological resources equal in significance to SEAs. The General Plan identifies 21 SEAs and 9 CRAs. Two CRAs are linked to SEAs that are not entirely within CRAs (the Santa Monica Mountains Coastal Zone and Palos Verde Coastline) (Los Angeles County, 2015):

4-4 TETRA TECH

- Significant Ecological Areas
 - Cruzan Mesa Vernal Pools
 - ➤ East San Gabriel Valley
 - Griffith Park
 - ➤ Harbor Lake Regional Park
 - > Joshua Tree Woodlands
 - Madrona Marsh Preserve
 - > Palos Verdes Peninsula and Coastline
 - > Puente Hills
 - ➤ Rio Hondo College Wildlife Sanctuary
 - > San Andreas
 - > San Dimas Canyon / San Antonio Wash
 - > San Gabriel Canyon
 - Santa Clara River
 - > Santa Felicia
 - > Santa Monica Mountains
 - > Santa Susana Mountains / Simi Hills
 - > Tujunga Valley / Hansen Dam
 - Valley Oaks Savannah
 - Verdugo Mountains

- Coastal Resource Areas
 - ➤ El Segundo Dunes
 - > Malibu Coastline
 - Palos Verdes Coastline (ocean and shoreline portions)
 - Point Dume
 - Santa Catalina Island
 - Coastal Zone of the Santa Monica Mountains
 - > Terminal Island (Pier 400)

The objective of the SEA program is to conserve genetic and physical diversity by designating biological resource areas that are capable of sustaining themselves into the future. However, SEAs are not wilderness preserves. Much of the land in SEAs is privately held, used for public recreation, or abuts developed areas. The SEA program must therefore balance the overall objective of resource preservation against other critical public needs. The General Plan goals and policies are intended to ensure that privately held lands within the SEAs retain the right of reasonable use, while avoiding activities and developments that are incompatible with the long-term survival of the SEAs (Los Angeles County, 2015).

Safety Element

Flooding is among the natural hazards addressed in the Safety Element of the General Plan. The element presents goals and policies for uses in flood hazard zones, as well as tsunami hazard areas and potential dam failure inundation areas. The Safety Element of the County's General Plan is currently being updated and will be in compliance with the provisions of California's SB 379.

Community Plans

The Los Angeles County General Plan (2015) serves as the foundation for community-based plans, such as area plans, community plans, and coastal land use plans. Area plans focus on land use and policy issues that are specific to the planning area. Community plans cover smaller geographic areas within the planning area and address neighborhood and/or community-level policy issues. Coastal land use plans are components of local coastal programs; they regulate land use and establish policies to guide development in the coastal zone.

The following is a list of adopted community-based plans in unincorporated Los Angeles County:

- Altadena Community Plan
- Antelope Valley Area Plan
- East Los Angeles 3rd Street Plan
- East Los Angeles Community Plan
- Florence-Firestone Community Plan
- Hacienda Heights Community Plan
- Marina del Rey Land Use Plan
- Pepperdine Long Range Development Plan
- Rowland Heights Community Plan

- Santa Catalina Island Local Coastal Land Use Plan
- Santa Clarita Valley Area Plan
- Santa Monica Mountains North Area Plan
- Twin Lakes Community Plan
- Walnut Park Neighborhood Plan
- West Athens-Westmont Community Plan.

Watershed Management Program

Municipalities and community stakeholders throughout Los Angeles County developed a total of 31 collaborative Watershed Management Programs and Enhanced Watershed Management Programs for the County's six watersheds—Dominguez Channel, Los Angeles River, Los Cerritos Channel, San Gabriel River, Santa Monica Bay and Upper Santa Clara River. Each Watershed Management Group meets regularly to implement its plan.

Each plan identifies programs and projects to improve water quality, promote water conservation, enhance recreational opportunities, manage flood risk, improve aesthetics, and support public education. Each includes water quality priorities, watershed control measures, the scheduling of projects, and monitoring, assessment and adaptive management for projects. The plans rely heavily on three approaches:

- **Regional Multi-Benefit Projects**—Regional multi-benefit projects retain, divert or treat stormwater and non-stormwater from subwatershed areas, while also providing water conservation, flood, recreation, habitat and other benefits.
- Green Street Projects—Green street projects improve streets, sidewalks or other paved areas using permeable materials and drought-tolerant plants to capture, clean or infiltrate rainwater. Green infrastructure projects help to clean surface water bodies, recharge groundwater, beautify neighborhoods, and cool communities by increasing the amount of vegetation.
- Low Impact Development—Low impact development consists of site design approaches and best management practices that address runoff and pollution at the source. These practices can effectively remove nutrients, bacteria, and metals while reducing the volume and intensity of stormwater flows.

Greater Los Angeles County Region Integrated Regional Water Management Plan

The 2017 Integrated Regional Water Management (IRWM) Plan Update defines the direction for collaborative planning to achieve sustainable management of water resources in the Greater Los Angeles County Region. The update meets the California Department of Water Resources' 2016 updated IRWM guideline requirements. The Plan identifies solutions to achieve the following objectives over the 25-year planning horizon:

- Reduce the region's reliance on imported water
- Comply with water quality regulations by improving the quality of urban runoff, stormwater and wastewater
- Protect, restore and enhance natural processes and habitats
- Increase watershed-friendly recreational space for all communities
- Reduce flood risk in flood-prone areas by increasing protection or decreasing needs using integrated flood management approaches
- Adapt to and mitigate against climate change vulnerabilities.

4-6 TETRA TECH

Los Angeles County Flood Control District

The Los Angeles County Flood Control Act was adopted by the State Legislature in 1915 after a regional flood took a heavy toll on lives and property. The act established the Los Angeles County Flood Control District and empowers it to provide flood protection, water conservation, recreation and aesthetic enhancement within its boundaries (authority to address recreation and aesthetics was added via subsequent amendments). The County of Los Angeles Board of Supervisors is the ex-officio governing body for the Los Angeles County Flood Control District. In 1984, the Flood Control District entered into an operational agreement transferring its administration, planning, and operational activities to Los Angeles County Public Works.

Within the Greater Los Angeles County area, the Flood Control District and the U.S. Army Corps of Engineers share responsibilities for managing flood risk. The Flood Control District is the primary agency able to address large regional drainage needs within its boundaries. It uses available funds to operate and maintain flood control facilities and systems that cross various cities. In years of heavy rainfall, the flood control system has largely prevented serious flooding that affected the Los Angeles area many years ago.

The Flood Control District boundaries encompass more than 2,700 square miles, six major watersheds, 86 incorporated cities, and the unincorporated County areas. Its municipal flood protection and water conservation system is one of the largest in the world. It includes 14 major dams and reservoirs, 483 miles of open channels, 27 spreading grounds, 172 debris basins, 3,330 miles of underground storm drains and an estimated 82,000 catch basins. Planning efforts to rehabilitate flood control facilities also consider other potential beneficial uses of those facilities, such as environmental restoration, enhancement of water quality, and recreation.

Antelope Valley Comprehensive Plan and Amendments

Los Angeles County prepared and adopted the Antelope Valley Areawide General Plan in 1986, a comprehensive plan for the unincorporated County area of Antelope Valley. The Plan was updated in June 2015, renamed the Antelope Valley Area Plan. The Antelope Valley differs from other parts of the County because it lacks an ocean drainage outlet. It also lacks defined natural channels below the foothills, as well as an adequate flood control system, resulting in unpredictable and varying flood risk across the valley floor. The Plan explores flood control and water conservation measures to reduce the negative effects of regional private development and to better address local flood hazard needs. It seeks to provide a cohesive approach to drainage, stormwater management, and flood risk mitigation. The Plan evaluates the fee structures available to finance drainage solutions (Los Angeles County Public Works, 1987). Two amendments to the original plan update costs and drainage fees to continue implementing recommended improvements (Los Angeles County Public Works, 1991 and 2006). The most recent update to the plan in 2015 provided for zone changes, including residential, agricultural, commercial, industrial, special purpose, C-RU (rural commercial) and MXD-RU (rural mixed use) zones.

Antelope Valley Integrated Regional Water Management Plan and Salt and Nutrient Management Plan

The Antelope Valley Integrated Regional Water Management (IRWM) group developed a water resource management plan in 2007. The 2007 plan was updated in 2013 to reflect new state integrated planning requirements, include more detailed and updated content, and solicit future project funding opportunities. The 2013 Antelope Valley IRWM Plan explores key issues, including uncertain and variable water supply, water demand exceeding supply, water quality and flood management, environmental resources, water management and land use, and climate change. It identifies and prioritizes a series of projects to address key concerns in the region, particularly those related to water supply (Antelope Valley Integrated Regional Water Management Group, 2013).

The Antelope Valley Salt and Nutrient Management Plan of 2014 was developed to manage salts, nutrients, and other elements from various sources to ensure that water quality objectives of the State Water Resource Control

Board's Recycled Water Policy are met and safeguarded. The State Water Resources Control Board requires a Salt and Nutrient Management Plan for any community to qualify for recycled water projects through the Lahontan Regional Water Quality Control Board.

Upper Santa Clara River Watershed Integrated Regional Water Management Plan

The Upper Santa Clara River Watershed Integrated Regional Water Management group updated its IRWM plan in 2018 to meet the 2016 IRWM Guidelines under Proposition 1 (the Water Quality, Supply, and Infrastructure Improvement Act of 2014). The 2018 Upper Santa Clara River Watershed IRWM Plan examines current and future water-related needs, identifies regional objectives for water-related resource management, develops strategies to address identified needs, and evaluates projects to meet the regional objectives. It integrates planning and implementation and facilitates regional cooperation, with the goals of reducing water demand, improving operational efficiency, increasing water supply, improving water quality, and promoting resource stewardship over the long term (Los Angeles County, 2019).

Sediment Management Strategic Plan

The Los Angeles County Flood Control District developed a Sediment Management Strategic Plan in response to challenges in managing sediment. These challenges included wildfires occurring in 2007 and 2009 that led to an increased inflow of sediment and debris and increased pressure on the capacity of sediment placement sites. This plan provides an overview of sediment management issues and evaluates various projects. The plan, designed to be effective from 2012 to 2032, is guided by the following objectives(Los Angeles County Public Works, 2019):

- Maintaining flood risk management and water conservation
- Recognizing opportunities for increased environmental stewardship
- Reducing social impacts related to sediment management
- Identifying ways to use sediment as a resource
- Ensuring that the Flood Control District is fiscally responsible in its decision-making.

Local Coastal Programs

Los Angeles County local coastal programs (LCPs) comply with the 1976 Coastal Act, enacted by the California Legislature, which requires coastal cities and counties to establish coastal resource conservation and development programs. The LCPs consist of planning and regulatory measures that manage development in the coastal zone. Each LCP includes a land use plan and implementation program. LCPs must consider the unique factors of the coastal community, as well as regional and state concerns. There are five coastal areas within the unincorporated Los Angeles County jurisdiction: the Santa Monica Mountains, Marina Del Rey, Santa Catalina Island, San Clemente Island and Ballona Wetlands Area A. Of these five areas, three have certified LCPs: Marina del Rey, Santa Catalina Island, and the Santa Monica Mountains. Certified LCPs are not required for San Clemente Island or Ballona Wetlands Area A.

Los Angeles County Low Impact Development Ordinance

In November 2012, the Los Angeles Regional Water Quality Control Board adopted a Municipal Separate Storm Sewer System (MS4) Permit to regulate stormwater and non-stormwater discharges in the Los Angeles region. The Permit included low impact development (LID) requirements for certain projects to reduce the discharge of stormwater and associated pollutants into receiving water bodies and to control hydromodification. In November 2013, Los Angeles County amended its LID Ordinance in response to the 2012 MS4 Permit. The LID Ordinance applies to certain new development and re-development projects and is intended to accomplish the following:

4-8 TETRA TECH

- Lessen adverse impacts of stormwater and urban runoff from development on natural drainage systems, receiving waters and other water bodies.
- Minimize pollutant loadings from impervious surfaces by requiring certain projects to incorporate appropriate best management practices and other LID strategies.
- Minimize erosion and other hydrologic impacts on natural drainage systems by requiring appropriate hydromodification controls.

In 2014 Los Angeles County created the *Low Impact Development Standards Manual* to comply with requirements of the National Pollutant Discharge Elimination System MS4 Permit for discharges within the coastal watersheds of Los Angeles County. The manual provides guidance in new development as well as redevelopments within unincorporated areas of Los Angeles County. Its intent is to improve water quality and mitigate potential water quality impacts from stormwater and non-stormwater discharges.

Los Angeles County Operational Area Emergency Response Plan

The Los Angeles County Operational Area Emergency Response Plan provides details for coordinated response to large-scale emergency situations in the County, whether natural, man-made, or technological. It focuses on potentially catastrophic disasters that require more than normal response measures. It reviews capabilities in prevention, protection, response, recovery, and mitigation. It describes continuity of government plans and provides annexes for specific situations, including tsunamis, oil spills, and terrorism (Los Angeles County, 2012).

Topanga Creek Watershed Management Plan

The Topanga Creek Watershed covers 18 square miles, has the greatest diversity of native plants and animals of all the watersheds in the Santa Monica Mountains, and is the third largest drainage into the Santa Monica Bay. In 2002, the Topanga Creek Watershed Committee updated its original 1996 Topanga Creek Watershed Management Study update with new preventive planning strategies and best management practices. These projects and practices were developed to maintain and enhance the watershed's current physical, chemical, biological, economic, and social characteristics, including its diversity in land use (i.e., residential, business development, infrastructure, wilderness recreation, and biological habitat). The plan also seeks to protect life and property from vulnerability to natural hazards such as stormwater runoff, floods, earthquakes, and wildfires (Topanga Creek Watershed Committee, 2002).

Rio Hondo Watershed Management Plan

The 2018 Rio Hondo Watershed Management Plan provides goals and strategies to all affected municipalities and conservation organizations as a way to improve water quality, health, habitat and recreational opportunities for the Rio Hondo watershed. The Rio Hondo watershed is a sub-watershed of the Los Angeles River watershed and is linked to the San Gabriel River watershed as a result of both natural hydrologic processes and human intervention. The watershed contains both rural and urban areas, with the San Gabriel Mountains and Angeles National Forest defining the upper reaches and the more urban and developed San Gabriel Valley below the foothills. The watershed encompasses 22 cities and six unincorporated communities in Los Angeles County (San Gabriel Valley Council of Governments, 2018).

Gateway Watershed Management Program

The Gateway Watershed Management Authority is a coalition of 25 cities and government entities that manage regional water planning needs for the Gateway Cities region. The Gateway Watershed Management Authority developed an integrated regional water management plan in 2013. Although the plan primarily focuses on needs for cities in this region, it includes a few unincorporated County areas. Recommendations developed for this plan include coordinating regional water management efforts, continued maintenance of projects and grant

opportunities, addressing MS4 permit watershed monitoring and reporting, and developing a funding and finance plan to implement projects (Gateway Management Authority, 2013).

Los Angeles River Master Plan and Corridor Highlights

The Los Angeles River is 51 miles long, and its watershed covers 834 square miles. It extends from the Santa Monica Mountains to the Simi Hills in the east and from the Santa Susana Mountains to the San Gabriel Mountains in the west. The Los Angeles River flows eastward from its headwaters in the mountains to the northern corner of Griffith Park, where the channel turns southward through the Glendale Narrows before it flows across the coastal plain and into San Pedro Bay near Long Beach. The river is a valuable resource for the County, as well as a major source of flooding.

The County developed the Los Angeles River Master Plan in 1996 to seek ways to utilize the natural assets of the Los Angeles basin for economic, recreational, and environmental benefits while maintaining the waterway as a flood protection resource. The plan highlights water conservation as a major concern, noting that 30 to 40 percent of the County's water supply comes from local sources. It also recommends multi-use and multi-benefit projects, which not only strengthen flood control measures but also educate residents, create environmental habitats, or increase recreational opportunities (Los Angeles County Public Works, 1996).

In 2005, the County released the Master Plan and Corridor Highlights document, which provides information about Master Plan projects implemented since the Master Plan's adoption and those planned for future construction. Many of the projects are structural but highlights also include natural resource preservation and education and outreach projects. Where sufficient data was available, the report documents specific benefits as well as implementation and location information (Los Angeles County Public Works, 2019). Los Angeles County is currently updating the 1996 Los Angeles River Master Plan.

Los Angeles County Annual Hydrologic Reports

Los Angeles County releases an annual report containing hydrologic data relevant to the County; the most recent report covers 2017 through 2018. The report is organized into eight major sections providing background and statistics on the following areas (Los Angeles County Public Works, 2018):

- Los Angeles County—County's topography, geology, and land use
- Runoff—Mean daily and peak annual runoff flow rates for active stream gaging stations
- Flood Control District—Flood events summaries
- Reservoirs—Summary of annual inflow, outflow, and storage data for County dams and reservoirs
- **Precipitation**—Daily and annual rainfall data from County rain gage stations
- Erosion control—Debris basin design data, production summary, and production history
- **Evaporation**—Data for the County's active evaporation stations
- Water conservation—Groundwater recharge facility data and historical well data

These reports are a resource for County personnel evaluating water management.

Los Angeles County Drainage Area Project

The Los Angeles County Drainage Area (LACDA) Project is a multi-use project to reduce flood overflows by increasing the carrying capacity of major County waterways, including the lower Los Angeles River, Rio Hondo, and lower portion of Compton Creek. Jointly undertaken by the U.S. Army Corps of Engineers and the Los Angeles County Flood Control District, the project is designed to simultaneously increase recreational opportunities and local aesthetics through improvements such as a bike trail, equestrian trail, and landscaping. The LACDA project includes the elevation of 21 miles of existing levees; the modification of 24 railroad, traffic,

4-10 TETRA TECH

utility, and pedestrian bridges; and connections between trails and eight park areas (Los Angeles County Public Works, 2019). The LACDA Project is further described in Chapter 6 of this plan.

Trash Best Management Practices

The 2004 *Technical Report of Trash Best Management Practices* identifies necessary measures to meet trash total maximum daily load goals for the Los Angeles River and Ballona Creek. Recommendations include trash and runoff source-control best management practices as the top preference. Also recommended are structural projects for high-trash generation areas, such as drain system retrofits, channel-cleaning contracts, and replacement of impervious surfaces (Los Angeles County Public Works, 2004). Keeping flood control facilities, including catch basins, free from trash and debris helps prevent localized street flooding.

Los Angeles County Response to ADA

The Los Angeles County Operational Area Emergency Response Plan Access and Functional Needs Annex defines "individuals with disabilities and access and functional needs" as populations whose members may have additional needs before, during and after an incident in functional areas including but not limited to the following:

- Maintaining independence
- Communication
- Transportation
- Supervision
- Medical care.

These populations may include any of the following:

- Individuals with mobility and transportation impairments
- Individuals with vision, hearing and dual sensory impairment
- Individuals with health, behavioral and mental health needs
- Individuals with intellectual and developmental disabilities
- Individuals who live in institutionalized settings
- Seniors and children
- Culturally diverse populations
- Individuals with limited English proficiency or non-English speakers
- Individuals with socio-economic barriers, including the homeless population.

Reasonable Accommodations Ordinance

The ordinance, which was adopted by the Board of Supervisors on November 28, 2011, creates an administrative procedure for persons with disabilities to request reasonable accommodation from land use and zoning standards or procedures, when those standards or procedures are a barrier to equal housing access, pursuant to state and federal Fair Housing laws. The ordinance applies to all the unincorporated areas of Los Angeles County.

Plan Action Implementation

The ADA protocol will be applied when implementing any actions in this plan that could impact individuals with disabilities and access and functional needs. This will involve measures such as review by the Los Angeles County Access and Functional Needs Committee or whatever protocol has been established by the County at the time of project implementation.

CAPABILITY ASSESSMENT

The planning team performed an inventory and analysis of existing authorities and capabilities called a "capability assessment." A capability assessment creates an inventory of an agency's mission, programs and policies, and evaluates its capacity to carry them out.

Table 4-3 summarizes the legal and regulatory capability of Los Angeles County. This table describes the legal authorities available to the county and/or enabling legislation at the state level affecting planning and land management tools that can support floodplain management action items. Each of these capabilities represents an ongoing program that supports Los Angeles County's commitment to floodplain resilience. Any gap in capability identified in this table should be considered as an action by the County in the action plan component of this plan. The table identifies the following information for each program:

- **Local Authority**: Does the County have the authority to implement the identified capability through policy or formal adoption?
- **State or Federal Prohibitions**: Are there are any regulations that may impact the implementation of an identified capability that are enforced or administered by another agency (e.g., a state agency or special purpose district)?
- Other Regulatory Authority: Are there are any regulations that may impact the implementation of a capability that are enforced or administered by another agency (e.g., a state agency or special purpose district)? This can also be referred to as delegated authority.
- **State Mandated**—Do state laws or other requirements enable or require the listed item to be implemented at the local level?

Table 4-3. Los Angeles County Legal and Regulatory Capability					
		Local Authority	State or Federal Prohibitions	Other Regulatory Authority	State Mandated
Codes, Ordin	ances & Requirements				
Building Code Comment:	e County of Los Angeles County Code, Title 26 – Br	Yes	No	No	Yes
Zoning Code Comment:	County of Los Angeles County Code, Title 22 – Pl	Yes	No ning	No	Yes
Subdivisions Comment:	County of Los Angeles County Code, Title 21 – Somap approval can be valid, and the County cannot			No Subdivision Map Act sets	No out how long a
Post-Disaster Recovery Comment: County of Los Angeles County Code, Title 2 – Administration, Division 3 – Departments and Other Administrative Bodies, Chapter 2.68 – Emergency Services, Part 6 – Director of Recovery Operations			No Bodies,		
Flood Damag	e Prevention Ordinance	Yes	No	No	No
County of Los Angeles County Code: Title 26, Chapter 1, Section 110 – Prohibited Uses of Building Sites Title 11, Division 3, Chapter 11.60 – Floodways and Water Surface Elevations Title 21, Chapter 21.44.320 – Land subject to flood hazard, inundation, or geological hazard Title 21, Chapter 21.44.330 – Flood-hazard area, floodway or natural watercourse designation Title 20, Division 5, Chapter 20.94 – Channels Title 22, Division 1, Chapter 22.52, Part 5 – Flood Control					
Low-Impact D	evelopment Standards	Yes	No	No	Yes
Comment: County of Los Angeles County Code, Title 12 – Environmental Protection, Chapter 12.84 Low Impact Development Standards				nt Standards	
Real Estate D Comment:	isclosure State of California Natural Hazards Disclosure Ac	Yes t, effective June	No 1, 1998 (California Ci	No vil Code Section 1103.2)	Yes

4-12 TETRA TECH

		Local Authority	State or Federal Prohibitions	Other Regulatory Authority	State Mandated
Growth Mana	gement	No	No	Yes	Yes
Comment:	County of Los Angeles County Code, Title 22 – Pl available for Santa Catalina Island, Marina Del Re				ans are
Site Plan Rev	riew	Yes	No	No	No
Comment:	County of Los Angeles County Code, Title 26 - Br	uilding Code, C	hapter 1 – Administrati	on, Inspections.	
Special Purpo	ose (flood management, critical areas)	_	_	_	_
Comment:	County of Los Angeles County Code, Title 11 – He Hazards. County of Los Angeles County Code, Title 11 – He Floodways and Water Surface Elevations. County of Los Angeles County Code, Title 12 – Ele Control County of Los Angeles County Code, Title 12 – Ele Beaches or into Pacific Ocean County of Los Angeles County Code, Title 20 – Ut County of Los Angeles County Code, Title 31 – County of Los Angeles County Code, Flood Control	ealth and Safety nvironmental Pr nvironmental Pr tilities, Division ounty Green Bu	y, Division 3 – Miscella rotection, Chapter 12.8 rotection, Chapter 12.2 5 – Flood Control Distr illding Standards Code	nneous Regulations, Chap 0 – Stormwater and Runo 0 – Depositing Petroleum rict Property and Facilities	ter 11.60 – ff Pollution Products on
Planning Do	cuments				
General Plan		Yes	No	No	Yes
Comment:	The Los Angeles County 2035 General Plan, adoprovides a policy framework for how and where the miles, unincorporated Los Angeles County is hom and jobs within the unincorporated areas in anticipation.	e unincorporate e to over one m	ed County will grow through the control of the cont	ough 2035. Comprising 2, eral Plan accommodates	650 square
Capital Impro	ovement Plan	Yes	No	No	No
Comment:	Los Angeles County Public Works develops and in The 2035 General Plan Implementation Program Planning jointly securing funding and setting priori Some current community plans have capital impro	identifies a goal ties to prepare	project of Public Work capital improvement pl	ks and the Department of I lans for the County's 11 pl	Regional anning areas.
Economic De	evelopment Plan	Yes	No	No	No
Comment:	Los Angeles County Strategic Plan for Economic 2035 General Plan, Chapter 14 – Economic Deve		016		
Floodplain or	r Basin Plan	Yes	No	No	No
Comment:	Los Angeles County Comprehensive Floodplain M	⁄lanagement Pla	an, 2015. Available onl	ine.	
Stormwater P	Plan	Yes	No	Yes	Yes
Comment:	Low Impact Development Standards Manual, Feb	ruary 2014			
Natershed M	anagement Plan	Yes	No	Yes	No
Comment:	Enhanced Watershed Management Programs in p Quality Control Board by June 28, 2015. These pl Channel, Marina Del Ray, Santa Monica Bay, and Other unincorporated community watershed mana Gateway Cities Region	orogress and to ans will include I Upper Los Ang	be submitted for appro the County's five wate geles River. All availab	oval to the Los Angeles Reprisheds: Ballona Creek, Do le online.	egional Water ominguez
Habitat Cons	ervation Plan	Yes	No	Yes	No
Comment:	2035 General Plan, Chapter 9 – Conservation and The General Plan has policies related to habitat a Element is not the equivalent of a habitat conserv. & Wildlife or the U.S. Fish & Wildlife Service, depe	d Natural Resound resound resource con attion plan. Othe	irces Element, Signific nservation, but the Cor er regulatory authority I	ant Ecological Areas. Avainservation and Natural Re	ilable online. sources

		Local Authority	State or Federal Prohibitions	Other Regulatory Authority	State Mandated
Shoreline Ma	anagement Plan	Yes	No	No	Yes
 Los Angeles County Stormwater Monitoring Reports, Section 1.1.1.4 – Shoreline Monitoring (released annually and with recent report of 2014-2015) Local Coastal Programs (LCP) Santa Monica Mountains LCP, adopted on August 26, 2014, and certified on October 10, 2014 Marina Del Rey LCP, adopted in 1996, and amended and certified in 2012 Santa Catalina Island LCP, adopted on March 15, 1983, and certified on November 17, 1983 All available online 				nd with most	
Emergency F	Response Plan	Yes	No	No	Yes
Comment:	Los Angeles County Operational Area Emergency	Response Pla	n (ERP), 2012. Availab	le online	
Post-Disaste	r Recovery Plan	Yes	No	No	No
Comment:	Recovery Annex to the ERP ERP, Section 2.7: Recovery Considerations also	reviews County	Recovery Procedures		
Sediment Ma	nagement Plan	Yes	No	No	No
Comment:	Sediment Management Strategic Plan, 2012-2032	2. Available onli	ne		
Continuity of	f Operations Plan	Yes	No	No	Yes
Comment: All Los Angeles County departments and/or divisions must develop, exercise, and maintain plans for business continuity functions and processing resources. Each department and/or division must develop a plan for its business operations that can sufficiently support the service requirements of other operations and functions involved in the incident. Plans must address the full range of resources including data processing, data communications links, personnel, personal computers, terminals, workspace, voice communication, and documents. Additionally, Chapter 3 of the ERP includes Continuity of Government information.				ons that can t address the	
Water Resou	rce Management Plan	Yes	No	Yes	Yes
Comment: Greater Los Angeles County Region Integrated Regional Water Management Plan, 2013, Antelope Valley Integrated Regional Water Management Plan, 2013, Upper Santa Clara River Watershed Integrated Regional Water Management Plan, 2014					
Best Manage	ement Practices	_	_	_	_
Comment:	Technical Report of Trash Best Management Prac These best management practices were identified total maximum daily load for Los Angeles River an	l and evaluated		ernatives to meet the goa	s of the trash

Table 4-4 summarizes fiscal capability of Los Angeles County. This table identifies what financial resources (other than grants) are available to the county to support the implementation of repetitive loss area action items.

Table 4-4. Fiscal Capability		
Financial Resources	Accessible or Eligible to Use?	
Community Development Block Grants	Yes	
Capital Improvements Project Funding (Flood Control District)	Yes	
Authority to Levy Taxes for Specific Purposes	Yes	
Incur Debt through General Obligation Bonds	Yes	
Incur Debt through Special Tax Bonds	Yes	
State Sponsored Grant Programs	Yes	
Development Impact Fees for Homebuyers or Developers	Yes	

Table 4-5 summarizes community based classification programs that rate facets of a community's floodplain management capability. The Community Rating System is described in Section 0 and Appendix A. The Building Code Effectiveness Grading Schedule assesses the building codes in effect in a community and how the

4-14 TETRA TECH

community enforces them, with emphasis on mitigation of losses from natural hazards. The National Oceanic and Atmospheric Administration administers the StormReady and TsunamiReady programs. StormReady helps arm communities with communication and safety skills needed to save lives and property before, during and after an event. It helps community leaders and emergency managers strengthen local safety programs.

Table 4-5. Community Classifications						
Participating? Classification Date Classified						
Community Rating System	Yes	7	11/5/2015			
Building Code Effectiveness Grading Schedule Yes 2/2 2015						
StormReady No N/A N/A						
TsunamiReady	No	N/A	N/A			

Table 4-6 summarizes the administrative and technical capability of Los Angeles County. This table inventories the staff/personnel resources available to Los Angeles County to help with floodplain management and the implementation of specific actions.

Table 4-6. Administrative and Technical Capability				
Staff/Personnel Resources	Available?	Department/Agency/Position		
Planners or engineers with knowledge of land development and land management practices	Yes	Los Angeles County Public Works (Public Works) Land Development Division; Los Angeles County Department of Regional Planning		
Engineers or professionals trained in building or infrastructure construction practices	Yes	Public Works Geotechnical and Materials Engineering Division; Public Works Building and Safety Division		
Planners or engineers with an understanding of flooding hazards	Yes	Public Works Geotechnical and Materials Engineering Division; Public Works Stormwater Engineering Division and associated subdivisions		
Staff with training in benefit/cost analysis	Yes	Public Works multiple divisions, including the Stormwater Planning Division		
Floodplain manager	Yes	Public Works Stormwater Engineering Division		
Surveyors	Yes	Public Works Survey/Mapping and Property Management (Land Records) Division		
Personnel skilled or trained in GIS applications	Yes	Public Works Survey/Mapping and Property Management (Land Records) Division; Public Works Stormwater Engineering Division; and Public Works GIS Managers		
Scientists familiar with flooding hazards in local area	Yes	Public Works Stormwater Engineering Division and associated subdivisions		
Emergency manager	Yes	Public Works Disaster Services Group; Los Angeles County Office of Emergency Management		
Grant writers	Yes	Public Works Stormwater Planning Division, Stormwater Engineering Division, and Transportation Planning and Programs Division; Los Angeles County Office of Emergency Management		

Table 4-7 summarizes the County's participation in national flood-related programs.

Table 4-7. National Flood Insurance Program Compliance			
What department is responsible for floodplain management in your community?	Los Angeles County Public Works Stormwater Engineering Division		
Who is your community's floodplain administrator?	Los Angeles County Public Works Stormwater Engineering Division		
Do you have any certified floodplain managers on staff in your community?	No		

What is the date of adoption of your flood damage prevention ordinance?	 County of Los Angeles County Code: Title 26, Chapter 1, Section 110 – Prohibited Uses of Building Sites, last amended by ordinance 2013-0048 § 2, effective 2013 Title 11, Division 3, Chapter 11.60 – Floodways and Water Surface Elevations, last amended by ordinance 2016-0062 § 2, effective 2016 Title 21, Chapter 21.44.320 – Land subject to flood hazard, inundation, or geological hazard, last amended by ordinance 11665 § 38, effective 1978 Title 21, Chapter 21.44.330 – Flood-hazard area, floodway or natural watercourse designation, last amended by ordinance 11665 § 39, effective 1978 Title 20, Division 5, Chapter 20.94 – Channels, last amended by ordinance 86-0032 § 1, effective 1986; Title 22, Division 1, Chapter 22.52, Part 5 – Flood Control, last amended by ordinance 1494 Ch. 7 Art. 5 § 705.1, effective 1927 		
When was the most recent Community Assistance Visit or Community Assistance Contact?			
To the best of your knowledge, does your community have any outstanding NFIP compliance violations that need to be addressed? If so, please state what they are.	No issues that would render Los Angeles County out of full compliance with the provisions of the NFIP were identified during the last Community Assistance Visit.		
Do your flood hazard maps adequately address the flood risk within your community?	Flood hazard mapping has been identified as an issue that needs to be addressed by this planning process. See Section 6.14 lists mapping issues, which are addressed by Mitigation Action #33 (Chapter 11).		
Does your floodplain management staff need any assistance or training to support its floodplain management program? If so, what type of assistance/training is needed?	Los Angeles County Public Works Stormwater Engineering Division staff actively participate in programs of the Floodplain Management Association as well as other trainings offered by the State and FEMA where feasible. County staff welcomes opportunities for training on floodplain management programs and principles.		
Does your community participate in the CRS? If so, is your community seeking to improve its CRS Classification? If not, is your community interested in joining the CRS program?	Los Angeles County has participated in the CRS since 10/1/1991 and is currently rated a CRS Class 7		

4-16 TETRA TECH

5. MITIGATED REPETITIVE LOSS PROPERTIES

REPETITIVE LOSS LIST CORRECTION

As part of their application and cycle verification obligations, CRS-participating communities must review their lists of repetitive-loss properties for accuracy, for correct addresses, to determine whether the properties are actually in the community's corporate limits, and to determine whether the insured buildings have been removed, retrofitted or otherwise protected from the cause of the repetitive flooding. The result of this review is recorded on a Repetitive Loss Update Worksheet (AW-501; see Figure 5-1). A community with repetitive losses must sign the Repetitive Loss List Community Certification, CC-RL, certifying that each address has been checked. If there are updates, the submittal must include corrected Repetitive Loss Update Worksheets (AW-501) with any required supporting documentation. The community must note the following situations in which the form should be updated:

- The property is not located in the community's jurisdiction. The property may be outside the community's corporate limits, it may be in another city, or it may have been annexed by another community. If it can be determined in which community the property belongs, the property will be reassigned to the correct community. If a property is not in the community, it will not be reassigned unless the community in which the property does belong can be definitely identified.
- There was an error in the repetitive loss data base, such as a duplicate listing or an incorrect address.
- The property has subsequently been protected from the types of events that caused the losses. Buildings that have been acquired, relocated, retrofitted, or otherwise protected from the types of frequent floods that caused the past damage are not counted in determining the community's CRS requirements.
- The property is protected from damage by the base flood shown on the current Flood Insurance Rate Map (FIRM). For example, the community may demonstrate that the building is elevated or flood-proofed above the base flood elevation but was flooded by a higher level. If the property is outside the Special Flood Hazard Area, the community may show that all of the repetitive losses were caused by events with recurrence intervals of over 100 years (e.g., two 200-year storms).

MITIGATED REPETITIVE LOSS PROPERTIES

For corrections made under situations 3 or 4 above, all future AW-501s issued for the community will be segregated into two categories; mitigated and unmitigated.

Los Angeles County is using the ISO repetitive loss list and AW-501s dated September 2018 as the basis for this Repetitive Loss Area Analysis. This is the last officially sanctioned CRS repetitive loss data set issued to Los Angeles County. According to the AW-501s issued, Los Angeles County has 50 repetitive loss properties, of which four are officially recognized as "mitigated" and three were destroyed by wildfires. These properties are shown in Table 5-1. No area analysis will be conducted for these properties.

		OMB Centrol Number: 1660-0022 Expiration: xxxx, xxxx
Federal Emergency I	Management Agency	
National Flood Insur		
NFIP REPETITI	VE LOSS UPDATE WORKSHEET (A	W-501)
THE INFOR	MATION ON THIS FORM IS BASED ON CLAIMS ON	OR BEFORE: 01/31/2011
REPETITIVE LOSS NU	MBER: 0987654	
		Internal use only 🗵 A 🗌 N/A 📗 FRR
NFIP Community Nar	ne: BALDWIN COUNTY	CID#: 015000
Local Property Identif	ier: 56-09-29-999-000	
	Current Property Address	Previous Property Address/Community ID#
12345	MEMORY LANE FAIRHOPE, AL 36532-5963	
Last Claimant:		Last Claimant:
Insured: Yes	Name Insured:	ELMER FLOOD
Date of Losses:	20040916 19980927	Total Number of Losses for Property: 2
Choose	ION PROVIDED NOT SUFFICIENT TO IDENTIFY this update if all attempts to locate the property fail ts section below. CHANGES REQUIRED TO THE ADDRESS:	I. Please describe the steps you took to locate the property in the
Update t	the address shown above and/or add our local we property identifier such as a Tax Assessor #.	
3. PROPERTY	NOT IN OUR COMMUNITY OR JURISDICTION	:
the corre	this update if you have positively determined that ect NFIP community name and if known the NFIP location.	the property shown is not located in your community. Please provide community ID Number. If available, please attach a map showing the
ASSIGN	TO NFIP COMMUNITY NAME:	NFIP COMMUNITY ID#:
4. X FLOOD PR	OTECTION PROVIDED.	
Choose that prof	this update only if some type of structural interven	fion has occurred to the building, property or the source of flooding e that occurred in the past. The update must be supported by tigation action and funding below must be provided.
(Mitigatio	on Action 1.) (Source of Primary Mitiga	tion Funding 3.) (Secondary Source of Funding 3.)
		AVV-501-1) [continued on next page]

Figure 5-1. Example AW-501

Table 5-1. Mitigated Repetitive Loss Properties

Repetitive Loss Number	Date Corrected
#0014896	April 25, 1995
#0017933	May 10, 1995
#0028337	June 11, 1996
#0049465	May 10, 1995

5-2 TETRA TECH

6. MITIGATION ALTERNATIVES CONSIDERED

Although this report presents separate analyses for each identified repetitive loss area in unincorporated Los Angeles County, the list of potential measures to address repetitive flooding problems was the same for each area. This chapter summarizes the alternatives that were identified for consideration. These alternatives can be implemented by the County, the homeowner, or other entities. The selection of suitable alternatives for each atrisk property in the repetitive loss areas is described in the chapters presenting individual repetitive loss area analyses.

Many types of flood hazard mitigation exist, and there is not one mitigation measure that fits every case or even most cases. Successful mitigation often requires multiple strategies. The CRS Coordinator's Manual (FEMA 2017) breaks the primary types of mitigation down as follows:

- **Preventive** activities keep flood problems from getting worse. The use and development of flood-prone areas is limited through planning, land acquisition, or regulation. They are usually administered by building, zoning, planning, and/or code enforcement offices.
- **Property protection** activities are usually undertaken by property owners on a building-by-building or parcel basis.
- Natural resource protection activities preserve or restore natural areas or the natural functions of floodplain and watershed areas. They are implemented by a variety of agencies, primarily parks, recreation, or conservation agencies or organizations.
- **Emergency services** are measures taken during an emergency to minimize its impact. These measures are usually the responsibility of city or county emergency management staff and the owners or operators of major or critical facilities.
- **Structural projects** keep floodwaters away from an area with a levee, reservoir, or other flood control measure. They are usually designed by engineers and managed or maintained by public works staff.
- **Public information** activities advise property owners, potential property owners, and visitors about hazards and ways to protect people and property from them, as well as the natural and beneficial functions of local floodplains. They are usually implemented by a public information office.

PREVENTIVE

Los Angeles County regulates residential and commercial development through its building code, planning and zoning requirements, stormwater management regulations and floodplain management ordinances. Any project in an unincorporated area located in a floodplain outside State or federally owned lands, regardless of the project's size, requires a permit from Los Angeles County, unless the project can be characterized as routine maintenance.

PROPERTY PROTECTION

These measures are generally performed by property owners or their agents. FEMA has published numerous manuals that help a property owner determine which property protection measures are appropriate for particular situations:

- FEMA 259, Engineering Principles and Practices of Retrofitting Floodprone Residential Structures
- FEMA 312, Homeowner's Guide to Retrofitting: Six Ways to Protect Your House from Flooding
- FEMA 551, Selecting Appropriate Mitigation Measures for Floodprone Structures
- FEMA 348, Protecting Building Utilities from Flood Damage
- FEMA 511, Reducing Damage from Localized Flooding
- FEMA 102, Floodproofing Non-Residential Structures
- FEMA 84, Answers to Questions about the NFIP
- FEMA 54, Elevated Residential Structures Book
- FEMA 268, Protecting Floodplain Resources: A Guidebook for Communities
- FEMA 347, Above the Flood: Elevating Your Floodprone House
- FEMA 85, Protecting Manufactured Homes from Floods and Other Hazards

The manuals listed above are available for review at FEMA's website. For a complete guide to retrofitting homes for flood protection, see FEMA P-312, *Homeowner's Guide to Retrofitting 3rd Edition* (FEMA 2014). The primary methods of property protection in Los Angeles County are:

- Demolition/relocation.
- Elevation (structure or damage-prone components such as furnace or AC unit)
- Dry flood-proof (so water cannot get in).
- Wet flood-proof portions of the building (so water will not cause damage).
- Direct drainage away from the building.
- Drainage maintenance.
- Sewer Improvements.

Acquisition

One of the most effective approaches to preventing further flood damage to a building is acquisition and relocation or clearing of the structure. The property would then serve as open space or recreation area. Property owners retain the right to select this as a mitigation method. They may sell their property to a government agency or an agency dedicated to the preservation and management of local open space. The property owner can also relocate the building to another property. Alternatively, the building can be moved to another area of the same property, if that area is outside the flood hazard. The property owner can also take advantage of federal funding for such mitigation.

For the Los Angeles County RLAA, it has been determined that acquisition would not be a cost-effective alternative for structures with probable flood depths of 2 feet or less. "Cost-effective" means that the benefits of the action would equal or exceed the costs to implement the action. For this RLAA, a benefit is considered to be an avoided loss. The high value of property in Los Angeles County makes it unlikely that acquisition projects can be cost-effective.

Home Elevation

Sometimes dry or wet flood-proofing are not enough and greater measures must be taken. For example, if the floodwaters are too high for dry flood-proofing and the inhabited area is too low for wet flood-proofing, it may be necessary to raise the structure. Whenever the floor of a home is below the 1 percent annual chance (100-year)

6-2 TETRA TECH

flood elevation, physically elevating the structure is often recommended as it is one of the most effective means to prevent flood damage. Financial assistance may be available for floodproofing. Los Angeles County requires all substantially improved residential buildings to have their lowest floor elevated 1 foot above the 100-year elevation. No basements are allowed in the flood hazard.

Dry Flood-Proofing

Dry flood-proofing consists of completely sealing around the exterior of the building so that water cannot enter the building (see Figure 6-1). Dry flood-proofing is not a good option for areas where floodwater is deep or flows quickly. The hydrostatic pressure and/or hydrodynamic force can structurally damage the building by causing the walls to collapse or causing the entire structure to float. However, in areas that have minimal velocity and low depth, dry flood-proofing can be a good option.

Slab floor

Buoyancy force

Additional pressure from saturated soil

Buoyancy force

Buoyancy force

Source: FEMA P-312, June 30, 2014

Figure 6-1. Dry Flood-Proofing Example

Many flood hazards can be mitigated with various forms of dry flood-proofing. Properties that do not have adequate protection of their low opening (window or basement door) can effectively raise the low opening height with a window well or a flood gate. The ultimate height of the low opening depends on several factors, such as: the level of flood protection desired, the appearance, and cost. The flood protection elevation could be set 1-foot higher than the existing low opening elevation, or it could be set to match the elevation of the lowest opening into a home that cannot be raised. This might be the elevation of the threshold of a door, for example.

The NFIP only allows dry flood-proofing for residential retrofits that are not classified as a substantial improvement. A substantial improvement is any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50% of the market value of the structure before the "start of construction" of the improvement.

Wet Flood-Proofing

Wet flood-proofing consists of modifying uninhabited portions of a home, such as a crawlspace, garage, or unfinished basement with flood-damage resistant materials, to allow floodwaters to enter the structure without

causing damage (see Figure 6-2). Wet flood-proofing requires portions of the building to be cleared of valuable items and mechanical utilities. A key component of wet flood-proofing is providing openings large enough for the water to flow through the structure such that the elevation of the water in the structure is equal to the elevation of the water outside of the structure. This equilibrium of floodwater prevents hydrostatic pressure from damaging structural walls. The NFIP requires the bottoms of the openings to be no more than 1 foot above the lowest adjacent grade, whether that lowest adjacent grade is outside the structure or in the crawlspace.

Direct Drainage Away from the Building

In some cases, there are things that the property owner can do on-site such as directing shallow floodwater away from a flood-prone structure. Shallow flooding can often be kept away from a structure if some simple improvements are made to the yard. Sometimes structures are built at the bottom of a hill or in a natural drainage way or storage area, so that water naturally flows toward them.

One solution is to regrade the yard. If water flows toward the building; a new swale or wall can direct the flow to the street or a drainage way. Filling and grading next to the building can also direct shallow flooding away. Although water may remain in the yard temporarily, it is kept away from the structure. When these types of drainage modifications are made, care must be taken not to adversely affect the drainage patterns of adjacent properties. Over time, the swales along the lot lines or in the back yard may get filled in by property owners building fences, garages, sheds, swimming pools, and other obstructions up to the lot line. These drainage problems can be fixed by removing the obstructions and restoring the swales so they will carry water away from the building.

Drainage Maintenance

Dumping into the drainage system is a Los Angeles County Code violation. Debris can accumulate and restrict the flow of stormwater, increasing the potential of localized flooding. To report flood problems or illegal dumping to the drainage system, call (888) CLEAN LA (253-2652).

Sewer Improvements

Heavy rains can saturate the soil and infiltrate the sanitary sewer system through leaky joints or cracks in the pipes. The inflow of stormwater floods the sanitary sewer system causing water to back-up into the home through lower level plumbing fixtures. This occurrence can be prevented by installing a sewer backflow preventer (see Figure 6-3). A backflow preventer will allow the sanitary sewer water to flow freely from the home to the sewer, but restrict the reverse flow. Backflow preventers do require maintenance and can fail if debris in the sewer prevents the valve seating properly. An overhead sewer system pumps wastewater from basement level plumbing fixtures up to an elevation near the ground level, where it can drain by gravity into the sewer service line. This higher sewer makes it unlikely that water will back-up into the building.

6-4 TETRA TECH

Source: FEMA P-312, June 30, 2014




Figure 6-2. Wet Flood-Proofing Example

Source: FEMA P-312, June 30, 2014




Figure 6-3. Sewer Backflow Valve Installation Example

Temporary Barriers

Several types of temporary barriers are available to address typical flooding problems. They work to direct drainage away from structures with the same principles as permanent barriers such as floodwalls or levees, but can be removed, stored, and reused in subsequent flood events.

NATURAL RESOURCE PROTECTION

Care should be taken to maintain the streams, wetlands and other natural resources within a floodplain or repetitive loss area. Removing debris from streams and channels prevents obstructions. Preserving and restoring natural areas provides flood protection, preserves water quality and provides natural habitat.

EMERGENCY SERVICES

Advance identification of an impending storm is only the first part of an effective Flood Warning and Response Plan. To truly realize the benefit of an early flood warning system, the warning must be disseminated quickly to floodplain occupants, repetitive loss areas and critical facilities. Appropriate response activities must then be implemented, such as: road closures, directing evacuations, sandbagging, and moving building contents above flood levels. Finally, a community should take measures to protect public health and safety and facilitate recovery. These measures may include: cleaning up debris and garbage, clearing streets, and ensuring that that citizens have shelter, food, and safe drinking water.

6-6 TETRA TECH

STRUCTURAL PROJECTS

Structural projects keep floodwaters away from an area with a levee, reservoir, or other flood control measure. They are usually designed by engineers and managed or maintained by public works staff. Los Angeles County Public Works develops and implements capital projects. The 2035 General Plan Implementation Program identifies a goal project of the Los Angeles County Department of Regional Planning and Los Angeles County Public Works jointly securing funding and setting priorities to prepare capital improvement plans for the County's 11 planning areas.

PUBLIC INFORMATION

One of the most important, and often overlooked, aspects of mitigation is public awareness. Awareness starts with recognition of the flood risk. FIRM panels, which designate areas of a community according to various levels of flood risk, can be viewed at www.FEMA.gov. Also, real estate transactions require disclosure of known flood hazards. The next level of awareness is related to flood hazard mitigation measures. Often homeowners can greatly reduce their risks with mitigation efforts if they are aware of the risks.. For that reason, as part of this analysis, every resident in the repetitive loss area has been contacted and informed of the opportunity to review this Report. In addition, Los Angeles County Public Works sends out an annual outreach letter to every resident in each repetitive loss area.

Los Angeles County has defined a program for public information (PPI) as part of its 2020 Comprehensive Floodplain Management Plan. This PPI includes a strategy for providing important information about property protection to property owners in the repetitive loss areas identified under this RLAA.

Los Angeles County Repetitive Loss Area Analysis

PART 2—ANALYSIS OF INDIVIDUAL REPETITIVE LOSS AREAS

7. AGUA DULCE REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 7-1 shows the Agua Dulce Repetitive Loss Area. Flood zones are mapped on the FEMA Flood Insurance Rate Map. This repetitive loss area is in the San Gabriel Mountains, east of Santa Clarita. The targeted repetitive loss property for this area is located within the floodplain of Mint Canyon. The property is in Zone A, which has significant risk from a 1 percent annual chance (100-year) flood. The culvert under Sierra Highway at approximately 250 feet upstream from the repetitive loss property is subject to becoming obstructed by debris from upstream. When runoff exceeds the capacity of the culvert, street flooding occurs and the subject property is subject to inundation. In addition, the property owner claimed the upstream neighbor improperly altered the natural creek and encroached on the floodplain and caused flow breakout from the channel. Mint Canyon borders the repetitive loss property, eroding and flooding its backyard. The property owner placed the log retaining walls around the street side property entrance. The County also built a berm on top of the channel bank near the culvert under the Sierra Highway in an effort to contain the water inside the channel.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 7-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 7-1. Repetitive Loss Properties in Agua Dulce Repetitive Loss Area				
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?
0091339	37	3/95, 2/98	\$4,321.16	No

Identified Flood Cause: Property is located in the floodplain. Repetitive flooding possibly caused by street flooding when storm flows exceed the capacity of an upstream culvert. No reported losses since 1998.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There are three properties with a total of 20 insurable buildings included in this repetitive loss area. Table 7-2 provides general information for the properties, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 7-2. All Properties in Agua Dulce Repetitive Loss Area					
Property	Number of Insurable	Building De	scription		
ID	Buildings	Foundation	Condition	Probable Mitigation Measures	
AD-1	6	Crawlspace	D7B		
AD-2	12	Crawlspace	D7	Enlarge culvert Drainage system maintenance Acquisition Elevation Public education	

Property	Number of Insurable	Building Description		
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
AD-3	2	Crawlspace	D55C	Enlarge culvert Drainage system maintenance Acquisition Elevation Public education
Total	20			




Figure 7-1. Agua Dulce Repetitive Loss Area

7-2 TETRA TECH

8. ALTADENA A REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Altadena A Repetitive Loss Area is located in the San Gabriel Mountains, east of Burbank near Altadena. There is a single-property repetitive loss area on Alzada Drive. As such, no map of this repetitive loss area is provided, due to privacy concerns. The area is located at the bottom of the hill and possibly impacted by the storm runoffs from surrounding hills. There is a 2-foot-wide and 1-foot-deep dry earthen ditch running west of but outside of the property. The property is located at higher grounds compared to the bank elevations of the ditch. Repetitive flood history for this area can be associated with post-wildfire conditions.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 8-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 8-1. Repetitive Loss Properties in Altadena A Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0056933	35	2/91, 2/92	\$2,725	No	
Identified Flood Cause: Hillside drainage problem.					

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is one property included in this repetitive loss area, with a total of two insurable buildings. Table 8-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 8-2. All Properties in Altadena A Repetitive Loss Area				
Property	Number of Insurable	Building Description		
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
ALT-A1	2	Crawlspace	No Information	Drainage improvement Elevation Public education
Total	2			

9. ALTADENA B REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Altadena B Repetitive Loss Area is in the San Gabriel Mountains, east of Burbank near Altadena. There is a single-property repetitive loss area on Hollyslope Rd. As such, no map of this repetitive loss area is provided, due to privacy concerns. The target repetitive loss property for this area is located adjacent to a private, unmapped channel within a private residential community. Repetitive flood history for this area can be associated with post-wildfire conditions.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 9-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

	Table 9-1. Repetitive Loss Properties in Altadena B Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
0091348	36	3/95, 2/98	\$4.321	Yes*		

Identified Flood Cause: Property is located near the privately constructed channel within the private hillside residential community. According to property owner who resides in the community, the channel has a concrete bottom but is not engineered. After the brush fire in 1993, the hillside storm runoff in the channel destroyed the private studio in the floodplain and eroded the bank protections, which were restored and improved later. In a separate incident, the basement was flooded due to a backyard drainage deficiency, which was improved with a 6-inch berm.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is only one property included in this repetitive loss area. It has three insurable buildings. Table 9-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 9-2. All Properties in Altadena B Repetitive Loss Area					
Property	Number of Insurable	Building De	escription		
ID	Buildings	Foundation	Condition	Probable Mitigation Measures	
ALT-B1	3	Crawlspace	D7A	Private channel maintenance Establish post-fire protocols Public education	
Total	3				

^{*}Note: an AW-501 has been submitted for this property, but correction was not yet approved as of this RLAA. Area will be removed from RLAA once correction is processed by FEMA.

10. CALABASAS A REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Calabasas A Repetitive Loss Area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. There is a single-property repetitive loss area on Las Virgenes Canyon Rd. As such, no map of this repetitive loss area is provided, due to privacy concerns. This area is a camping ground on privately-owned land, and located at the bottom of a hillside area. The steep hill at the west corner, or the highest point of the property, was prone to mudflow from the hill whenever it rains. The flow then runs along the private road across the camping ground between the camp housing facilities to the natural creek located at the east property boundary. Currently, the owner placed sandbags in some locations to temporarily protect the housing facilities near the bottom of the hill. The owner claimed that the sandbags were strategically placed to protect the housing facilities, and if the pattern of hillside runoff changes as it did in 1996 after the brush fire, the property would again be at the risk. The subject property is not located in or near a FEMA mapped floodplain.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 10-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 10-1. Repetitive Loss Properties in Calabasas A Repetitive Loss Area					
FEMA RL # RL Map # Flood Dates of Previous Claims Claim Paid Mitigated?					
0072498	26	2/92, 1/95, 1/95, 2/98	\$6,436	No	
Identified Flood Cause: Mudflow from the hillside at the east end of the property and along the private road within the property.					

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is only one property included in this repetitive loss area. It has 12 insurable buildings. Table 10-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 10-2. All Properties in Calabasas A Repetitive Loss Area					
Property	Number of Insurable	Building Description			
ID	Buildings	Foundation	Condition	Probable Mitigation Measures	
CA-A1	12	Slab	D55A	Drainage improvement Drainage system maintenance Public education	
Total	12				

TETRA TECH 10-1

11. CALABASAS B REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 11-1 shows the Calabasas B Repetitive Loss Area. This area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. The flooding appears to be associated with urban drainage issues associated with runoff from streets as well as grading issues from property to property. The RL property for this area is located at the low point of the street and flows entering the front yard can be trapped and cause damage to the house, including foundation cracks.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 11-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 11-1. Repetitive Loss Properties in Calabasas B Repetitive Loss Area				
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?
0136718	41	2/98. 12/04	\$4.105	No

Identified Flood Cause: The subject property is located adjacent to a higher neighboring property and receives runoff that can seep into the house. A former problem is that runoff from the roof enters planters in front of the house. The owner has installed pipes and drains in the planters to evacuate the water from the planters. Street level is higher than the subject property, potentially creating a condition where runoff could enter from the street. However, the owner indicated that an existing storm drain adequately captures flows from the street.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Eighteen properties with 33 insurable buildings have been identified in this repetitive loss area. Table 11-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 11-2. All Properties in Calabasas B Repetitive Loss Area					
Property ID	Number of Insurable Buildings	Building D Foundation	escription Condition	Probable Mitigation Measures	
CA-B1	2	Crawlspace	D11A	Construct a berm to prevent off-site flows from entering the property. Provide grading and drainage to avoid water impoundment near the structure. Convert planter to pavement near the problem area. Continue to inspect the foundation for cracks and repair.	
CA-B2	2	Crawlspace	D8C	Drainage system maintenance Public education	
CA-B3	1	Crawlspace	No Info	Drainage system maintenance Public education	

TETRA TECH 11-1

	Number of	Building Description		
Property ID	Insurable Buildings	Foundation	Condition	Probable Mitigation Measures
CA-B4	1	Crawlspace	D9B	Drainage system maintenance Public education
CA-B5	1	Crawlspace	D9C	Drainage system maintenance Public education
CA-B6	3	Crawlspace	D10D	Drainage system maintenance Public education
CA-B7	3	Crawlspace	D75D	Drainage system maintenance Public education
CA-B8	2	Crawlspace	D85C	Drainage system maintenance Public education
CA-B9	2	Crawlspace	D11D	Drainage system maintenance Public education
CA-B10	2	Crawlspace	D11A	Drainage system maintenance Public education
CA-B11	3	Crawlspace	D8C	Drainage system maintenance Public education
CA-B12	2	Crawlspace	D11D	Drainage system maintenance Public education
CA-B13	1	Crawlspace	D10C	Drainage system maintenance Public education
CA-B14	1	Crawlspace	D105A	Drainage system maintenance Public education
CA-B15	2	Crawlspace	D11A	Drainage system maintenance Public education
CA-B16	1	Crawlspace	D10B	Drainage system maintenance Public education
CA-B17	2	Crawlspace	D11A	Drainage system maintenance Public education
CA-B18	2	Crawlspace	D9B	Drainage system maintenance Public education
Total	33			

11-2 TETRA TECH




Figure 11-1. Calabasas B Repetitive Loss Area

TETRA TECH 11-3

12. COLD CREEK A REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 12-1 shows the Cold Creek A Repetitive Loss Area. This area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. While none of the repetitive loss properties are located within a FEMA-mapped floodplain, the delineated repetitive loss area does parallel an approximate Zone A area mapped along Cold Creek. There is significant topographic relief in this area. The cause of repetitive flooding in the area is associated with the blockage or obstruction of contributory drainages to Cold Creek off the hillside areas. Drainage ways and flow paths can become blocked by debris (downed trees and shrubs, leaves, sediment, and trash) collected by overland flows. When the drainages are blocked, stormwater flows overland to the streets, where there are few if any drainage conveyances. The properties in the Cold Creek A Repetitive Loss Area are topographically subject to flooding when these situations occur due to their locations below roadways.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 12-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 12-1. Repetitive Loss Properties in Cold Creek A Repetitive Loss Area				
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?
#0071255	27	02/92, 01/93	\$23,983	No

Identified Flood Cause: Is located at the high grounds and flooded by the excessive storm runoff from surrounding hills. It was also determined from the FEMA FIRM in Figure 12-1 that the property was not in the floodplain of Cold Canyon, adjacent to the property. No flooding activity since 1992.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Two properties with two insurable buildings have been identified in this repetitive loss area. Table 12-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 12-2. All Properties in Cold Creek A Repetitive Loss Area					
Property	Number of Insurable	Building De	scription			
ID T	Buildings	Foundation	Condition	Probable Mitigation Measures		
CO-A1	1	Crawlspace	D5A	Public education Local drainage improvements Drainage maintenance		
CO-A2	1	Slab	D9C	Public education Local drainage improvements Drainage maintenance		
Total	2					

TETRA TECH 12-1




Figure 12-1. Cold Creek A Repetitive Loss Area

13. COLD CREEK B REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 12-1 shows the Cold Creek B Repetitive Loss Area. This area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. While none of the repetitive loss properties are located within a FEMA-mapped floodplain, the delineated repetitive loss area does parallel an approximate Zone A area mapped along Cold Creek. There is significant topographic relief in both of these areas. The cause of repetitive flooding in the area is associated with the blockage or obstruction of contributory drainages to Cold Creek off the hillside areas. Drainage ways and flow paths can become blocked by debris (downed trees and shrubs, leaves, sediment, and trash) collected by overland flows. When the drainages are blocked, stormwater flows overland to the streets, where there are few if any drainage conveyances. The properties in the Cold Creek B Repetitive Loss Area are topographically subject to flooding when these situations occur due to their locations below roadways.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 13-1 lists the FEMA-designated repetitive loss properties within this repetitive loss area.

Table 13-1. Repetitive Loss Properties in Cold Creek B Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
#0148768	45	12/04, 2/05	\$8,062	No	

Identified Flood Cause: Property is lower than the adjacent street, where flows concentrate during a rainstorm. The property is adjacent to the Cold Creek (Zone X (shaded) in FIRM); however, the owner claimed that no issues were caused by creek flows. The owner claimed that he has provided sufficient catch basins to handle the flows. Without proper diversion and control of runoff from the streets, future flood damage may occur.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Seven properties with nine insurable buildings have been identified in this repetitive loss area. Table 13-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 13-2. All Properties in Cold Creek B Repetitive Loss Area					
Property	Number of Insurable	Building Description				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures		
CO-B1	2	Slab	D75C	Public education Local drainage improvements Drainage maintenance		
CO-B2	1	Slab	D7C	Public education Local drainage improvements Drainage maintenance		

TETRA TECH 13-1

Property	Number of Insurable	Building Description		
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
CO-B3	1	Slab	D75B	Public education Local drainage improvements Drainage maintenance
CO-B4	1	Slab	D45A	Public education Local drainage improvements Drainage maintenance
CO-B5	1	Slab	D55B	Public education Local drainage improvements Drainage maintenance
CO-B6	2	Slab	No Information	Public education Local drainage improvements Drainage maintenance
CO-B7	1	Crawlspace	D4B	Public education Local drainage improvements Drainage maintenance
Total	9			




Figure 13-1. Cold Creek B Repetitive Loss Area

TETRA TECH 13-3

14. DEL SUR REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 14-1 shows the Del Sur Repetitive Loss Area. This area is in the northwestern part of Los Angeles County. Flood zones are mapped on FEMA FIRMs. This RLA is within a FEMA-designated 100-year floodplain, and the dates of loss for the claims on the property coincide with Presidentially-declared flood disasters. No other loss history suggests any flooding of this area other than from the riverine overbank flooding reflected in the FEMA FIRMs. The properties identified for this area analysis were selected due to their proximity to the stream.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 14-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 14-1. Repetitive Loss Properties in Del Sur Repetitive Loss Area					
Average Average FEMA RL # RL Map # Flood Dates of Previous Claims Claim Paid Mitigat					
#0138781	55	1/05, 2/05	\$14.034	No	

Identified Flood Cause: This property is located within a FEMA designated 100-year floodplain and the dates of loss for the 2 claims coincide with significant flood events within LA county that received presidential disaster declarations (DR-1577 and DR-1585). The cause of flooding for this area is commensurate with the flood risk reflected on the FEMA Flood Insurance Rate Map for this area

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Two properties with 10 insurable buildings have been identified in this repetitive loss area. Table 14-2 provides general information for the properties, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 14-2. All Properties in Del Sur Repet	titive Loss Area
--	------------------

Property	Number of Insurable	Building De	scription	
ID ' ´	Buildings	Foundation	Condition	Probable Mitigation Measures
DS1	3	Crawlspace	D8B	Elevation Public education Local drainage improvements Drainage maintenance
DS2	7	Crawlspace	D75B	Elevation Public education Local drainage improvements Drainage maintenance
Total	10			

TETRA TECH 14-1




Figure 14-1. Del Sur Repetitive Loss Area

15. LOWER TOPANGA CANYON REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Lower Topanga Canyon Repetitive Loss Area is shown in Figure 15-1. This area is in the Topanga Canyon area of Los Angeles County, about 26 miles northwest of downtown Los Angeles. All of the areas located along the lower reach of the Topanga Canyon channel (sometimes referred to as the Rodeo Grounds area) were frequently inundated by the Topanga Canyon flood flows. These properties are practically located within the lower reach of Topanga Canyon with ground elevation similar to the channel invert (i.e. lowest elevation of the channel). This information was derived from analysis of the topographic data as described in Chapter 2. Rodeo Grounds Road is higher than the invert; however, the berm is not sufficient to confine the floodwater and the Rodeo Grounds low-lying areas have been subject to severe flood damage. Previous insurance claims were filed by residents who leased the properties.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 15-1 lists the FEMA-designated repetitive loss properties within this repetitive loss area.

Table 15-1. Repetitive Loss Properties in Lower Topanga Canyon Repetitive Loss Area					
FEMA RL#	RL Map#	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0014900	19	3/78, 2/80	\$9,374	Yes	
Identified Flood	Cause: Property	in the channel and in Flood Zone AE of Lower Topanga Canyon			
0017941	20	1/78, 2/80, 1/83	\$11,180	Yes	
Identified Flood	Cause: Property	in the channel and in Flood Zone AE of Lower Topanga Canyon			
0017942	21	1/78, 1/80, 2/80, 1/83, 2/92, 1/95	\$7,744	Yes	
Identified Flood	Cause: Property	in the channel and in Flood Zone AE of Lower Topanga Canyon			
0028440	22	1/78, 3/78	\$8,806	Yes	
Identified Flood	Cause: Property	in the channel and in Flood Zone AE of Lower Topanga Canyon			
0017940	23	1/78, 3/78, 2/80	\$3,999	Yes	
Identified Flood	Cause: Property	in the channel and in Flood Zone AE of Lower Topanga Canyon			

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

The identified five repetitive loss properties are the only properties in this repetitive loss area. The secondary analysis for this area determined that there are no longer structures on any of the properties. The County will need to submit new AW-501s for this area. Until these corrections can be made, this area will remain in this RLAA, however no additional properties are identified.

TETRA TECH 15-1




Figure 15-1. Lower Topanga Canyon Repetitive Loss Area

16. MALIBOU LAKE REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 16-1 shows the Malibou Lake repetitive loss area. This area includes 19 identified repetitive loss properties, one of which has been mitigated, one was destroyed, and 17 of which are unmitigated. Malibou Lake is a privately owned and operated reservoir located in the southwestern area of Los Angeles County near the Ventura County/Los Angeles County line. The contributing watershed starts in Ventura Hidden Valley in Ventura County, approximately 10 miles northwest of Malibou Lake. Stormwater runoff enters the ungated Lake Sherwood and flows through Potrero Valley Creek, Westlake Lake, Triunfo Canyon Creek, and empties into Malibou Lake. Westlake Lake is 4.7 miles northwest of Malibou Lake and is in both Ventura and Los Angeles Counties. Malibou Lake also receives runoff from Medea Creek, a major tributary north of the lake. The total drainage area at the spillway of Malibou Lake is 64 square miles.

The lake has a surface area of approximately 20 acres at spillway elevation. The contributory watershed covers portions of Ventura County and Los Angeles County and crosses three city boundaries; Thousand Oaks, Agoura Hills, and Westlake Village.

Most of the repetitive loss properties in this area are damaged by rising water of Malibou Lake during flood events. Malibou Lake lies at the confluence of Triunfo Canyon and Medea Creek. The terrain in the area around the lake is steep and rocky, causing rainwater to concentrate at the lake quickly. In addition, the watershed is highly urbanized, so its runoff is significant. The existing lake has an estimated surface area of 20 acres and a storage volume of 250 acre-feet at the spillway elevation. The storage below the spillway is ineffective for peak flow attenuation during normal times since the water elevation is maintained at the spillway elevation at all times. During flood events, the lake is partially filled with sediments, reducing its recreational functions.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 16-1 lists the FEMA-designated repetitive loss properties within this repetitive loss area.

	Table 16-1. Repetitive Loss Properties in Malibou Lake Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
#0001165	46	2/98, 1/01, 3/01, 2/03, 2/04, 1/05, 2/05, 1/08, 1/10	\$11,674	No		
#0012820	46	2/92; 2/93; 1/95; 2/98; 3/01; 12/04; 1/05; 2/17	\$38,993	No		
#0028444	46	3/78; 2/80; 1/83; 3/83; 2/92; 1/95; 2/98	\$13,414	No		
#0028487	46	3/78; 2/80	\$9,398	No		
#0035727	46	2/80; 1/83; 3/83; 2/92; 1/95; 2/98	\$25,272	No		
#0039962	46	2/80; 2/92; 3/95; 2/98	\$2,859	No		
#0040087	46	2/80; 3/83; 2/92	\$20,926	No		
#0046576	46	2/80; 3/83; 2/92; 2/93; 1/95; 3/95; 2/98;	\$6,716	No		
#0047197	46	2/80; 3/83; 2/92	\$5,538	No		
#0049496	46	3/83; 2/92; 1/95; 2/98	\$9,792	No		

TETRA TECH 16-1

FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?
#0052974	46	2/80; 1/83; 2/92; 1/95; 3/95; 2/98; 1/05; 2/17	\$14,207	No
#0057971	46	3/83; 2/92; 1/95	\$9,150	Destroyed
#0071413	46	2/92; 1/95; 3/95	\$16,264	Yes
#0071417	46	1/83; 2/92; 1/95; 2/98; 2/01; 1/05	\$2,649	No
#0072406	46	2/93; 1/95	\$4,391	No
#0073653	46	1/92; 1/95	\$65,231	No
#0091232	46	2/98; 1/05	\$14,607	No
#0093872	46	2/80; 1/95; 2/98	\$4,288	No
#0137792	46	3/01; 1/05	\$1,557	No

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Fifty-five properties with 57 insurable buildings have been identified in this repetitive loss area. Table 16-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 16-2. All Properties in Malibou Lake Repetitive Loss Area						
Property	Number of Insurable	Building Des	scription				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures			
ML1	1	Crawlspace	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education			
ML2	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education			
ML3	1	Slab	D75B	Elevation Flood-proofing Floodwall Public education			
ML4	1	Slab	D75B	All structures removed			
ML5	1	slab	D75B	Elevation Acquisition Flood-proofing Public education			
ML6	1	Slab	D75B	Elevation, Floodwall Flood-proofing Public education			

Property	Number of Insurable Building Description		scription	
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
ML7	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Flood-proofing Public education
ML8	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Flood-proofing Public education
ML9	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Flood-proofing Public education
ML10	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education
ML11	1	Slab	D75B	Public Education
ML12	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education
ML13	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education
ML14	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education
ML15	1	Slab	D75B	Elevation Acquisition Public education

TETRA TECH 16-3

Property	Number of Insurable	Building Des	scription	
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
ML16	1	Slab	D75B	Confine upstream inflow Upsize the pipe opening Improve storm drain Add a truss-rack at the inlet Public education
ML17	1	Slab	D75B	Elevation Acquisition Public education
ML18	1	Slab	D75B	Install perimeter diversion ditches, walls, and berms to prevent street runoff entering the property Raise and pave planting areas with ditches to drain, Build a cutoff wall to keep storm runoff from street flows away from the structure. Provide a ditch crossing the driveway to divert flows away from the structure Build cutoff wall to prevent seepage Public education
ML19	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Public education
ML20	1	Slab	D75B	Maintain drainage flow away from property Public education
ML21	1	Slab	D75B	Maintain drainage flow away from property Public education
ML22	1	Slab	D75B	Flood-proofing of the garage Public education
ML23	1	Slab	D75B	Flood-proofing Public education
ML24	1	Slab	D75B	Flood-proofing Public education
ML25	1	Slab	D75B	Flood-proofing Public education
ML26	1	Slab	D75B	Public education for whole property Flood-proofing for the boat house For the main house: Flood-proofing Abandon lowest floor Elevation Acquisition
ML27	1	Slab	D75B	Flood-proofing Public education
ML28	1	Slab	D75B	Flood-proofing Public Education
ML29	1	Slab	D75B	Flood-proofing Public Education

Property	Number of Insurable	Building De	scription	
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
ML30	1	Crawlspace	D75B	Flood-proofing Public Education
ML31	1	Crawlspace	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Flood-proofing Floodwall Public education
ML32	1	Slab	D75B	Elevation, acquisition Flood-proofing Public education
ML33	1	Slab	D75B	Flood-proofing Floodwall Public education
ML34	1	Slab	D75B	Floodwall Flood-proofing Public Education
ML35	1	Slab	D6B	Temporary barriers to protect doors, divert water around home, decrease water coming in from street/driveway Public education
ML36	1	Slab	D75B	Mitigation measures for main structure: Acquisition Flood-proofing Floodwall Public education
ML37	1	Slab	D75B	Flood-proof basement garage Floodwall Public education
ML38	2	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Flood-proofing Public Education
ML39	1	Slab	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Flood-proofing Public education
ML40	1	Crawlspace	D6A	Elevation Acquisition Floodwall Public Education

TETRA TECH 16-5

Property	Number of Insurable	Building Description		
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
ML41	1	Slab	D75B	Elevation Acquisition Floodwall Public Education
ML42	1	Slab	D75B	Elevation Acquisition Floodwall Public education
ML43	1	Slab	D75B	Flood-proof basement garage Floodwall Public education
ML44	1	Crawlspace	D75B	Flood-proofing, Temporary barriers (sandbags and such other items) Public education
ML45	1	Slab	D75B	Public Education
ML46	1	Slab/Crawlspace	D75B	Public Education
ML47	1	Slab	D75B	Flood-proofing Public education
ML48	1	Slab	D75B	Elevation Acquisition Floodwall Flood-proofing Public education
ML49	1	Crawlspace	D75B	Floodwall Flood-proofing Public Education
ML50	1	Crawlspace	e	Flood-proofing Public education
ML51	2	Crawlspace	D75B	Abandon lowest floor or convert to parking and storage Elevate lowest floor to above base flood elevation Acquisition Flood-proofing Public education
ML52	1	Crawlspace	D75B	Public education
ML53	1	Crawlspace	D75B	Public education
ML54	1	Slab	D75B	Public education
ML55	1	Crawlspace	D75B	Elevation Acquisition Floodwall Flood-proofing Public education
Total	57			




Figure 16-1. Malibou Lake Repetitive Loss Area

TETRA TECH 16-7

17. MALIBU REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 17-1 shows the Malibu Repetitive Loss Area. This area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. There is one repetitive loss property in this area. The property is located at the lowest point of the street. The first floor of the house was built lower than the street level, and street runoff can enter the house through the driveway. An owner of this property built a 6-inch berm in front of the driveway to divert the water. This, however, may not have relieved the flood problem associated with major floods. The other properties in this area have similar circumstances, with the first floor of the house built below the street within a similar elevation contour. There is no mapped FEMA flood zone within this area.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 17-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 17-1. Repetitive Loss Properties in Malibu Repetitive Loss Area						
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
0070079	28	2/92, 1/95, 3/98, 3/00	\$5,524	Destroyed		
Identified Flood Cause: House is located at the low point of the street.						

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Seven properties with ten insurable buildings have been identified in this repetitive loss area. Table 17-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 17-2. All Properties in Malibu Repetitive Loss Area						
Property	Number of Insurable	Building D	escription				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures			
MAL1	2	Slab	No Information	Diversion Berm Street grading Public education			
MAL2	1	Slab	No Information	Diversion Berm Street grading Public education			

TETRA TECH 17-1

Property	Number of Insurable	Building De	escription	
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
MAL3	2	Slab	No Information	Diversion Berm Street grading Public education
MAL4	1	Crawlspace	No Information	Diversion Berm Street grading Public education
MAL5	1	Crawlspace	D10A	Diversion Berm Street grading Public education
MAL6	1	Slab	D85A	Diversion Berm Street grading Public education
MAL7	2	Basement	D10D	Diversion Berm Street grading Public education
Total	10			




Figure 17-1. Malibu Repetitive Loss Area

TETRA TECH 17-3

18. QUARTZ HILL A REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Quartz Hill A Repetitive Loss Area is located in the Quartz Hill region of Los Angeles County. Quartz Hill, a 390-square-mile, high desert community, is located in the westernmost part of the Mojave Desert north of the San Gabriel Mountains and west of Lancaster and Palmdale. Flood studies of the Quartz Hill area show that the identified RL property is located within a FEMA Zone X, an area of minimal flooding. The repetitive flooding this area is the overflow runoff from a detention basin, which has now been relocated, southeast of the identified RL property. This property is also possibly subject to the sheet-flow along the Antelope Valley Drainage Corridor No. 9, (identified in the Antelope Valley Comprehensive Plan of Flood Control and Water Conservation; Los Angeles County, 1991). According to the RL property owner, the property was flooded when the retention basin, located a couple of blocks to the south, could not hold the storm water, and the gate was forced to open. The overland runoff entered his property across empty lots, causing flooding at the property. The basin has been replaced by a golf course and relocated one half mile to the northwest, further downstream from the property, which eliminated further flooding problems. This is substantiated by the fact that there has been no subsequent flood damage to the property since the relocation of the retention basin. This is considered to be an isolated event, and no other properties were determined to be impacted. The County has submitted an AW-501 for this property. This property will be shown as "mitigated," and the area will be removed from obligation for annual repetitive loss mailing under the County's CRS program.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 18-1 lists the FEMA-designated repetitive loss property within this repetitive loss area; which is being listed as "mitigated." No other properties are identified for this area.

Table 18-1. Repetitive Loss Properties in Quartz Hill A Repetitive Loss Area							
FEMA RL#	RL Map#	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?			
0057385	38	1/92, 2/92, 12/92	\$15,228	Yes*			
Identified Flood Cause: Overflow from detention basin, which has been relocated. Property no longer subject to repetitive flooding.							

*Note: An AW-501 has been submitted for this property, but correction was not yet approved as of this RLAA. Area will be removed from RLAA once correction is processed by FEMA.

TETRA TECH 18-1

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is only one property included in this repetitive loss area. It has three insurable buildings. Table 18-2 provides general information for the property. The property is listed as mitigated, so no new mitigation measures are recommended.

Table 18-2. All Properties in Quartz Hill A Repetitive Loss Area						
Property Number of Insurable Building Description						
ID	Buildings	Foundation	Condition	Probable Mitigation Measures		
QH-A1	3	Slab	D6C	N/A		
Total	2					

19. QUARTZ HILL B REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 19-1 shows the Quartz Hill B Repetitive Loss Area. This area is located in the Quartz Hill region of Los Angeles County. Quartz Hill, a 390-square-mile, high desert community, is located in the westernmost part of the Mojave Desert north of the San Gabriel Mountains and west of Lancaster and Palmdale.

None of the properties in this area are located within a FEMA-identified Special Flood Hazard Area. The flooding source for this RLA is the street runoff that breaks out from Antelope Valley Drainage Corridor No. 7 (identified in the *Antelope Valley Comprehensive Plan of Flood Control and Water Conservation*; Los Angeles County, 1991) along 50th and 52nd streets. The other properties within this area are at ground elevations similar to that of the identified repetitive loss property and have lowest floors with similar elevations as well.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 19-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

	Table 19-1. Repetitive Loss Properties in Quartz Hill B Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
0091087	39	2/92, 12/97	\$2,783	No		

Identified Flood Cause: Property is located in Antelope Drainage Corridor. The sheet flow from Antelope Valley Drainage Corridor No.7 flooded the property, displacing retaining walls. The property currently has a private earthen ditch and small berms along it to route the water through the property boundaries.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Twelve properties with 26 insurable buildings have been identified in this repetitive loss area. Table 19-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 19-2. All Properties in Quartz Hill B Repetitive Loss Area						
Number of		Building Description					
Property ID	Insurable Buildings	Foundation	Condition	Probable Mitigation Measures			
QH-B1	2	Crawlspace	D5C	Improve private ditch Construct an area-wide storm drain and flood retention system Public education			
QH-B2	1	Crawlspace	D65C	Construct an area-wide storm drain and flood retention system Public education			

TETRA TECH 19-1

	Number of	Building I	Description	
Property ID	Insurable Buildings	Foundation	Condition	Probable Mitigation Measures
QH-B3	1	Crawlspace	D55B	Construct an area-wide storm drain and flood retention system Public education
QH-B4	4	Crawlspace	D6B	Construct an area-wide storm drain and flood retention system Public education
QH-B5	1	Crawlspace	D75D	Construct an area-wide storm drain and flood retention system Public education
QH-B6	3	Crawlspace	D65D	Construct an area-wide storm drain and flood retention system Public education
QH-B7	5	Crawlspace	D55C	Construct an area-wide storm drain and flood retention system Public education
QH-B8	2	Crawlspace	D8D	Construct an area-wide storm drain and flood retention system Public education
QH-B9	3	Crawlspace	D45C	Construct an area-wide storm drain and flood retention system Public education
QH-B10	2	Crawlspace	D75A	Construct an area-wide storm drain and flood retention system Public education
QH-B11	1	Slab	D65D	Construct an area-wide storm drain and flood retention system Public education
QH-B12	1	Crawlspace	D55C	Construct an area-wide storm drain and flood retention system Public education
Total	26			




Figure 19-1. Quartz Hill B Repetitive Loss Area

TETRA TECH 19-3

20. QUARTZ HILL C REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 20-1 shows the Quartz Hill C Repetitive Loss Area. This area is located in the Quartz Hill region of Los Angeles County. Quartz Hill, a 390-square-mile, high desert community, is located in the westernmost part of the Mojave Desert north of the north of the San Gabriel Mountains and west of Lancaster and Palmdale

None of the properties in this area are located within a FEMA-identified Special Flood Hazard Area. The RLA is located within an alluvial fan in Antelope Valley Drainage Corridor No. 7 (identified in the *Antelope Valley Comprehensive Plan of Flood Control and Water Conservation*; [Los Angeles County, 1991]) which contributes flows to the property via surrounding streets. This property is located at the low point of the street where flows can concentrate and enter the property. The other properties identified within this area have a topographic relationship with the identified repetitive loss property.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 20-1 lists the FEMA-designated repetitive loss properties within this repetitive loss area.

Table 20-1. Repetitive Loss Properties in Quartz Hill C Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0131222	40	2/04, 10/04, 12/04, 1/05, 2/05	\$6,186	No	

Identified Flood Cause: The subject property is located within Flood Hazard Zone X (shaded) and is located in Antelope Drainage Corridor 7. The property is subject to significant flooding. The corridor flows may be conveyed to this property through streets and low lying areas and trapped at the property (which is lower than the streets). The first floor elevation is also lower than the streets and has been damaged frequently by historical floods. The owner has constructed berms at the entry gate and prepared a pump pit. Without a comprehensive and reliable berm and on-site pump system, this property may continue to experience flood damage and submit future claims. In addition, the interior household flows are being discharged to the side yard, but should be disposed via a sanitary sewer or County-approved drywell.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Twelve properties with 26 insurable buildings have been identified in this repetitive loss area. Table 20-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 20-2. All Properties in Quartz Hill C Repetitive Loss Area							
	Number of	Building Description						
Property ID	Insurable Buildings	Foundation	Condition	Probable Mitigation Measures				
QH-C1	2	Crawlspace	D35B	Stabilize the entry with rock or concrete blocks under the dirt. Install a permanent automatic control pump so that it activates if water reaches a predetermined level of 1 or 2 inches. Complete and raise the 1' high side wall Install a dry well with dimensions of 2' or 3' diameter, 10' or 15' depth to receive discharge. Connect the washer and bath flow to the dry well.				

	Number of	Building I	Description	
Property ID	Insurable Buildings	Foundation	Condition	Probable Mitigation Measures
QH-C2	2	Crawlspace	D5A	Construct an area-wide storm drain and flood retention system Public education
QH-C3	3	Crawlspace	D6D	Construct an area-wide storm drain and flood retention system Public education
QH-C4	3	Crawlspace	D7B	Construct an area-wide storm drain and flood retention system Public education
QH-C5	2	Crawlspace	D4B	Construct an area-wide storm drain and flood retention system Public education
QH-C6	3	Crawlspace	D65D	Construct an area-wide storm drain and flood retention system Public education
QH-C7	3	Crawlspace	D6C	Construct an area-wide storm drain and flood retention system Public education
QH-C8	2	Crawlspace	D75D	Construct an area-wide storm drain and flood retention system Public education
QH-C9	1	Crawlspace	D5B	Construct an area-wide storm drain and flood retention system Public education
QH-C10	2	Crawlspace	C5C	Construct an area-wide storm drain and flood retention system Public education
QH-C11	1	Crawlspace	D65D	Construct an area-wide storm drain and flood retention system Public education
QH-C12	2	Crawlspace	D8A	Construct an area-wide storm drain and flood retention system Public education
Total	26			

TETRA TECH 20-5




Figure 20-1. Quartz Hill C Repetitive Loss Area

21. ROOSEVELT REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 21-1 shows the Roosevelt Repetitive Loss Area. Flood zones are mapped on FEMA Flood Insurance Rate Maps. This area is within the floodplain of Little Red Rock Wash, in Lancaster. Lancaster is located approximately 70 miles north of the downtown Los Angeles in Southern California's Antelope Valley. It is separated from the Los Angeles Basin by the San Gabriel Mountain Range to the south and from Bakersfield and the San Joaquin Valley by the Tehachapi Mountain Range to the north. Lancaster's elevation is 2,500 feet above sea level on a high, flat valley surrounded by mountain ranges. The subject property lies below adjacent grade and receives runoff from the higher adjacent grade during rain events.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 21-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 21-1. Repetitive Loss Properties in Roosevelt Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0137354	42	1/05, 2/05	\$17,148	No	

Identified Flood Cause: Property is located in FEMA Flood Hazard Zone A and in the floodplain of Little Red Rock Wash. The existing lot is lower than the adjacent grade and may receive runoff from adjacent properties during rain events.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Three properties with seven insurable buildings have been identified in this repetitive loss area. Table 21-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 21-2. All Properties in Roosevelt Repetitive Loss Area						
Property	Number of Insurable	Building De	scription				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures			
R001	4	Slab	D65C	Establish drainage flow paths around structure Elevation Drainage system maintenance Public education			
ROO2	2	Crawlspace	DX	Establish drainage flow paths around structure Elevation Drainage system maintenance Public education			

TETRA TECH 21-1

Property	Number of Insurable	Building De	escription	
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
ROO3	1	Crawlspace	D6A	Establish drainage flow paths around structure Elevation Drainage system maintenance Public education
Total	7			




Figure 21-1. Roosevelt Repetitive Loss Area

22. ROWLAND HEIGHTS REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Rowland Heights Repetitive Loss Area is in Rowland Heights—about 9 square miles of unincorporated Los Angeles County near the boundaries of where the Los Angeles County, Orange County and San Bernardino County meet. The elevation is 540 feet above sea level. It is loosely bounded by the Puente Hills to the south and San Jose Hills to the north-northeast. There is a single-property repetitive loss area on Robert Rd. As such, no map is provided due to privacy concerns. The area is approximately 10 miles north of Anaheim and 34 miles east-southeast of Los Angeles. Flood studies of the Rowland Heights area show that this RLA is located within FEMA Flood Hazard Zone X, an area of minimal flooding. The RLA is a single dwelling within a hillside development generally situated high above the floodplain. It was observed that the possible flooding source is the storm and irrigation runoff from the adjoining property. The neighboring property to the east is much higher than the subject property. The property may receive significant excess runoff from the elevated neighboring property, especially during large storms. There is also a possibility of slope erosion due to the high and steep nature of the slope. The flooding problem seems to have been partially fixed with a small toe wall. However, a more comprehensive wall and drain system will be required to prevent future claims. This repetitive flooding problem is considered to be localized and isolated to the identified repetitive loss property. The fact that no subsequent claims have been filed in the last 10 years suggests that the problem has been rectified.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 22-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

	Table 22-1. Repetitive Loss Properties in Rowland Heights Repetitive Loss Area						
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?			
0138651	44	3/01, 2/05	\$9,734	No			

Identified Flood Cause: The property is significantly lower in elevation than the neighboring property. Without insurance records to confirm, it seems that flows from the neighboring property to the side yard can be sufficient to cause damage. Additionally, the slope may be eroded and contribute debris. Street flows may tend to collect in front of the property before moving down the steep street. The finished floor elevation, however, seems to be high enough to prevent damage by street flow.

TETRA TECH 22-1

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

One property with one insurable building has been identified in this repetitive loss area. Table 22-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 22-2. All Properties in Rowland Heights Repetitive Loss Area							
Property	Number of Insurable	Building De	scription				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures			
ROW1	1	Slab	D75B	Extend existing side wall and provide ditch to convey flows from the slope Construct terraced wall to avoid slope failure (Construction will require neighbor's consent) Public education			
Total	1						

23. TOPANGA CANYON A REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Topanga Canyon A Repetitive Loss Area is near Garapito Creek, approximately 550 feet upstream of its confluence with Topanga Canyon. Topanga Canyon is located in the Santa Monica Mountains in southwest Los Angeles County. There is a single-property repetitive loss area near Garapito Creek, upstream of its confluence with Topanga Canyon. As such, no map of this repetitive loss area is provided, due to privacy concerns. The studies of Garapito Creek show Flood Hazard Zones A and AE, high-risk flood zones near this RLA. The property is located on the bank of Garapito Creek and is being accessed by a private bridge from the street. The ground elevation of the house seems to be lower than the street, and the front door and wall were built on the bank slope. The problem is associated with limited creek capacity and backwater effect caused by the small bridge. The property, however, is subject to much greater risk due to high flood discharges estimated for the 1 percent annual chance (100-year) and the Los Angeles County Capital Flood. The elevation for the lowest point of the house is about 920 feet, while the FEMA FIRM shows that the 100-year water surface elevation of Garapito Creek at the location is approximately 926 feet. The creek is moderately vegetated, which may also contribute to the high water.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 23-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

	Table 23-1. Repetitive Loss Properties in Repetitive Topanga Canyon A Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
0028394	30	3/78, 2/80, 3/83, 2/92, 1/93	\$9,247	No		
Identified Flood Cause: The subject property is on the channel bank and partially in Garapito Creek. The problem is associated with						

Identified Flood Cause: The subject property is on the channel bank and partially in Garapito Creek. The problem is associated with limited creek capacity and a backwater effect caused by the small bridge

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is one property included in this repetitive loss area. It has one insurable building. Table 23-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 23-2. All Properties in Topanga Canyon A Repetitive Loss Area					
Property	Number of Insurable	Building Description			
ID	Buildings	Foundation	Condition	Probable Mitigation Measures	
TOP-A1	1	Slab	D45C	Acquisition Elevation Convert flood-prone living space and replace with new story Public education	
Total	1				

24. TOPANGA CANYON B REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 24-1 shows the Topanga Canyon B Repetitive Loss Area. This area is in the vicinity of Topanga Canyon, approximately 600 feet upstream of the Old Topanga Canyon confluence, within the Santa Monica Mountains in southwestern Los Angeles County. This RLA is subject to flooding from Topanga Canyon, which is commensurate with the flood risk reflected on the Flood Insurance Rate Map.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 24-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

	Table 24-1. Repetitive Loss Properties in Topanga Canyon B Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
0012818	34	1/80, 2/80, 3/91, 2/92, 1/95	\$7,872	No		

Identified Flood Cause: Property in the channel and FEMA Flood Zone AE of Topanga Canyon. The elevation for the lowest point of the house is about 770 feet and is higher than the channel invert of Topanga Canyon (765 feet) by only 5 feet. Based on the FEMA FIRM, the water surface elevation of the area is approximately 772 feet, which could cause flooding of the house.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Two properties with 5 insurable buildings have been identified in this repetitive loss area. Table 24-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 24-2. All Properties in Topanga Canyon B Repetitive Loss Area						
Property	Number of Insurable	Building De	scription				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures			
TOP-B1	1	Slab	D75B	Acquisition Elevation Convert flood-prone living space and replace with new story Public education			
TOP-B2	4	Crawlspace	D45B	Acquisition Elevation Convert flood-prone living space and replace with new story Public education			
Total	5						

TETRA TECH 24-1




Figure 24-1. Topanga Canyon B Repetitive Loss Area

24-2 TETRA TECH

25. TOPANGA CANYON C REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Topanga Canyon C Repetitive Loss Area is located in the vicinity of Calabasas in southwestern Los Angeles County. The identified RL property is newer construction and is located on a knoll of an area with a lot of topographic relief. The cause of flooding for this property appears to be associated with drainage from a surrounding hillside and is isolated to the identified repetitive loss property. This repetitive flooding problem is considered to be localized and isolated to the identified repetitive loss property. The fact that no subsequent claims have been filed in the last 10 years suggests that the problem has been rectified.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 25-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 25-1. Repetitive Loss Properties in Topanga Canyon C Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0111971	48	2/98, 3/01	\$11,698	No	
Identified Flood Cause: Localized flooding associated with hillside drainage.					

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is only one property included in this repetitive loss area. It has one insurable building. Table 25-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 25-2. All Properties in Topanga Canyon C Repetitive Loss Area					
Property	Number of Insurable Building Description		Description			
ID	Buildings	Foundation	Condition	Probable Mitigation Measures		
TOP-C1	1	Crawlspace	No Information	Establish drainage flow paths around structure Drainage system maintenance Floodwall Public education		
Total	1					

TETRA TECH 25-1

26. TOPANGA CANYON D REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 26-1 shows the Topanga Canyon D Repetitive Loss Area. This area is in Topanga within the Santa Monica Mountains in southwestern Los Angeles County. The identified repetitive loss property for this area is not located in a FEMA-mapped flood zone and the source of repetitive flood risk appears to be localized. The dates of loss correspond to storm events that occurred in early 2005. The property is located in a cul-de-sac. There is a gradient slope in this vicinity with properties above the identified RL property as well as below it. The cause of flooding is most likely associated drainage flows from the uphill neighbor. The other properties within this area are at ground elevations similar to that of the identified repetitive loss property and have lowest floors with similar elevations as well.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 26-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 26-1. Repetitive Loss Properties in Topanga Canyon D Repetitive Loss Area					
FEMA RL#	RL Map#	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0137970	49	1/05, 2/05	\$10,822	No	
Identified Flood Cause: Localized drainage issue associated with interior drainage from private property					

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Two properties with two insurable buildings have been identified in this repetitive loss area. Table 26-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 26-2. All Properties in Topanga Canyon D Repetitive Loss Area						
Property	Number of Insurable	Building De	scription				
ID T	Buildings	Foundation	Condition	Probable Mitigation Measures			
TOP-D1	1	Slab	D10B	Create/maintain flow paths to public storm drains Drainage system maintenance Public education			
TOP-D2	1	Slab	D95B	Create/maintain flow paths to public storm drains Drainage system maintenance Public education			
Total	2						

TETRA TECH 26-1



Figure 26-1. Topanga Canyon D Repetitive Loss Area

26-2 TETRA TECH

27. TOPANGA CANYON E REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 27-1 shows the Topanga Canyon E Repetitive Loss Area. This area is in the Santa Monica Mountains, in the southwestern area of Los Angeles County and the southeastern area of Ventura County. The identified repetitive loss property for this area is located in the vicinity of Calabasas. The property backs up to steep slope terrain of the Santa Monica Mountains. The two events in 1995 and 2005 were 5-year and 13-year rain events, respectively, based on stream gauging records. Based on topography, the flooding problem appears to be associated with runoff from the surrounding hillside. This problem could be exacerbated by wildfire events within the region.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 27-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 27-1. Repetitive Loss Properties in Topanga Canyon E Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?	
0138321	50	3/95, 1/05	\$28,727	No	
Identified Flood Cause: Hillside drainage.					

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Four properties with 5 insurable buildings have been identified in this repetitive loss area. Table 27-2 provides general information for the properties, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 27-2. All Properties in Topanga Canyon E Repetitive Loss Area				
Property	Number of Insurable				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures	
TOP-E1	2	Crawlspace	D75D	Establish/maintain flow paths around structure to improved drainage system Hillside retaining wall Public education	
TOP-E2	1	Slab	D75C	Establish/maintain flow paths around structure to improved drainage system Hillside retaining wall Public education	
TOP-E3	1	Crawlspace	D2B	Establish/maintain flow paths around structure to improved drainage system Hillside retaining wall Public education	
TOP-E4	1	Slab	D75D	Establish/maintain flow paths around structure to improved drainage system Hillside retaining wall Public education	

TETRA TECH 27-1

Property	Number of Insurable	Building De	escription	
ID	Buildings	Foundation	Condition	Probable Mitigation Measures
Total	5			




Figure 27-1. Topanga Canyon E Repetitive Loss Area

27-2 TETRA TECH

28. TRIUNFO CANYON A REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Triunfo Canyon A Repetitive Loss Area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. There is a single-property repetitive loss area on Lobo Canyon Road. As such, no map of this repetitive loss area is provided, due to privacy concerns. This is an offsite drainage problem isolated to the single property. The property is located in the floodplain and FEMA Flood Hazard Zone AE. In the past, small private bridges and culverts in the creek running behind the house clogged with debris, causing water to overflow and run along Lobo Canyon Road in front of the subject property.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 28-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

	Table 28-1. Repetitive Loss Properties in Triunfo Canyon A Repetitive Loss Area					
FEMA RL#	RL Map #	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?		
0095737	24	1/95, 2/98	\$23,454	No		

Identified Flood Cause: Property is in FEMA Flood Zone AE of Lobo Canyon (behind the house). Past clogging of small private bridges and culverts in the creek caused water to overflow onto the street and flood the property. No losses reported since 1998. The structure's windows are boarded up and it is assumed to be vacant.

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is one property included in this repetitive loss area. It has two insurable buildings. Table 28-2 provides general information for the property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

	Table 28-2. All Properties in Triunfo Canyon A Repetitive Loss Area						
Property	Number of Insurable	Building Description					
ID	Buildings	Foundation	Condition	Probable Mitigation Measures			
TRI-A1	2	Slab	No Information	Acquisition Elevation Berm Floodwall Public education			
Total	2						

TETRA TECH 28-1

29. TRIUNFO CANYON B REPETITIVE LOSS AREA

PROBLEM STATEMENT

The Triunfo Canyon B Repetitive Loss Area is in the Santa Monica Mountains in the southwestern portion of Los Angeles County. There is a single-property repetitive loss area on Hidden Highland Road. As such, no map of this repetitive loss area is provided, due to privacy concerns. The repetitive loss property is at the base of a hillside and receives runoff from the adjacent hills. Based on topography, the property is subject to runoff from the hillside behind the property.

IDENTIFIED REPETITIVE LOSS PROPERTY

Table 29-1 lists the FEMA-designated repetitive loss property within this repetitive loss area.

Table 29-1. Repetitive Loss Properties in Triunfo Canyon B Repetitive Loss Area							
FEMA RL#	FEMA RL # RL Map # Flood Dates of Previous Claims Claim Paid Mitigated?						
0137793	43	2/98, 1/05	\$13,473	Destroyed			
Identified Flood	d Cause: Based o	n topography, the property is subject to runoff from the hillside behind the	e property.	•			

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

There is one property included in this repetitive loss area. Previous structures on the property were destroyed by wildfire. The property currently has two insurable buildings, which were constructed to current flood damage prevention requirements. Table 29-2 provides general information for the property, but no mitigation measures are identified for the new structures.

Table 29-2. All Properties in Triunfo Canyon B Repetitive Loss Area					
Property	Number of Insurable				
ID	Buildings	Foundation	Condition	Probable Mitigation Measures	
TRI-B1	2	Slab	No Information	N/A	
Total	2				

TETRA TECH 29-1

30. UPPER TOPANGA CANYON REPETITIVE LOSS AREA

PROBLEM STATEMENT

Figure 30-1 shows the Upper Topanga Canyon Repetitive Loss Area. This RLA is in the Topanga Canyon area in the Santa Monica Mountains in southwest Los Angles County, approximately 26 miles northwest of downtown Los Angeles. All properties in the repetitive loss area are either in or immediately adjacent to the FEMA-mapped 1 percent annual chance (100-year) floodplain for Topanga Canyon. Topanga Canyon's contributing watershed is the second largest watershed in the Santa Monica Mountains. Sources of flooding in the Topanga Canyon area consist of storm runoff in Topanga Creek and associated storm drainage facilities. Historically, flooding occurs from 5-year or greater flood events. Because most of the repetitive loss properties are located within the low-lying floodplain areas immediately adjacent to the low-flow channels, it is expected that without mitigation, these properties will continue to be subject to future floods.

IDENTIFIED REPETITIVE LOSS PROPERTIES

Table 30-1 lists the FEMA-designated repetitive loss properties within this repetitive loss area.

Ta	Table 30-1. Repetitive Loss Properties in Upper Topanga Canyon Repetitive Loss Area						
FEMA RL#	RL Map#	Flood Dates of Previous Claims	Average Claim Paid	Mitigated?			
#0074656	29	1/95, 3/95	\$6,972	No			
		on the bank next to Old Topanga Canyon. Crawlspace foundation with focused by 5-year return interval flood event in 1995. No reported damage		ow 100-year			
#0074334	31	2/92, 1/95	\$11,451	No			
		on the bank next to Old Topanga Canyon. Crawlspace foundation with focused by 5-year return interval flood event in 1995. No reported damage		ow 100-year			
#0074553	32	1/95, 3/95	\$10,276	No			
Road and pouring flooding from Old	into the house. Topanga Cyn ch	& 1993, the water from the natural creek tributary east of the house, over The owner claimed no more problems with the tributary flooding. 2) The lannel (Zone AE). The property is in Zone AE, which has significant risk to may continue to overtop the street if the culvert inlet becomes obstructed.	property is still s from a 1 percent	ubject to annual chance			
#0076269	33	1/95, 3/95	\$29,354	No			
Identified Flood Cause: Property No. 33 was not mapped by FEMA, but was confirmed by field investigation to be subject to a high risk from Red Rock Canyon flooding. The property is located on the opposite bank from Red Rock Road and is being accessed by a pedestrian bridge crossing the creek. The creek is very shallow without the capacity to carry the estimated 810 cubic feet per second of the 1 percent annual chance (100-year) flood discharge, and the bridge has a very low clearance, which can cause further flow blockage and higher backwater.							
#0074498	47	1/95, 3/95	\$9,692	No			
		ace foundation with finished floor below 100-year water surface elevation. No reported damage since.	n. Damage cause	ed by 5-year			

PROPERTIES INCLUDED IN REPETITIVE LOSS AREA

Fifty-eight properties with 91 insurable buildings have been identified in this repetitive loss area. Table 30-2 provides general information for each property, along with mitigation measures that could be employed to address repetitive flood losses. For private properties, the decision on whether to implement the identified mitigation measures resides with the private property owner. These measures are recommended due to the flood risks, but owners are not obligated to implement them.

Table 30-2. All Properties in Upper Topanga Canyon Repetitive Loss Area					
Property	Number of Insurable	Building D	escription	Probable Mitigation	
ID '	Buildings	Foundation	Condition	Measures	
UTC1	1	Crawlspace	D65B	Elevation Acquisition Flood-proofing Public education	
UTC2	1	Slab	D45A	Elevation Acquisition Flood-proofing Public education	
UTC3	2	Slab	D3A	Elevation Acquisition Flood-proofing Public education	
UTC4	1	Slab	D75A	Elevation Acquisition Flood-proofing Public education	
UTC5	2	Slab	No Info	Elevation Acquisition Flood-proofing Public education	
UTC6	1	Slab	D75D	Elevation Acquisition Flood-proofing Public education	
UTC7	1	Crawlspace	D65B	Elevation Acquisition Flood-proofing Public education	
UTC8	2	Crawlspace	D7C	Elevation Acquisition Flood-proofing Public education	
UTC9	2	Crawlspace	D65C	Elevation Acquisition Flood-proofing Public education	
UTC10	2	Crawlspace	No Info	Elevation Acquisition Flood-proofing Public education	

30-2 TETRA TECH

Property	Number of Insurable	Building [Description	Probable Mitigation
ID	Buildings	Foundation	Condition	Measures
UTC11	1	Crawlspace	D45A	Elevation Acquisition Flood-proofing Public education
UTC12	1	Crawlspace	D7B	Elevation Acquisition Flood-proofing Public education
UTC13	1	Slab	D6B	Elevation Acquisition Flood-proofing Public education
UTC14	2	Crawlspace	D55C	Elevation Acquisition Flood-proofing Public education
UTC15	1	Crawlspace	D45C	Elevation Acquisition Flood-proofing Public education
UTC16	3	Crawlspace	D45A	Elevation Acquisition Flood-proofing Public education
UTC17	1	Crawlspace	D6A	Elevation Acquisition Flood-proofing Public education
UTC18	2	Crawlspace	D7B	Elevation Acquisition Flood-proofing Public education
UTC19	2	Crawlspace	D6B	Elevation Acquisition Flood-proofing Public education
UTC20	1	Slab	D5B	Elevation Acquisition Flood-proofing Public education
UTC21	1	Crawlspace	D75B	Elevation Acquisition Flood-proofing Public education
UTC22	1	Crawlspace	D65	Elevation Acquisition Flood-proofing Public education

Property	ty Number of Insurable Building Description			Probable Mitigation
ID	Buildings	Foundation	Condition	Measures
UTC23	1	Crawlspace	D6C	Elevation Acquisition Flood-proofing Public education
UTC24	1	Crawlspace	D55C	Elevation Acquisition Flood-proofing Public education
UTC25	2	Crawlspace	СХ	Elevation Acquisition Flood-proofing Public education
UTC26	1	Crawlspace	СХ	Elevation Acquisition Flood-proofing Public education
UTC27	1	Crawlspace	D6A	Elevation Acquisition Flood-proofing Public education
UTC28	1	Slab	D4C	Elevation Acquisition Flood-proofing Public education
UTC29	2	Slab	D45B	Elevation Acquisition Flood-proofing Public education
UTC30	3	Crawlspace	DX	Elevation Acquisition Flood-proofing Public education
UTC31	2	Crawlspace	D55B	Elevation Acquisition Flood-proofing Public education
UTC32	2	Slab	D65C	Elevation Acquisition Flood-proofing Public education
UTC33	2	Crawlspace	D7D	Elevation Acquisition Flood-proofing Public education
UTC34	3	Crawlspace	D5B	Elevation Acquisition Flood-proofing Public education

30-4 TETRA TECH

Property	Number of Insurable	Building I	Description	Probable Mitigation
ID	Buildings	Foundation	Condition	Measures
UTC35	1	Crawlspace	D6D	Elevation Acquisition Flood-proofing Public education
UTC36	2	Crawlspace	D55A	Elevation Acquisition Flood-proofing Public education
UTC37	1	Slab	D8C	Elevation Acquisition Flood-proofing Public education
UTC38	1	Slab	D7B	Elevation Acquisition Flood-proofing Public education
UTC39	2	Crawlspace	D65C	Elevation Acquisition Flood-proofing Public education
UTC40	2	Crawlspace	D65A	Elevation Acquisition Flood-proofing Public education
UTC41	3	Crawlspace	D8A	Elevation Acquisition Flood-proofing Public education
UTC42	1	Slab	D7B	Elevation Acquisition Flood-proofing Public education
UTC43	2	Crawlspace	D7A	Elevation Acquisition Flood-proofing Public education
UTC44	1	Crawlspace	D6A	Elevation Acquisition Flood-proofing Public education
UTC45	2	Crawlspace	D7B	Elevation Acquisition Flood-proofing Public education
UTC46	1	Slab	D7B	Elevation Acquisition Flood-proofing Public education

Property	erty Number of Insurable Building Description			Probable Mitigation
ID	Buildings	Foundation	Condition	Measures
UTC47	3	Slab	No Information	Elevation Acquisition Flood-proofing Public education
UTC48	1	Crawlspace	D7B	Elevation Acquisition Flood-proofing Public education
UTC49	1	Slab	D7A	Elevation Acquisition Flood-proofing Public education
UTC50	2	Slab	D75B	Elevation Acquisition Flood-proofing Public education
UTC51	3	Crawlspace	No Information	Elevation Acquisition Flood-proofing Public education
UTC52	3	Slab	D65B	Elevation Acquisition Flood-proofing Public education
UTC53	1	Crawlspace	D5B	Elevation Acquisition Flood-proofing Public education
UTC54	2	Slab	D95B	Elevation Acquisition Flood-proofing Public education
UTC55	2	Crawlspace	D5B	Elevation Acquisition Flood-proofing Public education
UTC56	0	Crawlspace	No Information	Elevation Acquisition Flood-proofing Public education
UTC57	0	Crawlspace	No Information	Elevation Acquisition Flood-proofing Public education
UTC58	1	No Information	D55B	Elevation Acquisition Flood-proofing Public education
Total	91			

30-6 TETRA TECH




Figure 30-1. Upper Topanga Canyon Repetitive Loss Area

Los Angeles County Repetitive Loss Area Analysis

PART 3—REPETITIVE LOSS AREA ACTION PLAN

31. REPETITIVE LOSS AREA ACTION PLAN

MITIGATION ACTIONS

This Los Angeles County Repetitive Loss Area Analysis was created in conjunction with the development of the 2020 Los Angeles County Comprehensive Floodplain Management Plan. The two processes were created simultaneously, and while each will be maintained separately by the County, they are both functional annexes of each other. The floodplain management plan identified and prioritized an action plan that will have direct relevance to this RLAA. This action plan has been adapted to apply to the RLAA and is shown in Table 31-1. The following information is presented for each action plan item:

- Action item number and description
- Lead agency responsible for implementing the action item
- Support agencies expected to participate in the implementation
- Agencies or programs that may be able to provide **funding** to implement the action item
- An estimated **cost** range:
 - ➤ **High**—Existing funding will not cover the cost of the project; implementation would require new revenue through an alternative source (for example, bonds, grants, and fee increases). Costs are estimated to be greater than \$5 million.
 - ➤ **Medium**—The project could be implemented with existing funding but would require a reapportionment of the budget or a budget amendment, or the cost of the project would have to be spread over multiple years. Costs are estimated to be between \$500,000 and \$5 million.
 - ➤ **Low**—The project could be funded under the existing budget. The project is part of or can be part of an ongoing existing program. Costs are estimated to be less than \$500,000.
- A statement of **timing** for implementing the action item:
 - > Ongoing—This action already occurs and will continue
 - ➤ Short term—This action would be implemented within five years
 - ➤ Long term— This action would be implemented after five years
- A list of the **RLAs that would be affected** by the action item
- Indication of whether the action item was **included in the previous RLAA** and, if so, its number in that previous document.

Table 31-1. Action Plan—Flood Mitigation Initiatives				
Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action#
1—Promote awareness of flood hazards to residents in flood hazard areas. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Regional Planning Department, Public Works (Building and Safety Division, Community Government Relations Group, Disaster Services Group) Funding Source: FEMA; Cal EMA; Public Works; County Regional Planning Department	Low	Ongoing	All	Yes-1
2—Develop and distribute flood protection information and materials to property owners, renters, and developers in high-risk areas. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Community Government Relations Group, Building and Safety Division, Land Development Division) Funding Source: Public Works	Low	Ongoing	All	Yes-2
3—Maintain a list of critical facilities located in FEMA-designated flood zones, provide flood protection information to operators of these critical facilities, and encourage the implementation of flood protection measures. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Los Angeles County Chief Executive Office/Office of Emergency Management (CEO OEM), Public Works (Disaster Services Group) Funding Source: Public Works; CEO OEM	Low	Ongoing	Agua Dulce, Calabasas B, Cold Creek A, Cold Creek B, Del Sur, Lower Topanga Canyon, Malibou Lake, Quartz Hill A, Quartz Hill C, Roosevelt, Topanga Canyon A, Topanga Canyon B, Triunfo Canyon A, Upper Topanga Canyon	Yes-3
 4—Investigate Repetitive Loss Properties identified by FEMA and update the Repetitive Loss Property and high-risk property list. Conduct the following flood control activities for these properties: Annually notify owners regarding local flood hazards and proper protection activities Provide technical advice regarding flood protection and flood preparedness Distribute a revised questionnaire to new Repetitive Loss Properties. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Building and Safety Division) Funding Source: Public Works 	Low	Ongoing	All	Yes-4

31-2 TETRA TECH

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action #
5—Make sandbags available to flood risk property owners during the wet season, provide notifications of the availability of these materials, and track the distribution of the materials. Lead Agency: Fire Department, Public Works (Administrative Services Division, Stormwater Engineering Division) Support Agencies: Public Works (Community Government Relations Group) Funding Source: FEMA; Cal EMA; Fire Department; Public Works	Low	Ongoing	All	Yes-5
6—Provide public education about maintaining the stormwater system free of debris. Lead Agency: Public Works (Stormwater Quality Division) Support Agencies: Public Works (Community Government Relations Group, Stormwater Engineering Division, Stormwater Maintenance Division, Stormwater Planning Division, Road Maintenance Division) Funding Source: Public Works	Low	Ongoing	All	Yes-6
7—Continue to maintain/enhance the County's classification under the Community Rating System to address increased flood insurance costs and promote safety and preparedness. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Regional Planning Department, Public Works (Stormwater Maintenance Division, Stormwater Planning Division, Transportation Planning and Programs Division, Community Government Relations Group) Funding Source: Public Works	Low	Ongoing	All	Yes-7
8—Implement the Program for Public Information (PPI) protocol identified in the CFMP and include appropriate messaging for compliance with ADA. Lead Agency: Public Works (Stormwater Engineering Division, Community Government Relations Group) Funding Source: FEMA; Cal EMA; Public Works	Low	Ongoing	All	Yes-8
9—Provide emergency preparedness and flood protection information to the general public. Lead Agency: CEO OEM Support Agencies: Public Works (Stormwater Engineering Division, Stormwater Planning Division, Community Government Relations Group) Funding Source: FEMA; Cal EMA; CEO OEM; Public Works; USC Sea Grant	Low	Ongoing	All	Yes-9
10—Distribute information regarding flood prevention and flood insurance at emergency operations and emergency preparedness events. Lead Agency: CEO OEM, Public Works (Disaster Services Group) Support Agencies: Public Works (Stormwater Engineering Division, Stormwater Planning Division, Community Government Relations Group) Funding Source: FEMA; Cal EMA; CEO OEM; Public Works	Low	Ongoing	All	Yes-10
11—Develop and maintain a list of priority maintenance-related problem sites. Lead Agency: Public Works (Stormwater Maintenance Division) Support Agencies: Public Works (Stormwater Engineering Division, Stormwater Planning Division, Road Maintenance Division) Funding Source: Public Works	Low	Ongoing	Agua Dulce, Altadena B, Calabasas A, Calabasas B, Cold Creek A, Cold Creek B, Del Sur, Roosevelt, Topanga Canyon C, Topanga Canyon D	Yes-11

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action #
12—Conduct routine maintenance of flood control facilities and additional maintenance as needed at priority maintenance-related flood issue sites. Lead Agency: Public Works (Stormwater Engineering Division, Road Maintenance Division) Funding Source: Public Works	Low	Ongoing	All	Yes-12
13—Conduct a stormwater facilities condition assessment to identify the physical and hydraulic condition of the system and to support infrastructure management. Lead Agency: Public Works (Stormwater Maintenance Division) Support Agencies: Public Works (Stormwater Planning Division, Stormwater Engineering Division) Funding Source: Public Works	Low	Ongoing	All	Yes-13
14—Evaluate storm drain, open channel, and flood retention basin facilities for future improvements. Lead Agency: Public Works (Stormwater Planning Division) Support Agencies: Public Works (Design Division, Stormwater Maintenance Division, Stormwater Engineering Division, Stormwater Quality Division), Stakeholders Funding Source: Public Works	Low	Ongoing	All	Yes-14
15—Pursue appropriate flood hazard mitigation grant funding. Lead Agency: Public Works (Stormwater Engineering Division, Stormwater Planning Division) Support Agencies: Public Works (Transportation Planning and Programs Division, Disaster Services Group, Stormwater Planning Division), CEO OEM Funding Source: Public Works; CEO OEM	Low	Ongoing	All	Yes-15
16—Consider the conversion of high-risk properties into open space. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Stormwater Quality Division) Regional Planning Department, Parks and Recreation Funding Source: FEMA; U.S. EPA; Cal EMA; Cal EPA; Public Works; County Regional Planning Department; County Parks and Recreation	Medium	Ongoing	All	Yes-16

31-4 TETRA TECH

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action#
17—Refine the plan check system to track properties in the flood zone and address drainage. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Building and Safety Division, Land Development Division) Funding Source: Public Works	Low	Ongoing	Agua Dulce, Calabasas B, Cold Creek A, Cold Creek B, Del Sur, Lower Topanga Canyon, Malibou Lake, Quartz Hill A, Quartz Hill C, Roosevelt, Topanga Canyon A, Topanga Canyon B, Triunfo Canyon A, Upper Topanga Canyon	Yes-17
18—Flag Repetitive Loss Properties in the plan, and check database for review and approval of building permit applications. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Building and Safety Division) Funding Source: Public Works	Low	Ongoing	All	Yes-18
19—Maintain a database system for tracking all reviewed and approved elevation certificates prior to the closure of a building permit. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Building and Safety Division, Chief Information Office) Funding Source: Public Works	Low	Ongoing	Agua Dulce, Calabasas B, Cold Creek A, Cold Creek B, Del Sur, Lower Topanga Canyon, Malibou Lake, Quartz Hill A, Quartz Hill C, Roosevelt, Topanga Canyon A, Topanga Canyon B, Triunfo Canyon A, Upper Topanga Canyon	Yes-19

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action #
20—Evaluate opportunities for incorporating watershed ecosystem restoration into projects. Lead Agency: Public Works (Stormwater Planning Division) Support Agencies: Regional Planning Department, Public Works (Stormwater Engineering Division), Stakeholders Funding Source: FEMA, U.S. EPA; Cal EMA; Cal EPA; Public Works; County Regional Planning Department	Low	Ongoing	All	Yes-20
21—Where feasible, cost-effective and supported both publicly and politically, restore the natural and beneficial functions of floodplains. Lead Agency: Public Works (Stormwater Planning Division, Stormwater Quality Division) Support Agencies: Public Works (Transportation Planning and Programs Division, Stormwater Engineering Division) Funding Source: FEMA; U.S. EPA; Cal EMA; Cal EPA; Public Works	High/ Medium	Long term	Agua Dulce, Calabasas B, Cold Creek A, Cold Creek B, Del Sur, Lower Topanga Canyon, Malibou Lake, Quartz Hill A, Quartz Hill C, Roosevelt, Topanga Canyon A, Topanga Canyon B, Triunfo Canyon A, Upper Topanga Canyon	Yes-21
22—Encourage the application of biological resource measures for the control of stormwater and erosion to the best of their applicable limits. Lead Agency: Fire Department, Public Works (Building and Safety Division, Design Division, Land Development Division) Support Agencies: Regional Planning Department, Public Works (Environmental Programs Division, Stormwater Quality Division, Stormwater Planning Division, Stormwater Engineering Division, Project Management Division) Funding Source: FEMA; U.S. EPA; Cal EMA; Cal EPA; County Fire Department; Public Works	Low	Ongoing	All	Yes-22
23—Maintain the Operational Area Emergency Response Plan. Lead Agency: CEO OEM Support Agencies: Public Works (Disaster Services Group, Stormwater Engineering Division) Funding Source: FEMA; Cal EMA; Public Works; CEO OEM	Low	Ongoing	All	Yes-23
24—Maintain standards for the use of structural and non-structural techniques that mitigate flood hazards and manage stormwater pollution. Lead Agency: Public Works (Building and Safety Division, Design Division, Land Development Division) Support Agencies: Public Works (Stormwater Engineering Division, Stormwater Quality Division, Stormwater Planning Division) Funding Source: Public Works	Low	Ongoing	All	Yes-24

31-6 TETRA TECH

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action #
25—Continue to require environmental review in the development process to provide for the creation or protection of natural resources that can mitigate the impacts of development. Lead Agency: Regional Planning Department Support Agencies: Public Works (Stormwater Engineering Division, Transportation Planning and Programs Division, Land Development Division) Funding Source: Public Works; County Regional Planning Department	Low	Ongoing	All	Yes-25
26—Where appropriate, support retrofitting, purchase, or relocation of structures in hazard-prone (high risk) areas to prevent future structure damage. Give priority to properties with exposure to repetitive losses. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Regional Planning Department, Parks and Recreation, Public Works (Building and Safety Division, Transportation Planning and Programs Division) Funding Source: FEMA Hazard Mitigation Grant Program, Pre-Disaster Mitigation Grant Program, and Flood Mitigation Act; U.S. HUD; Cal EMA; Public Works; CEO OEM; County Regional Planning Department; County Parks and Recreation	Low	Ongoing	All	Yes-26
27—Use risked-based information from the Los Angeles County Comprehensive Floodplain Management Plan and the Los Angeles County Hazard Mitigation Plan to update the Safety Element of the County's General Plan. Lead Agency: Regional Planning Department Support Agencies: Public Works (Stormwater Engineering Division) Funding Source: County Regional Planning Department; Public Works	Low	Short term	All	Yes-27
28—Continue to maintain good standing under the National Flood Insurance Program by implementing programs that meet or exceed the minimum NFIP requirements. Such programs include enforcing an adopted flood damage prevention ordinance, participating in floodplain mapping updates, and providing public assistance and information on floodplain requirements and impacts. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Building and Safety Division, Land Development Division, Stormwater Maintenance Division), Regional Planning Department Funding Source: Public Works	Low	Ongoing	All	Yes-28
29—Consider the best available data and science to determine probable impacts on all forms of flooding from global climate change when making program enhancements or updates to the County's floodplain management program. Lead Agency: Public Works (Stormwater Engineering Division) Funding Source: FEMA; U.S. EPA; Cal EMA; Cal EPA; Public Works; USC Sea Grant	Low	Long term	All	Yes-29
30—Identify flood-warning systems for properties where such systems can be beneficially employed. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: CEO OEM, Sheriff's Department, Public Works (Stormwater Maintenance Division, Disaster Services Group) Funding Source: FEMA Hazard Mitigation Grant Program, Pre-Disaster Mitigation Grant Program, and Flood Mitigation Act; Cal EMA; Public Works; CEO OEM	Low	Ongoing	All	Yes-30

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action #
31—Consider the development of a comprehensive flood warning and response plan for the unincorporated County that would become a functional annex to the Operational Area Emergency Response Plan and meet the Community Rating System Activity 610 requirements. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: CEO OEM, Public Works (Disaster Services Group) Funding Source: FEMA; Cal EMA; Public Works; CEO OEM	Medium/ Low	Long term	All	Yes-31
32—Continue to enforce the County's development regulations to prevent increases of the flood hazard on adjacent properties. Lead Agency: Public Works (Building and Safety Division, Land Development Division) Support Agencies: Public Works (Stormwater Engineering Division) Funding Source: Public Works	Low	Ongoing	All	Yes-32
33—Conduct an evaluation of FEMA-designated flood zones and revise/update them to reflect current conditions. Lead Agency: Public Works (Stormwater Engineering Division) Funding Source: FEMA; Cal EMA; Public Works	Medium/ Low	Ongoing	Agua Dulce, Calabasas B, Cold Creek A, Cold Creek B, Del Sur, Lower Topanga Canyon, Malibou Lake, Quartz Hill A, Quartz Hill B, Quartz Hill C, Roosevelt, Topanga Canyon A, Topanga Canyon B, Triunfo Canyon A, Upper Topanga Canyon	Yes-33
34—Continue to maintain and update the Hazus model constructed to support the development of the CFMP, in order to make flood risk information available to property owners. Lead Agency: Public Works (Stormwater Engineering Division) Funding Source: FEMA; Cal EMA; Public Works	Low	Ongoing	All	Yes-34
35—Continue County coordination with other agencies and stakeholders on issues of flood control. Lead Agency: Public Works (Stormwater Engineering Division, Stormwater Planning Division) Funding Source: Public Works	Low	Ongoing	All	Yes-35

31-8 TETRA TECH

Action, Responsible Agencies and Potential Funding ^a	Estimated Project Cost ^b	Timeline	Affected RLA	In Previous Plan? Action #
36—Continue to identify and assess drainage needs. Lead Agency: Public Works (Stormwater Engineering Division, Stormwater Planning Division) Support Agencies: Public Works (Stormwater Maintenance Division) Funding Source: Public Works	Medium/Low	Ongoing	All	No
37—Once FEMA establishes its Building Resilient Infrastructure and Communities (BRIC) program, consider updating this plan accordingly to meet the BRIC program guidelines. Lead Agency: Public Works (Stormwater Engineering Division) Support Agencies: Public Works (Disaster Services Group, Stormwater Planning Division, Stormwater Maintenance Division) Funding Source: Public Works; FEMA	Low	Long Term	All	No

BENEFIT/COST ANALYSIS

The action plan is prioritized according to a benefit/cost analysis of the proposed projects (CRS Step 8). The benefits of proposed projects were weighed against estimated costs as part of the project prioritization process. The benefit/cost analysis was not of the detailed variety required by FEMA for project grant eligibility under the Hazard Mitigation Grant Program and Pre-Disaster Mitigation grant program. A less formal approach was used because some projects may not be implemented for some time, and associated costs and benefits could change dramatically in that time. Therefore, a review of the apparent benefits versus the apparent cost of each project was performed. Parameters were established for assigning subjective ratings (high, medium, and low) to the costs and benefits of these projects.

Cost ratings were defined as follows:

- **High**—Existing funding will not cover the cost of the project; implementation would require new revenue through an alternative source (for example, bonds, grants, and fee increases). Costs are estimated to be greater than \$5 million.
- **Medium**—The project could be implemented with existing funding but would require a reapportionment of the budget or a budget amendment, or the cost of the project would have to be spread over multiple years. Costs are estimated to be between \$500,000 and \$5 million.
- **Low**—The project could be funded under the existing budget. The project is part of or can be part of an ongoing existing program. Costs are estimated to be less than \$500,000.

Benefit ratings were defined as follows:

- High—Project will provide an immediate reduction of risk exposure for life and property.
- **Medium**—Project will have a long-term impact on the reduction of risk exposure for life and property, or project will provide an immediate reduction in the risk exposure for property.
- Low—Long-term benefits of the project are difficult to quantify in the short term.

Using this approach, projects with positive benefit versus cost ratios (such as high over high, high over medium, medium over low, etc.) are considered cost-beneficial and are prioritized accordingly.

For many of the strategies identified in this action plan, Los Angeles County may seek financial assistance under the Hazard Mitigation Grant Program or Hazard Mitigation Assistance programs, both of which require detailed

benefit/cost analyses. These analyses will be performed on projects at the time of application using the FEMA benefit-cost model. For projects not seeking financial assistance from grant programs that require detailed analysis, Los Angeles County reserves the right to define "benefits" according to parameters that meet floodplain management goals and objectives.

ACTION PLAN PRIORITIZATION

Table 31-2 lists the priority of each action item assigned by the planning team, using the same parameters used in selecting the action items. A qualitative benefit-cost review was performed for each action item. The priorities are defined as follows:

- **High Priority**—A project that meets multiple objectives, has benefits that exceed cost, has funding secured or is an ongoing project and meets eligibility requirements for a grant program. High priority projects can be completed in the short term (1 to 5 years). The key factors for high priority projects are that they have funding secured and can be completed in the short term.
- Medium Priority—A project that meets goals and objectives, that has benefits that exceed costs, and for which funding has not been secured but that is grant eligible. Project can be completed in the short term, once funding is secured. Medium priority projects will become high priority projects once funding is secured. The key factors for medium priority projects are that they are eligible for funding, but do not yet have funding secured, and they can be completed within the short term.
- Low Priority—A project that will mitigate the risk of the flood hazard, that has benefits that do not exceed the costs or are difficult to quantify, for which funding has not been secured, that is not eligible for FEMA grant funding, and for which the time line for completion is long term (1 to 10 years). Low priority projects may be eligible for grant funding from other programs. Low priority projects are "blue-sky" projects. How they will be financed is unknown, and they can be completed over a long term.

Table 31-2. Prioritization of Mitigation Actions									
# of CFMP Objectives Met	Benefits	Costs	Do Benefits Equal or Exceed Costs?	Is Project Grant Eligible?	Can Project be Funded Under Existing Programs/ Budgets?				
1—Promote awareness of flood hazards to residents in flood hazard areas.									
3	Medium	Low	Yes	Yes	Yes	High			
2—Develop and d	istribute flood p	protection infor	mation and materials to	property owners	s, renters, and developers in high-r	isk areas.			
2	Medium	Low	Yes	No	Yes	High			
			FEMA-designated flood tion of flood protection		lood protection information to ope	rators of these			
2	High	Low	Yes	No	Maybe	High			
 4—Investigate Repetitive Loss Properties identified by FEMA and update the Repetitive Loss Property and high-risk property list. Conduct the following flood control activities for these properties: Annually notify owners regarding local flood hazards and proper protection activities Provide technical advice regarding flood protection and flood preparedness Distribute a revised questionnaire to new Repetitive Loss Properties. 									
4	High	Low	Yes	No	Yes	High			
5—Make sandbags available to flood risk property owners during the wet season, provide notifications of the availability of these materials, and track the distribution of the materials.									
3	High	Low	Yes	Yes	Yes	High			
6—Provide public	education abo	ut maintaining	the stormwater system	free of debris.					
3	Medium	Low	Yes	No	Yes	High			

31-10 TETRA TECH

# of CFMP Objectives Met	Benefits	Costs	Do Benefits Equal or Exceed Costs?	ls Project Grant Eligible?	Can Project be Funded Under Existing Programs/ Budgets?	
			classification under the	e Community Rat	ing System to address increased	flood insurance
costs and promote		T.		I	I	I.
6	Medium	Low	Yes	No	Yes	High
3—Implement the with ADA.	Program for F	Public Information	on (PPI) protocol identi	fied in the CFMP	and include appropriate messagi	ng for compliance
3	Medium	Low	Yes	Yes	Maybe	High
⊢Provide emerg	gency prepared	dness and flood	protection information	to the general pu	ıblic.	
3	Medium	Low	Yes	Yes	Yes	High
10—Distribute info	ormation regar	ding flood preve	ention and flood insura	nce at emergenc	y operations and emergency prep	aredness events
3	Medium	Low	Yes	No	Yes	High
1—Develop and	maintain a list	of priority main	tenance-related proble	em sites.		
2	Low	Low	Yes	No	Yes	High
12—Conduct rout problem sites.	ine maintenan	ce of flood cont	rol facilities and addition	onal maintenance	as needed at priority maintenance	e-related flood
2	Medium	Low	Yes	No	Yes	High
13—Conduct a st nfrastructure mar	ormwater facili	ties condition a			ydraulic condition of the system a	
3	Low	Low	Yes	No	Yes	High
14—Evaluate stor	-		ood retention basin fac	'	<u>'</u>	, g
2	Medium	Low	Yes	No	Yes	High
15—Pursue appro					1.20	19.1
3	Low	Low	Yes	No	Yes	High
16—Consider the	1	-	rties into open space.		1	19
3	Medium	Medium	Yes	Yes	Yes	High
			erties in the flood zone		·	1 11911
4	Medium	Low	Yes	No	Maybe	Medium
18—Flag Renetiti					proval of building permit application	'
3	Medium	Low	Yes	No	Yes	High
		1			icates prior to the closure of a bui	
3	Medium	Low	Yes	No	Maybe	High
			itershed ecosystem res		*	riigii
20—Evaluate opp	Low	Low	Yes	Yes	Yes	Lliah
	-	-				High
		1			ne natural and beneficial functions	
5	Medium	High/ Medium	No	Yes	No	Medium
22 Encourage th	no application (ource measures for the	e control of storm	water and erosion to the best of the	neir annlicable
imits.	ie application (oi biologicai res	ource measures for the	e control of storm	water and erosion to the best of the	ieii applicable
3	Medium	Low	Yes	Yes	Yes	High
23—Maintain the		1		100	100	riigii
3	Medium	Low	Yes	Yes	Yes	High
				'	gate flood hazards and manage s	<u> </u>
4	Medium	Low	Yes	No	Yes	High
	equire environ	mental review i			or the creation or protection of nat	
•		1	Voo	Ma	Voo	Lliah
2	Medium	Low	Yes	No	Yes	High

Objectives Met	Benefits	Costs	Do Benefits Equal or Exceed Costs?	Is Project Grant Eligible?	Can Project be Funded Under Existing Programs/ Budgets?			
			chase, or relocation of hexposure to repetitive		ard-prone (high risk) areas to prev	ent future		
3	High	Low	Yes	Yes	Yes	High		
			Angeles County Complete Element of the Co		olain Management Plan and the Lo an.	os Angeles		
3	Low	Low	Yes	No	Yes	High		
minimum NFIP re	quirements. Su	ıch programs ir		opted flood damag	y implementing programs that me ge prevention ordinance, participat ments and impacts.			
6	Medium	Low	Yes	No	Yes	High		
29—Consider the best available data and science to determine probable impacts on all forms of flooding from global climate change when making program enhancements or updates to the County's floodplain management program.								
4	Medium	Low	Yes	Yes	Maybe	High		
30—Identify flood	-warning syster	ms for propertie	es where such systems	s can be beneficia	lly employed.			
3	Medium	Low	Yes	Yes	Maybe	Medium		
					r the unincorporated County that v Imunity Rating System Activity 610			
2	Medium	Medium/ Low	Yes	Yes	Maybe	High		
32—Continue to ε	enforce the Cou	unty's developn	nent regulations to pre-	vent increases of t	the flood hazard on adjacent prope	erties.		
3	Medium	Low	Yes	No	Yes			
						High		
33—Conduct an e	valuation of FE	EMA-designate	d flood zones and revis	se/update them to	reflect current conditions.	High		
33—Conduct an e	evaluation of FE Low	EMA-designate Medium/ Low	d flood zones and revis	se/update them to Yes		High Medium		
3 34—Continue to r	Low maintain and up	Medium/ Low odate the Hazu	No	Yes	reflect current conditions.	Medium		
3 34—Continue to r	Low maintain and up	Medium/ Low odate the Hazu	No	Yes	reflect current conditions. Maybe	Medium		
3 34—Continue to r information availa 2	Low maintain and up ble to property Medium	Medium/ Low odate the Hazu owners.	No s model constructed to	Yes support the deve	reflect current conditions. Maybe lopment of the CFMP, in order to i	Medium make flood risk		
3 34—Continue to r information availa 2	Low maintain and up ble to property Medium	Medium/ Low odate the Hazu owners.	No s model constructed to Yes	Yes support the deve	reflect current conditions. Maybe lopment of the CFMP, in order to i	Medium make flood risk		
3 34—Continue to r information availa 2 35—Continue Cor 3	Low maintain and up ble to property Medium unty coordination Low	Medium/ Low odate the Hazu owners. Low on with other action	No s model constructed to Yes gencies and stakehold Yes	Yes support the deve	reflect current conditions. Maybe lopment of the CFMP, in order to a Maybe pood control.	Medium make flood risk High		
3 34—Continue to r information availa 2 35—Continue Cor 3	Low maintain and up ble to property Medium unty coordination Low	Medium/ Low odate the Hazu owners. Low on with other action	No s model constructed to Yes gencies and stakehold Yes	Yes support the deve	reflect current conditions. Maybe lopment of the CFMP, in order to a Maybe pood control.	Medium make flood risk High		
3 34—Continue to r information availa 2 35—Continue Con 3 36—Continue to in	Low maintain and up ble to property Medium unty coordinatio Low dentify and ass Medium establishes its	Medium/ Low odate the Hazurowners. Low on with other action Low sess drainage in Medium/Low Building Resilie	No s model constructed to Yes gencies and stakeholde Yes eeds. Yes ent Infrastructure and 0	Yes support the deve Yes ers on issues of flo No Yes	reflect current conditions. Maybe lopment of the CFMP, in order to a Maybe pood control. Yes	Medium make flood risk High Medium High		

ANNUAL EVALUATION REPORT

Los Angeles County will prepare an annual evaluation report for its area analyses. The report will include a review of each action item, including a description of what was implemented or not implemented, and recommended changes to the actions items as appropriate. The report will be made available to the media and the public and will be submitted with the annual CRS recertification.

31-12 TETRA TECH

32. PLAN ADOPTION

This chapter documents formal adoption of the 2020 Los Angeles County Repetitive Loss Area Analysis by the Los Angeles County Board of Supervisors (CRS Step 9). Los Angeles County formally adopted the plan on DATE. A copy of the resolution is provided on the following pages.

TETRA TECH 32-1

Insert Adoption Resolution, 3 pages

32-2 TETRA TECH

REFERENCES

44 CFR Part 60, Section 60.3 https://www.fema.gov/media-library/assets/documents/12442#

Americans with Disabilities Act (ADA) https://www.ada.gov/

Antelope Valley Comprehensive Plan of Flood Control and Water Conservation; Los Angeles County, 1991 https://www.ladpw.org/wmd/watershed/av/av_comprehensive_final.pdf

Antelope Valley Integrated Regional Water Management Group. 2013. Antelope Valley Integrated Regional Water Management Plan. 2013. Accessed 2015. Available online: http://www.avwaterplan.org/

Building News International. 2015. 2015 BNi Home Builder's Costbook. BNI Publications, Inc. Available online at http://www.bnibooks.com/product/2016-bni-home-builders-costbook.

Cal. Gov. Code §65300 et seq https://codes.findlaw.com/ca/government-code/gov-sect-65300.html

California Building Standards Law (Health and Safety Code Sections 18901 through 18949.6 https://leginfo.legislature.ca.gov/faces/codes_displayText.xhtml?

California Code of Regulations Title 19 (Sections 2920, 2925 and 2930)

https://govt.westlaw.com/calregs/Document/I7BC7DE62B4C94A4C8EC6A7164AC5579B?viewType=FullText &originationContext=documenttoc&transitionType=CategoryPageItem&contextData=(sc.Default)

California Legislature, 2015

https://www.assembly.ca.gov/sites/assembly.ca.gov/files/Publications/2202 csa 2016 r5 web.pdf

California Department of Water Resources (DWR) https://water.ca.gov/

California Environmental Quality Act (CEQA) https://wildlife.ca.gov/Conservation/CEQA/Purpose

Clean Water Act (CWA) https://www.epa.gov/laws-regulations/summary-clean-water-act

Coastal Resource Areas (CRAs). Santa Monica Mountains Coastal Zone and Palos Verde Coastline http://planning.lacounty.gov/sea/proposed

Community Emergency Response Team (CERT) https://www.ready.gov/cert

Disaster Mitigation Act (DMA) https://www.fema.gov/media-library/assets/documents/4596

Endangered Species Act (ESA) https://www.fws.gov/endangered/laws-policies/

FEMA https://www.fema.gov/

FEMA CRS Community Rating System https://www.fema.gov/media-library/assets/documents/15846

TETRA TECH Reference-1

FEMA CRS 2017 CRS Coordinator's Manual (Section 512b) https://www.fema.gov/media-library-data/1493905477815-d794671adeed5beab6a6304d8ba0b207/633300_2017_CRS_Coordinators_Manual_508.pdf

FEMA P-312, Homeowner's Guide to Retrofitting 3rd Edition (FEMA 2014) https://www.fema.gov/media-library/assets/documents/480

FEMA 2015 https://www.fema.gov/media-library/assets/documents/106292

FEMA 2017 https://www.fema.gov/news-release/2017/12/29/fema-reflects-historic-year

FEMA 551 Selecting Appropriate Mitigation Measures for Floodprone Structures (FEMA-551) https://www.wbdg.org/ffc/dhs/criteria/fema551

Flood Insurance Rate Maps (FIRMs) https://www.fema.gov/flood-insurance-rate-map-firm

Gateway Management Authority, 2013 https://gatewaywater.org/

Generic Depth-Damage Relationships for Residential Structures 2003 https://planning.erdc.dren.mil/toolbox/library/EGMs/egm04-01.pdf

Insurance Services Office (ISO) https://www.verisk.com/insurance/brands/iso/

Integrated Regional Water Management (IRWM) Plan Update https://water.ca.gov/Programs/Integrated-Regional-Water-Management

LiDAR-generated digital elevation model https://coast.noaa.gov/data/digitalcoast/pdf/lidar-101.pdf

Los Angeles County Comprehensive Floodplain Management Plan https://dpw.lacounty.gov/wmd/nfip/FMP/documents/Los%20Angeles%20County%20FMP%20Final%20-%20No%20appendices.pdf

Los Angeles County. 2012. Los Angeles County Operational Area Emergency Response Plan. July 2012. Accessed 2015. Available online: http://lacoa.org/oaerp.htm

Los Angeles County, 2015 https://dpw.lacounty.gov/LACFCD/ewmppeir/

Los Angeles County, 2019 https://en.wikipedia.org/wiki/Los Angeles County, California

Los Angeles County Board of Supervisors https://bos.lacounty.gov/

Los Angeles County local coastal programs (LCPs) http://planning.lacounty.gov/coastal

Los Angeles County Department of Regional Planning. 2015b. General Plan 2035 page of the Los Angeles County Department of Regional Planning website. Accessed online April 21, 2015 at http://planning.lacounty.gov/generalplan

Los Angeles County Drainage Area (LACDA) Project https://www.ladpw.org/wmd/watershed/LA/LACDA_Drainage.cfm

Los Angeles County Public Works. 1987. Final Report on the Antelope Valley Comprehensive Plan of Flood Control and Water Conservation, June 1987. Accessed 2015. Available online: http://dpw.lacounty.gov/wmd/watershed/av/av_comprehensive_final.pdf.

Los Angeles County Public Works. 1991. Amendment to Final Report on the Antelope Valley Comprehensive Plan of Flood Control and Water Conservation. July 1991. Accessed 2015. Available online: http://dpw.lacounty.gov/wmd/watershed/av/Amendment%20No.%201.pdf

Los Angeles County Public Works. 1996. Los Angeles River Master Plan. Accessed 2015: Available online: http://dpw.lacounty.gov/wmd/watershed/LA/LARMP/

Los Angeles County Public Works. 2004. Technical Report on Trash Best Management Practices. August 2004. Accessed 2015. Available online:

http://www.ladpw.org/wmd/BMP/TrashTechReport/TrashTechnicalReportFinal8-5-04.pdf

Los Angeles County Public Works. 2006. Amendment to the Antelope Valley Final Report on the Comprehensive Plan of Flood Control and Water Conservation. August 2006. Accessed 2015. Available online: http://dpw.lacounty.gov/wmd/watershed/av/Amendment%20No.%202.pdf

Los Angeles County Public Works, 2018 https://pw.lacounty.gov/strategicplan/deptOverview/

Los Angeles County Public Works, 2019 https://dpw.lacounty.gov/

Los Angeles County Repetitive Loss Area Analysis

 $\underline{https://dpw.lacounty.gov/wmd/nfip/FMP/documents/Repetitive\%20Loss\%20Area\%20Analysis.pdf}$

Low Impact Development Standards Manual

https://dpw.lacounty.gov/ldd/lib/fp/Hydrology/Low% 20Impact% 20Development% 20Standards% 20Manual.pdf

Low Impact Development (LID) Requirements https://www.qcode.us/codes/inglewood/view.php?topic=10-16-10 208&frames=on

Municipal Separate Storm Sewer System (MS4) https://www.epa.gov/npdes/stormwater-discharges-municipal-sources

NFIP National Flood Insurance Program https://www.fema.gov/national-flood-insurance-program

National Incident Management System (NIMS) https://www.fema.gov/national-incident-management-system

Public Law 106-390 https://www.govinfo.gov/app/details/PLAW-106publ390

Public Law 110-325 https://www.govinfo.gov/content/pkg/PLAW-110publ325/pdf/PLAW-110publ325.pdf

Repetitive Loss Update Worksheet (AW-501) https://www.fema.gov/media-library/assets/documents/13154

RLAA Repetitive Loss Area Analysis

https://silverjackets.nfrmp.us/Portals/0/doc/presentations/RLAA Webinar.pdf

San Gabriel Valley Council of Governments, 2018 https://www.sgvcog.org/

Senate Bill 92 (SB 92, part of the 2017-18 budget package

https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=201720180SB92

Significant Ecological Area (SEA) http://planning.lacounty.gov/site/sea/

Technical Report of Trash Best Management Practices 2004

https://pw.lacounty.gov/wmd/BMP/TrashTechReport/TrashTechnicalReportFinal8-5-04.pdf

Topanga Creek Watershed Committee. 2002. Topanga Creek Watershed Management Plan. May 2002. Accessed 2015. Available online:

 $\frac{http://www.rcdsmm.org/sites/default/files/userfiles/file/Research\%\,20report_management\%\,20plans/Topanga\%\,20}{Creek\%\,20Watershed\%\,20Management\%\,20plan\%\,20-\%\,20-Intro.pdf}$

Water Quality, Supply, and Infrastructure Improvement Act of 2014 https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?billid=201320140AB1471

Los Angeles County Repetitive Loss Area Analysis

Appendix A. Generic Depth-Damage Relationships for Residential Structures

A. GENERIC DEPTH-DAMAGE RELATIONSHIPS FOR RESIDENTIAL STRUCTURES

TETRA TECH A-1

Los Angeles County Repetitive Loss Area Analysis

Appendix B. Federal and State Agencies, Programs and Regulations

B. Federal and State Agencies, Programs and Regulations

Existing laws, ordinances, plans and programs at the federal and state level can support or impact flood hazard mitigation actions identified in this plan. The following federal and state programs have been identified as programs that may interface with the actions identified in this plan. Each program enhances capabilities to implement recommended actions or has a nexus with a recommended action in this plan.

FEDERAL

National Flood Insurance Program

The NFIP makes federally backed flood insurance available to homeowners, renters, and business owners in participating communities that enact floodplain regulations. For most participating communities, FEMA has prepared a detailed Flood Insurance Study. The study presents water surface elevations for floods of various magnitudes, including the 1 percent annual chance (100-year) flood (or base flood) and the 500-year flood. Base flood elevations and the boundaries of the 100- and 500-year floodplains are shown on Flood Insurance Rate Maps (FIRMs), which are the principle tool for identifying the extent and location of the flood hazard. FIRMs are the most detailed and consistent data source available, and for many communities they represent the minimum area of oversight under their floodplain management program.

Participants in the NFIP must, at a minimum, regulate development in floodplain areas in accordance with NFIP criteria. Before issuing a permit to build in a flood-prone area, participating jurisdictions must, at a minimum, ensure that the project meets the following criteria (44 CFR Part 60, Section 60.3):

- Be designed (or modified) and adequately anchored to prevent flotation, collapse, or lateral movement of the structure resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy,
- Be constructed with materials resistant to flood damage
- Be constructed by methods and practices that minimize flood damage
- Be constructed with electrical, heating, ventilation, plumbing, and air conditioning equipment and other service facilities that are designed or located so as to prevent water from entering or accumulating within the components during conditions of flooding.

Additional criteria apply depending on the availability of information about the flood hazard.

Community Rating System

The CRS is a voluntary program within the NFIP that encourages floodplain management activities that exceed the minimum NFIP requirements. Flood insurance premiums are discounted to reflect the reduced flood risk resulting from community actions to meet the CRS goals of reducing flood losses, facilitating accurate insurance rating and promoting awareness of flood insurance.

B-1

For participating communities, flood insurance premium rates are discounted in increments of 5 percent. For example, a Class 9 community would receive a 5 percent premium discount, a Class 8 community would receive a 10 percent premium discount, and so on, until reaching a 45 percent premium discount for a Class 1 community. (Class 10 communities are those that do not participate in the CRS; they receive no discount.) The CRS classes for local communities are based on 18 creditable activities in the following categories:

- Public information
- Mapping and regulations
- Flood damage reduction
- Flood preparedness.

CRS activities can help to save lives and reduce property damage. Communities participating in the CRS represent a significant portion of the nation's flood risk; over 66 percent of the NFIP's policy base is located in these communities. Communities receiving premium discounts through the CRS range from small to large and represent a broad mixture of flood risks, including both coastal and riverine flood risks.

Disaster Mitigation Act of 2000

The federal Disaster Mitigation Act (DMA) of 2000 (Public Law 106-390) provides the legal basis for FEMA mitigation planning requirements for state, local and Indian tribal governments as a condition of mitigation grant assistance. The DMA replaced previous federal mitigation planning provisions with new requirements that emphasize the need for planning entities to coordinate mitigation planning and implementation efforts. The DMA established a new requirement for local mitigation plans and authorized up to 7 percent of Hazard Mitigation Grant Program funds to be available for development of state, local, and Indian tribal mitigation plans.

Biggert-Waters Flood Insurance Reform Act of 2012 and Homeowner Flood Insurance Affordability Act of 2014

The Biggert-Waters Flood Insurance Reform Act of 2012 authorized and funded a national mapping program. It also authorized insurance premium rate increases to ensure the fiscal soundness of the NFIP by transitioning the program from subsidized rates, also known as artificially low rates, to offer full actuarial rates reflective of risk.

The Homeowner Flood Insurance Affordability Act of 2014 repealed parts of Biggert-Waters, restoring grandfathering, putting limits on certain rate increases and updating the approach to ensuring the fiscal soundness of the fund by applying an annual surcharge to all policyholders.

Endangered Species Act

The federal Endangered Species Act (ESA) was enacted in 1973 to conserve species facing depletion or extinction and the ecosystems that support them. The act sets forth a process for determining which species are threatened and endangered and requires the conservation of the critical habitat in which those species live. The ESA provides broad protection for species of fish, wildlife and plants that are listed as threatened or endangered. Provisions are made for listing species, as well as for recovery plans and the designation of critical habitat for listed species. The ESA outlines procedures for federal agencies to follow when taking actions that may jeopardize listed species and contains exceptions and exemptions. It is the enabling legislation for the Convention on International Trade in Endangered Species of Wild Fauna and Flora. Criminal and civil penalties are provided for violations of the ESA and the Convention.

In some parts of the country, including the Pacific Northwest and the Sacramento-San Joaquin Delta area, court rulings have found that floodplain management measures can be in conflict with the goals of the endangered species act. Those rulings have required FEMA and local governments to engage in a consultation process with

B-2 TETRA TECH

federal wildlife agencies (Section 7 of the ESA) as they work to develop certain floodplain management programs, plans and projects.

Clean Water Act

The federal Clean Water Act (CWA) employs regulatory and non-regulatory tools to reduce direct pollutant discharges into waterways, finance municipal wastewater treatment facilities, and manage polluted runoff. These tools are employed to achieve the broader goal of restoring and maintaining the chemical, physical, and biological integrity of the nation's surface waters so that they can support "the protection and propagation of fish, shellfish, and wildlife and recreation in and on the water."

Evolution of CWA programs over the last decade has included a shift from a program-by-program, source-by-source, pollutant-by-pollutant approach to more holistic watershed-based strategies. Under the watershed approach, equal emphasis is placed on protecting healthy waters and restoring impaired ones. A full array of issues are addressed, not just those subject to CWA regulatory authority. Involvement of stakeholder groups in the development and implementation of strategies for achieving and maintaining water quality and other environmental goals is a hallmark of this approach.

National Incident Management System

The National Incident Management System (NIMS) is a systematic approach for government, nongovernmental organizations, and the private sector to work together to manage incidents involving floods and other hazards. The NIMS provides a flexible but standardized set of incident management practices. Incidents typically begin and end locally, and they are managed at the lowest possible geographical, organizational, and jurisdictional level. In other instances, success depends on the involvement of multiple jurisdictions, levels of government, functional agencies, and emergency-responder disciplines. These instances necessitate coordination across this spectrum of organizations. Communities using NIMS follow a comprehensive national approach that improves the effectiveness of emergency management and response personnel across the full spectrum of potential hazards (including natural hazards, terrorist activities, and other human-caused disasters) regardless of size or complexity.

Americans with Disabilities Act

The Americans with Disabilities Act (ADA) seeks to prevent discrimination against people with disabilities in employment, transportation, public accommodation, communications, and government activities. The most recent amendments became effective in January 2009 (Public Law 110-325). Title II of the ADA deals with compliance with the Act in emergency management and disaster-related programs, services, and activities. It applies to state and local governments as well as third parties, including religious entities and private nonprofit organizations.

The ADA has implications for sheltering requirements and public notifications. During an emergency alert, officials must use a combination of warning methods to ensure that all residents have any necessary information. Those with hearing impairments may not hear radio, television, sirens, or other audible alerts, while those with visual impairments may not see flashing lights or visual alerts. Two stand-alone technical documents have been issued for shelter operators to meet the needs of people with disabilities. These documents address physical accessibility as well as medical needs and service animals.

The ADA also intersects with disaster preparedness programs in regards to transportation, social services, temporary housing, and rebuilding. Persons with disabilities may require additional assistance in evacuation and transit (e.g., vehicles with wheelchair lifts or paratransit buses). Evacuation and other response plans should address the unique needs of residents. Local governments may be interested in implementing a special-needs registry to identify the home addresses, contact information, and needs for residents who may require more assistance.

Public Law 8499, Flood Control and Coastal Emergencies

Federal law that gives the U.S. Army Corps of Engineers the legal authority to conduct emergency preparation, response, and recovery activities and to supplement local efforts in the repair of flood damage reduction projects that have been damaged by floods. Under Public Law 8499, the Corps' Chief of Engineers is authorized to undertake activities including disaster preparedness, advance measures to prevent or reduce damage when there is an imminent threat of unusual flooding, emergency operations (flood response and post-flood response), rehabilitation of flood control works threatened or destroyed by flood, protection or repair of federally authorized shore protective works threatened or damaged by coastal storm, and provision of emergency water in the event of drought or contaminated source.

STATE

California General Planning Law

California state law requires that every county and city prepare and adopt a comprehensive long-range plan to serve as a guide for community development. The general plan expresses the community's goals, visions, and policies relative to future land uses, both public and private. The general plan is mandated and prescribed by state law (Cal. Gov. Code §65300 et seq.), and forms the basis for most local government land use decision-making. The plan must consist of an integrated and internally consistent set of goals, policies, and implementation measures. In addition, the plan must focus on issues of the greatest concern to the community and be written in a clear and concise manner. County actions, such as those relating to land use allocations, annexations, zoning, subdivision and design review, redevelopment, and capital improvements, must be consistent with the plan.

California Environmental Quality Act

The California Environmental Quality Act (CEQA) was passed in 1970, shortly after the federal government passed the National Environmental Policy Act, to institute a statewide policy of environmental protection. CEQA requires state and local agencies in California to follow a protocol of analysis and public disclosure of the potential environmental impacts of development projects. CEQA makes environmental protection a mandatory part of every California state and local agency's decision making process.

CEQA establishes a statewide environmental policy and mandates actions all state and local agencies must take to advance the policy. For any project under CEQA's jurisdiction with potentially significant environmental impacts, agencies must identify mitigation measures and alternatives by preparing an environmental impact report and may approve only projects with no feasible mitigation measures or environmentally superior alternatives.

Porter-Cologne Act

The Porter-Cologne Water Quality Control Act expanded the enforcement authority of the State Water Resources Control Board and the nine Regional Water Quality Control Boards, including the Los Angeles Regional Water Quality Control Board. The act provided for the California Environmental Protection Agency to create the local boards and better protect water rights and water quality. The act uses National Pollutant Discharge Elimination System permits for point source discharges and waste discharge to keep people from degrading the water quality of the state. The policy states:

- The quality of all waters of the state shall be protected
- All activities and factors affecting the quality of water will be regulated in order to attain the highest water quality within reason.
- The state must be prepared to exercise its fullest power and jurisdiction in order to protect the quality of water in the state from degradation.

B-4 TETRA TECH

AB 162: Flood Planning, Chapter 369, Statutes of 2007

This California State Assembly Bill passed in 2007 requires cities and counties to address flood-related matters in the land use, conservation, and safety and housing elements of their general plans. The land use element must identify and annually review the areas covered by the general plan that are subject to flooding as identified in floodplain mapping by either FEMA or the California Department of Water Resources. The conservation element of the general plan must identify rivers, creeks, streams, flood corridors, riparian habitat, and land that may accommodate floodwater for the purposes of groundwater recharge and stormwater management. The safety element must identify information regarding flood hazards including (California Legislature, 2015):

- Flood hazard zones
- Maps published by FEMA, California Department of Water Resources, the U.S. Army Corps of Engineers, the Central Valley Flood Protection Board, the Governor's Office of Emergency Services, etc.
- Historical data on flooding
- Existing and planned development in flood hazard zones.

The general plan must establish goals, policies and objectives to protect from unreasonable flooding risks including:

- Avoiding or minimizing the risks of flooding new development
- Evaluating whether new development should be located in flood hazard zones
- Identifying construction methods to minimize damage.

AB 162 establishes goals, policies and objectives to protect from unreasonable flooding risks. It establishes procedures for the determination of available land suitable for urban development, which may exclude lands where FEMA or California Department of Water Resources has determined that the flood management infrastructure is not adequate to avoid the risk of flooding.

AB 2140: General Plans—Safety Element

This bill provides that the state may allow for more than 75 percent of public assistance funding under the California Disaster Assistance Act only if the local agency is in a jurisdiction that has adopted a local hazard mitigation plan as part of the safety element of its general plan. The local hazard mitigation plan needs to include elements specified in this legislation. In addition, this bill requires the California Office of Emergency Services to give preference for federal mitigation funding to cities and counties that have adopted local hazard mitigation plans. The intent of the bill is to encourage cities and counties to create and adopt hazard mitigation plans.

AB 747: General Plans—Safety Element

This bill requires California communities with general plans to address evacuation routes in the safety element of the general plan. Information on the evacuation routes and their capacity, safety and viability under a range of emergency scenarios must be provided. For communities that have not adopted a local hazard mitigation plan, the safety element must be updated with this information by January 1, 2022. For those with a local hazard mitigation plan, the requirement applies upon the next revision of the hazard mitigation plan on or after January 1, 2022. Communities that have adopted a local hazard mitigation plan, emergency operations plan, or other document that fulfills the goals and objectives of this law may comply with this requirement by summarizing and incorporating by reference the other plan or document in the safety element.

In subsequent revisions to the safety element, communities also will be required to identify new information relating to flood and fire hazards and climate adaptation and resiliency strategies applicable to the city or county that was not available during the previous revision of the safety element. These subsequent updates must occur

upon each revision of the general plan housing element or local hazard mitigation plan and not less than once every eight years.

AB 2800: Climate Change—Infrastructure Planning

This California State Assembly bill passed in 2016 and until July 1, 2020, requires state agencies to take into account the current and future impacts of climate change when planning, designing, building, operating, maintaining, and investing in state infrastructure. The bill, by July 1, 2017, and until July 1, 2020, requires an agency to establish a Climate-Safe Infrastructure Working Group to examine how to integrate scientific data concerning projected climate change impacts into state infrastructure engineering.

SB 92 and New Standards for Submitting Dam Inundation Maps

On June 27, 2017, significant legislative changes related to dam safety were adopted by California through the passing of Senate Bill 92 (SB 92, part of the 2017-18 budget package). The bill requires the following changes which will affect dam owners:

- Inundation Maps
- Emergency Action Plans
- Fees and Enforcement

SB 379: Land Use, General Plan, Safety Element

This California Senate Bill establishes provisions that require the safety element in local general plans to be reviewed and updated to address climate adaptation and resiliency strategies. The safety element must include a vulnerability assessment, adaptation goals, policies and objectives, and implementation measures. A safety element update to comply with the law is due at the time of a jurisdiction's first local hazard mitigation plan adoption after January 1, 2017, or if no such FEMA plan has been adopted, by January 1, 2022. The bill also references specific sources of useful climate information to consult, such as Cal-Adapt.

California State Building Code

California Code of Regulations Title 24, also known as the California Building Standards Code, is a compilation of building standards from three sources:

- Building standards that have been adopted by state agencies without change from building standards contained in national model codes
- Building standards that have been adopted and adapted from the national model code standards to meet California conditions
- Building standards authorized by the California legislature that constitute extensive additions not covered by the model codes adopted to address particular California concerns.

The state Building Standards Commission is authorized by California Building Standards Law (Health and Safety Code Sections 18901 through 18949.6) to administer the processes related to the adoption, approval, publication, and implementation of California's building codes. These building codes serve as the basis for the design and construction of buildings in California. The national model code standards adopted into Title 24 apply to all occupancies in California except for modifications adopted by state agencies and local governing bodies. Since 1989, the Building Standards Commission has published new editions of Title 24 every three years.

B-6 TETRA TECH

Standardized Emergency Management System

California Code of Regulations Title 19 establishes the Standardized Emergency Management System to standardize the response to emergencies involving multiple jurisdictions. The Standardized Emergency Management System is intended to be flexible and adaptable to the needs of all emergency responders in California. It requires emergency response agencies to use basic principles and components of emergency management. Local governments must use the system in order to be eligible for state funding of response-related personnel costs under California Code of Regulations Title 19 (Sections 2920, 2925 and 2930). Individual agencies' roles and responsibilities contained in existing laws or the state emergency plan are not superseded by these regulations.

California State Hazard Mitigation Plan

Under the DMA, California must adopt a federally approved state multi-hazard mitigation plan in order to be eligible for certain disaster assistance and mitigation funding. The intent of the California State Hazard Mitigation Plan is to reduce or prevent injury and damage from hazards in the state through the following:

- Documenting statewide hazard mitigation planning in California
- Describing strategies and priorities for future mitigation activities
- Facilitating the integration of local and tribal hazard mitigation planning activities into statewide efforts
- Meeting state and federal statutory and regulatory requirements.

The plan is an annex to the State Emergency Plan, and it identifies past and present mitigation activities, current policies and programs, and mitigation strategies for the future. It also establishes hazard mitigation goals and objectives. The plan will be reviewed and updated annually to reflect changing conditions and new information, especially information on local planning activities.

Local hazard mitigation plans developed in response to the Disaster Mitigation Act in the State of California are to be consistent with the provisions of the approved State Hazard Mitigation Plan.

Governor's Executive Order S-13-08

Governor's Executive Order S-13-08 enhances the state's management of climate impacts from sea level rise, increased temperatures, shifting precipitation and extreme weather events. There are four key actions in the executive order:

- Initiate California's first statewide climate change adaptation strategy to assess expected climate change impacts, identify where California is most vulnerable, and recommend adaptation policies by early 2009. This effort will improve coordination within state government so that better planning can more effectively address climate impacts on human health, the environment, the state's water supply and the economy.
- Request that the National Academy of Science establish an expert panel to report on sea level rise impacts in California, to inform state planning and development efforts.
- Issue interim guidance to state agencies for how to plan for sea level rise in designated coastal and floodplain areas for new projects.
- Initiate a report on critical infrastructure projects vulnerable to sea level rise.

California Civil Code 1102

Article 1102 of the California Civil Code establishes requirements for disclosure of information as part of real estate transactions. It applies to any transfer of real property or residential stock cooperative with one to four dwelling units, by sale, exchange, installment land sale contract, lease with an option to purchase, other option to purchase, or ground lease coupled with improvements. The code imposes disclosure duties on the seller, the

seller's agent, or both. Provisions of this code require disclosure of information regarding the proximity of the subject property to areas of natural hazards, including flood, wildfire and earthquake.

Local Flood Protection Planning Act

This statute provides guidance on what a flood mitigation plan should include.

Water Code Division 5, Part 2, Chapter 4, Article 4

This code provides flood plain regulations established for public agencies within flood plain or a flood plain management plan.

California Coastal Management Program

This program requires coastal communities to prepare coastal plans and requires that new development minimize risks to life and property in areas of high geologic, flood, and fire hazard.

B-8 TETRA TECH